

To,
Regional Officer,
Ministry of Environment, Forest & Climate Change
A/3, Chandra Sekharpur,
Bhubaneswar – 751023.

Sub: Half-yearly Compliance (December 2023) of the stipulated Environmental conditions/safeguards in the Environmental clearance letter for (B+S+16) Multi-Purpose Residential Apartment Building at Raghunathpur, Bhubaneswar, District: Khurda, Odisha by M/s. OU Infraprojects Pvt. Ltd from 1st April 2023 to 30th September 2023 (December 2023).

Ref: Environmental Clearance Letter Ref. 2587/SEIAA Dated 15th November 2014 and transfer of EC vide File No. SIA/OR/MIS/299810/2023 Dated 27th September 2023

Dear Sir,

This is in reference to the Environmental Clearance vide Letter No. **2587/SEIAA Dated 15th November 2014 & transfer of EC vide file number SIA/OR/MIS/299810/2023 Dated 27th September 2023** in which we have been asked to submit the compliance with the specific and general conditions of the same.

In view of the above, we are approaching you by submitting a copy of the following information/ documents for your kind perusal:


A point-wise compliance report of the stipulated environmental conditions/ safeguards, along with necessary documents & annexures, are attached.

We fully assure you that we will comply with all conditions specified in the Environment clearance. Details of the Representative are as follows:

Name	Mr. Sidhartha Sekhar Mohapatra
Designation	Director
Contact no.	078539 62524
Email ID	sidharth@nawah.in

Thanking you,
Yours Sincerely,

For **M/s. OU Infraprojects Pvt. Ltd.**
M/S OU INFRAPROJECTS PRIVATE LIMITED


DIRECTOR

Name: Mr. Sidhartha Sekhar Mohapatra
Designation: Director

CC:

1. The Member Secretary, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, Bhubaneswar.
2. The Member Secretary SEIAA, 5RF, 2/1, Unit-IX, Bhubaneswar.

COMPLIANCE

REPORT

“(B+S+16) Multi-Purpose Residential Apartment Building”
Located at Raghunathpur, Bhubaneswar, District: Khurda, Odisha
M/s OU InfraProjects Pvt. Ltd.

(A) Compliance of Stipulated Environmental Conditions/ Safeguards in the
Environmental Clearance Ref. No. 2587/SEIAA Dated 15th November 2014

S. No	Conditions	Status of Compliance
PART A - SPECIFIC CONDITIONS: Construction Phase:-		
1.	The project proponent shall obtain necessary building plan approval from BDA, Bhubaneswar. This Environmental Clearance is subject to approval of building plan by BDA, Bhubaneswar.	Agreed: The building plan approval from Bhubaneswar Development Authority has been obtained and is attached as Annexure-I.
2.	The applicant (Project proponent) will take necessary measures for prevention, control and mitigation of Air Pollution, Water Pollution, Noise Pollution and Land Pollution including solid waste management as mentioned by them in Form-I, Form-IA, and Environment Management Plan (EMP) in compliance with the prescribed statutory norms and standards.	Agreed. All the necessary measures required for prevention, control and mitigation of Air Pollution, Water Pollution, Noise Pollution, Land Pollution and solid waste management are being implemented in general practice.
3.	The applicant will take statutory clearance /approval /permissions from the concerned authorities in	Agreed. We have taken statutory permissions required for the project. Please refer to the attached Fire NOC as

	respect of the project as and when required.	Annexure-II and AAI NOC as Annexure-III .
4.	The applicant will submit half yearly compliance report on post environmental monitoring in respect of the stipulated terms and conditions in the Environmental Clearance to the State Environmental Impact Assessment Authority, (SEIAA), Odisha, SPCB, Regional Office of the Ministry of Environment & Forest, Odisha on 1 st June and 1 st December of each calendar year.	Half Yearly compliance reports are regularly sent to IRO, Bhubaneswar, SEIAA, Odisha and OSPCB and a copy of the same is being uploaded in the company's website for public view.
5.	The project proponent shall obtain Periodic Occupancy Renewal Certificate from the competent authority at an interval of 3 to 5 years as per the provisions of National Building Code (NBC), 2005.	Agreed. The project is in construction phase right now, the Occupancy Certificate will be obtained once the project is operational and periodic renewal will be done as required.
6.	The project proponent shall comply to all the conditions stipulated by the Fire Prevention Officer, Odisha.	Agreed: The regulations prescribed by the Fire Prevention Officer, Odisha will be adhered to.
7.	The applicant will adopt the prescribed norms, and standards provided in the National Building Code of India, 2005.	Agreed: All the prescribed norms and standards provided in the National Building Code of India, 2016 will be followed.
8.	Considering the peak water consumption of the occupants, the design of the water supply system and the sewage disposal system of	Agreed: The water supply and sewage disposal design will be based on the water consumption as estimated during peak load.

	the project should be based on the provisions of water consumption.	
9.	In case the water and sewer connections from the public water supply and sewerage systems maintained by the PHED are not technically feasible project as certified by the PHED and in case the proponent establishes its own water supply or sewerage system for the proposed complex, the proponent shall take full charge to operate and maintain the utility systems, confirming to the requirements of relevant authorities.	Agreed: All the necessary permissions will be taken from the relevant authority for discharge and maintenance of the sewerage system.
10.	The Project Proponent should ensure advertising in at least two local newspapers widely circulated in the region, one of which shall be in vernacular language that, the project has been accorded environment clearance and copies of the clearance letters are available with SEIAA, Odisha and the Odisha State Pollution Control Board (OSPCB) and may also be seen on the website of the board. The advertisement shall be made within 7 (seven) days from the date of issue of the environmental clearance & a copy shall also be	advertisement regarding accord of Environmental Clearance has been published in English and Oriya in THE SAKAL on 02.08.2023 attached as Annexure-4.

	forwarded to the SEIAA, Odisha and Regional Office, Odisha of the Board.	
11.	The Proponent shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, SEIM, Odisha, the respective Zonal Office of CPCB and the SPCB.	We have provided a link on our company's website where a copy of EC along with the Half-yearly compliance report and results of monitored data on a half-yearly basis are being uploaded for public awareness. The link of same is attached as Annexure-5 .
12.	The environment statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of the Ministry by e-mail.	Agreed: Form-V will be submitted to the Odisha Pollution Control Board for each financial year ending 31 st March once the project is operational.
13.	Any appeal against this environmental clearance shall lie with the National Environment Appellate Authority, if preferred,	Agreed.

	within a period of 30 days as prescribed under section 16 of the National Environment Appellate Act, 2010.	
II.	Special Conditions	
	A. Construction Phase	
i.	No ground water shall be extracted for the project work at any stage during the construction phase.	Agreed: We are using groundwater for construction of our project. The due permission has been obtained from CGWA and the same is attached as Annexure-6 . Further No ground water is used for construction purposes.
ii.	Provision shall be made for the housing of construction laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Agreed and is being complied.
iii.	A First-Aid room will be provided in the project site both during construction and operation of the project.	Agreed: First-Aid room is being provided for the workers and the same shall be maintained during operation of the project. Please refer to the attached photographs as Annexure-7 .
iv.	All the top soil excavated during construction activities should be stored separately for use in land	Agreed: The top soil excavated during construction is being used for greenbelt development within the project area.

	filling, horticulture / landscape development within the project site.	
v.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and will be disposed off taking the necessary precautions for general safety and health aspects of people only in approved sites with the approval of competent authority.	Agreed and is being complied with.
vi.	Soil and ground water samples will be tested periodically to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Being Complied Soil and ground water samples are tested regularly, recently test reports are attached as Annexure-8
vii.	Construction spoils, including bituminous material and other hazardous materials should not be allowed to contaminate watercourses, ground water and dump sites by following safe dumping /disposal practice as per statutory rules and norms with necessary approval of the Odisha State Pollution Control Board.	Agreed and is being complied with.
viii.	The fuel for diesel generator sets to be used during construction phase shall use low sulfur diesel fuel and should conform to Environment (Protection) Rules 1986 prescribed	Please refer to the monitoring report which includes Ambient air quality monitoring results and noise monitoring results attached as Annexure-8.

	for air emission and noise standards.	
ix.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from the chief Controller of Explosives shall be taken.	Agreed.
x.	Vehicles used for bringing construction materials to the site should be in good condition and should have a pollution check certificate, covered and conform to statutory air and noise emission standards and should be operated only during non-peak hours of the day.	Agreed and is being complied with. Please refer to the attached PUC certificate of vehicles being used as Annexure-9.
xi.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/OPCB.	Please refer to the monitoring report which includes Ambient air quality monitoring results and noise monitoring results attached as Annexure-8.
xii.	Fly ash bricks should be used as building material in the construction' as per the provisions of Fly Ash Notification of September, 1999 and	Agreed. Fly ash bricks are being prioritized as building material in the construction of our project. Please refer to the attached bills of Fly ash bricks as

	as amended thereafter	Annexure-10.
xiii.	Ready mixed concrete would be used in building construction.	Agreed and is being complied with. Please refer to the attached bills of RMC as Annexure-11.
xiv.	Storm water control and its re-use should be as per CGWB and BIS standards for these applications	We assure that storm water control measures adopted and its reuse complies with the CGWB and BIS standards.
xv.	Water demand during construction should be optimized by adopting best practices without compromising quality. It should be through the tanker obtained from the PHD, Odisha.	Agreed: All the effective measures are being taken to reduce the use of fresh water during construction phase.
xvi.	Separation of grey and black water supplies and collection should be done by the use of dual plumbing line. Grey and black water should be treated separately decontaminating the pollutants including heavy metals, oil etc. before recycling/reuse.	Agreed.
xvii.	Fixtures for showers, toilet flushing and drinking water should be of low flow type and restricted to requirements by use of aerators, avoiding wastage pressure reducing devices or sensor based controls.	Agreed.
xviii.	Use of glass may be maximum up to 40% of total outer wall area to reduce the energy consumption and	The Glass specification is not finalized yet, it will be informed after it gets finalized.

	load on air-conditioning. If necessary, high quality double glass with special reflective coating may be used in the windows.	
xix.	Roof should meet the prescribed requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.	Agreed and is being complied with.
xx.	The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of firefighting equipment etc. as per National Building Code of India, 2005 including protection measures from lightning etc.	Agreed and will be complied with.
xxi.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase to avoid disturbances and pollution to the surroundings.	Agreed and is being complied with.
xxii.	"Consent to Establish" shall be obtained from Odisha State Pollution Control Board and a copy shall be submitted to the SEIAA, Odisha before start of any construction work at the site.	CTE from OSPCB has been obtained vide letter No 3117/RO-BBSR/NOC-2951 dated 11.09.2023. Copy of the same has been attached as annexure-12.

PART A - SPECIFIC CONDITIONS: Operation Phase:-

i.	The proponent has to install of STP of 650 KLD capacity with (FAB Technology). Treated effluent from STP shall be recycled/ reused to the maximum extent possible after scientific treatment. Treatment of 100% grey water by decentralized treatment should be done. Discharge of unused treated effluent shall conform to the norms and standards of the Odisha State Pollution Control Board. Necessary measures should be taken to mitigate the odour problem from STP.	Agreed.
ii.	The proponent shall install solar panel at the top of the flat to provide solar energy to the occupants.	Agreed and will be complied with.
iii.	In no case there should be any discharge of treated effluent to outside the project premises.	Agreed and will be complied with.
iv.	The STP sludge should not be dried nor incinerated within the project site and should be disposed off as per the norms of SPCB, Odisha.	Agreed and will be complied with.
v.	The STP must be technically sound to treat all kinds of pollutants present in it and its capacity should take into account the entire load of sewage generated by the inhabitants.	Agreed.
vi.	The project proponent will ensure	Agreed: Sewerage disposal system shall

	that under no circumstances, the environment is polluted due to non-functioning/under performance of sewerage disposal system of the project.	be maintained so as to ensure that environment is not polluted due to non-functioning/under performance of the same.
vii.	The solid waste generated should be properly collected and segregated. Wet garbage should be disposed off to be composted and dry/inert solid waste should be disposed through a certified agency for safe disposal. Necessary approval/permission may be obtained from the concerned authorities. In no case it should be left in the premises untreated	Agreed: We ensure that the disposal of solid waste will be done through a certified agency for safe disposal.
viii.	Diesel power generating sets proposed as source of back-up power for lifts elevators and common area illumination during operation phase should be of enclosed type and conform to Environment Protection (EP) Rules 1986. The height of the stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets put together and should be more than the highest building height. Low sulfur diesel should be used. The location of the DG sets may be	Agreed and will be complied with.

	decided in consultation with Odisha State Pollution Control Board. Care may be taken to avoid disposal of smoke/pollutants from DG sets in the residential area. Low sulfur diesel oil (LDO or HSD) will be used in DG set.	
ix.	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time, the noise levels measured at the boundary of the sites shall be restricted to the permissible levels to comply with the prevalent regulations.	Agreed.
x.	Green-belt & avenue plantation of trees over the site area (minimum) 19,540.28 Sq. Mt (20%) shall be done using native tree species/shrubs improving greenery & keeping in view aesthetics considerations in the whole complex. Professional landscape architects should be engaged to design the green layout to provide for multi-tier plantation and green fencing all around, mitigating various environmental pollutants like dust, noise, emissions etc. and pathway for joggers.	Agreed and will be complied with.
xi.	Rain water harvesting for roof runoff and surface run-off should	Agreed and will be complied with.

	<p>be implemented as per submitted plan. Before recharging the runoff, pre-treatment must be done to remove suspended matter, oil, grease and other soluble components as per norms. Rainwater recharge should be through specified recharge pits of required numbers. The surface runoff water should be stored suitably treated and reused for landscaping. The bore-well for rainwater recharging should be kept at least 5 meter above the highest ground water table. The technology may preferably be adopted from a registered commercial firm with performance guarantee.</p>	
xii.	<p>Weep holes in the compound walls shall be provided to ensure natural drainage of excessive rain water in the project area during the monsoon period after the harvesting operations. Care must be taken so that there is no water logging in the territory and drainage is 100%.</p>	<p>Agreed and will be complied with.</p>
xiii.	<p>Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Traffic congestion shall be avoided inside the project site. The</p>	<p>Agreed.</p>

	area ear- marked for parking shall not be used for any other purpose. Alternate entry and exit must be provided to handle excess traffic and emergency situations.	
xiv.	A report on the energy conservation measures confirming to energy conservation norms finalized by the Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R&U Factors etc. and submitted to the SEIAA, Odisha in three months' time before operation/ habitation.	Agreed and will be complied with.
xv.	Provisions of solar hot water storage/supplies at the roof top may be made as per statutory norms of CPCB/MoEF/SPCB, Odisha.	Agreed: We shall explore the possibilities to have provisions of solar hot water storage and supplies if found feasible.
xvi.	Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid toxic contamination. Use of solar	Agreed: Use of CFLs/TFLs for lighting, solar panels and every possible measure should be taken for energy conservation.

	panels is adapted to the maximum extent possible, especially for street lights.	
xvii.	The building blocks should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	Agreed and is being complied with.
xviii.	The funds earmarked for the environment protection measures shall be judiciously utilized. Under no circumstances this fund shall be diverted for other purposes like Annual allocation and maintenance/ monitoring etc. and expenditure for this fund should be reported to the SEIAA, Odisha on regular basis	Point-wise implementation status of mitigation measures indicated in EMP is attached as Annexure 13.



BHUBANESWAR DEVELOPMENT AUTHORITY

BHUBANESWAR

No. 2417 /BDA., Bhubaneswar
BP1B-1136/13Dtd. 22-01-14

Sri Pratap Chandra Rout & Others
Unit-9, Samabaya Bhawan, 1st floor
Janpath, Bhubaneswar.

SUB: Approval for construction of B+S+16 multi storied residential apartment building over Plot No-1478, 1479 & others of Mz-Raghunathpur, Bhubaneswar.

Sir

With reference to your application for permission under section-16 of the ODA Act, you are required to comply the following for detail scrutiny of the proposal;

1. Submit the NOC from PHED.
2. Submit Environmental clearance from Ministry of Environment & Forest, Govt. of India, since the total built up area exceeds 20,000 sq.mtr.
3. Submit NOC from NAAI and Structural vetting from a identified technical Institutions since the building height exceeds 30 mtr.
4. Submit undertaking regarding development of infrastructure like water supply, Sewerage, drainage, construction and supervision, fire fighting, garbage disposal etc.
5. Submit affidavit regarding development of infrastructure as per the specification of BMC/BDA before inspection of site by BMC/BDA.
6. Submit the empanelment certificate of the Architect, Structural Engineer and Builder firm.
7. Submit the design and calculation sheet towards STP from the PH consultant of repute.
8. Submit the affidavit from the Architect, Owner, regarding not to deviate from the approved plan.
9. Submit an indemnity bond towards construction of basement.
10. Submit the drainage plan showing drain up to disposal point with longitudinal/cross section and affidavit to construct at own cost.
11. The applicant/Technical person to put their signature on the copy of documents submitted by them for self attestation.
12. Submit the documents with regard to change of the kisam of land from agriculture to non agriculture purpose.

Yours faithfully

[Signature]
21/1/14
Town Planner

[Signature]

DA
2
14/2/14

To,

Town Planner,

BDA-BBSR,

Bhubaneswar.

(Subj :- Compliance to file no 1136/13 in accordance to letter no 2417/bda dt 22.01.14)


Dear madam,

In response to letter no. 2417/bda dt 22.01.14 I was asked to comply certain letters for my file no BP1B 1136/13 Mz:- Raghunathpur for approval of B+S+16 over my plot no. 1478, 1479 and other.

In accordance to which I am hereby submitting documents as asked for the compliance.

Kindly go through it and further process my file for speedy approval.

Regards



PRATAP CHANDRA ROUT.

INSPECTION REPORT OF THE TECHNICAL COMMITTEE




- 1. File No. BP1131136/13
- 2. Name of the applicant/owner/Developer: Pratab ch. Raut and others
- 3. Plot No. 1480000 others. Mouza: Raghunathpur
- 4. Width of approach road : 30.48m
- 5. Type of approach road/status of development: Blacktop road
- 6. Infrastructure available at site:
 - i) Drainage: do
 - ii) Sewerage: do
 - iii) Water Supply: do
 - iv) Electricity: yes
- 7. Surrounding Development: Developed

8. Distance of the existing drain from the site and possibility of extension /connection for proper drainage of waste water/Rain water from the proposed apartment/project:

9. Issues on site: do drainage and sewerage provision is to be made.

10. Recommendations of the Committee for plan approval. yes

Signature of Inspection Team

- 1.  18.2.2014
- 2.  18.2.2014
- 3.  18.2.2014
M.A., DTFCO
- 4. .
- 5. .
- 6. .

-7-

304

Item No. 3 /193/ BPC
BP1B-1136/13

Approval for construction of one block of B+S+16, one block of S+6 storied Residential Apartment building and one block of G+2 Club House building proposed over Plot No.1514/2788 & others of Mz: Raghunathpur in favour of Sri Dillip Kumar Biswal & eight others

1	Name of the Applicant	1.Dillip Kumar Biswal 2.Jagannath Rout 3.Bholi Rout 4.Sukanta Kumar Rout 5.Babaji Rout 6.Basanti Rout 7.Bijaya Kumar Rout 8.Akashya Kumar Rout 9.Pratap Chandra Rout
	Name of the Land Owner	Dillip Kumar Biswal 2.Jagannath Rout 3.Bholi Rout 4.Sukanta Kumar Rout 5.Babaji Rout 6.Basanti Rout 7.Bijaya Kumar Rout 8.Akashya Kumar Rout 9.Pratap Chandra Rout
2	Name of the Power or Attorney Holder	N.A.
3	Name of the Builder & Empanelment Regd.No.	M/s Chawala Homes Pvt Ltd Bldr/218/BDA
4	Name of the Architect & Regd. No.	Ar.P.P.Karmakar Ar/ 093 /BDA
	Name of the Structural Engineer & Regd. No.	Er.Mohan Chandra Nayak SER/038/BDA
5	Land Details: (i) Plot No. (ii) Khata No. (iii) Area:	:1514/2788,1514,1512,1511,1513, 1508,1480/3127,1478/3128, 2054/2537,1480,2051,1479,1478, 2044 : 729/677,517,729/623,729/1054, 729/47,513 :Ac.3.346-1/2

6	Ownership document: (i) Patta (ii) Sale deed (iii) Kisam	:Sale deed,ROR,Legal Heir, Relinquishment deed : Gharabari
7	Land use as per CDP	Partly Residential and partly affected by 200 ft Nandankanan road
8	Proposed use	Residential
9	Infrastructure* • Approach road • Width • Status(Private/Public • Type (Blacktop/Morum/Kutchra)	:200 ft Nandankanan road :Public :Blacktop
10	Salient features: • Plot area as per document • Affected by road • Net plot area • Total built up area in all floors: • Total FAR Area • No. of floors • No. of dwelling units	: 13618.58 sq.mtr : 517.29 sq.mtr : 13101.28 sq.mtr :45,560.99 sq.mtr :36025.25 sq.mtr : B+S+16 (one block) S+6 (One block) G+2(one block club house) : 216 nos

Item	Permissible			Provided		
	A	B	C	Block-A	Block-B	Block-C
Front Set back	14 mtr	7 mtr	4 mtr	18.63 mtr ✓	145.18 mtr ✓	71.86 mtr ✓
Rear set back	14 mtr	7 mtr	3 mtr	14.01 mtr ✓	7.26 mtr ✓	18.81 mtr ✓
Left side set back	14 mtr	7 mtr	2.5 mtr	14.12 mtr ✓	118.20 mtr ✓	8.25 mtr ✓
Right side set back	14 mtr	7 mtr	2.5 mtr	14 mtr ✓	7.4 mtr ✓	74.51 mtr ✓
FAR	2.75			2.749 ✓		
Parking(30%)	10631.80 sq.mtr			10752.95 sq.mtr ✓		
Height	59.72 mtr			49.40 mtr		
11 Clearances:						
BMC/BDA	To be submitted prior to approval					
PHED:	submitted					
Environmental clearance	Not submitted					
State Pollution Control Board	Not submitted					

	NAAI	Not submitted
	Structural vetting	Not submitted
12	Affidavits:	
	<ul style="list-style-type: none"> • General • Not to deviate <ul style="list-style-type: none"> (i) Architect (ii) Applicant/Developer 	Submitted : submitted : submitted :submitted
13	Infrastructure <ul style="list-style-type: none"> • Sewerage • Water supply • Drainage • Garbage disposal • Electricity 	:Through STP : Deep bore well : Drainage shall be discharged up to the public disposal point at own cost as per the recommendation of the Authority. : Shall be maintained by the applicant : Own Transformer is to be provided in consultation with CESU

Issues:

- (i) Since the total built up area exceeds 20,000 sq.mtr the applicant requires to submit Environmental Clearance from Ministry of Environment & Forest, Govt. of India.
- (ii) Since the height of the building exceeds 30 mtr above, NOC from NAAI and Structural vetting is required.
- (iii) The drainage and sewerage plan is to be vetted by Engineering Section, BDA prior to approval.

Since the total plot area exceeds 4000 sq.mtr, the matter is placed before the DP&BP Committee for a decision.

Shah
19/2/14


20/2/14
Planning Member

BHUBANESWAR DEVELOPMENT AUTHORITY
BHUBANESWAR.

261

No. 2417 /BDA, Bhubaneswar,
BP1B-1136/13

The 22 th Jan'2013

To

Sri Pratap Chandra Rout & Others
Unit-9, Samabaya Bhawan, 1st floor,
Janpath, Bhubaneswar.

Sub:- Approval for construction of B+S+16 multi storied residential apartment building over plot No.1478,1479 & others of Mz:Raghunathpur, Bhubaneswar.

Sir,

With reference to your application for permission under section-16 of the ODA Act, you are required to comply the following for detail scrutiny of the proposal;

- (1) Submit the NOC from PHED.
- (2) ~~NOC from Fire Prevention Officer~~
- ✓ (3) ~~NOC from NHAI as the plot is affected by widening of Nandankanan road.~~
- (4) Submit Environmental clearance from Ministry of Environment & Forest, Govt. of India, ~~NOC from State Pollution Control Board~~ since the total built up area exceeds 20,000 sq.mtr
- (5) Submit NOC from NAAI and Structural vetting from a identified technical Institutions since the building height exceeds 30 mtr.
- (6) Submit undertaking regarding development of infrastructure like water supply, sewerage, drainage, construction and supervision, fire fighting, garbage disposal etc.
- (7) Submit affidavit regarding development of infrastructure as per the specification of BMC/BDA before inspection of site by BMC/BDA .
- (8) Submit the empanelment certificate of the Architect, Structural Engineer and Builder firm
- (9) Submit the design and calculation sheet towards STP from the PH consultant of repute.
- (10) Submit the affidavit from the Architect, Owner, regarding not to deviate from the approved plan
- (11) Submit an indemnity bond towards construction of basement.
- (12) Submit the drainage plan showing drain upto disposal point with longitudinal/cross section and affidavit to construct at own cost.
- (13) The applicant/Technical person to put their signature on the copy of documents submitted by them for self attestation.
- (14) Submit the documents with regard to change of the kism of land from agriculture to non agriculture purpose.

✓ (15) ~~Submit the change of kism from agriculture to non agriculture purpose of all plots.~~

Yours faithfully,

[Signature]
16/1/14
Town Planner.



ODISHA FIRE & EMERGENCY SERVICE
FIRE SAFETY RECOMMENDATION

FORM-II

[Under Rule-12 (5)]



RECOMMENDATION No:	RECOMM1204130052023001184	APPLICATION No:	FSR12041300520230000014
Date of Issue:	23-04-2023	Date of Receipt of Application:	03-04-2023

1.	Name & Address of the proposed Building/Premises:	Proposed B+S+16floors Block-A consisting of 04 Towers (i.e. T1, T2, T3 & T4) and 2B+3S+31 floors Block-B consisting of 04 Towers (i.e. T5, T6, T7 & T8) Both Residential MIG Category Apartment Buildings and G+3 floors Community Centre building of M/s. O.U. Infra Projects Pvt. Ltd., over plot no. 1480, 2051, 1478 & others, Khata No. 513, 517, 729/3767 & others, Mouza- Raghunathpur, Bhubaneswar
2.	Name and Address of the Applicant(s):	Sri Soumya Ranjan Das, S/o- Giridhari Das, Flat No. 303, 3rd Floor, E Square ICONIC, Raghunathpur, Jali, Patia, Ostapada, Bhubaneswar, Khurda- 751024.
3.	Proposed Occupancy (Type of Building):	1. As per plan, the proposed B+S+16 floors Block-A consisting of 04 Towers (i.e. T1, T2, T3 & T4) and 2B+3S+31 floors Block-B consisting of 04 Towers (i.e. T5, T6, T7 & T8) Both Residential MIG Category Apartment Buildings are coming under "Residential Building" as per Odisha Development Authorities (Planning and Building Standards) Rules, 2020 and Residential Building (Group-A) Sub-Division-A4 as per NBCI-2016. AND 2. The G+3 floors Community Centre is coming under "Mixed Occupancy" (Shop, Assembly & Lodging) as per Odisha Development Authority (Planning and Building Standards) Rules, 2020 and "Mixed Occupancy" (Shop, Assembly & Lodging) as per NBCI-2016 which is also incidental to main occupancy.
4.	Area with Plot Number and Khata	Plot Area – 17883.89 sqm. over Plot No. 1480, 2051, 1478& others, Khata



	Number:	No. 513, 517, 729/3767 & others.
5.	Date of Inspection:	09-04-2023

6. Recommendation:

The Fire Safety Recommendation for the following building(s) is/are as follows: -

A.		Structural and construction site requirements:
i.	Details of the building(s) like height, no. of floors, area on each floor, built up area, etc	<p>B+S+16 floors (Block-A) Residential Building consisting of 04 towers (T1, T2, T3 & T4)</p> <p>1) Basement- 6780.79 sqm- Parking & Electrical Room</p> <p>2) Stilt- 2217.24 sqm- Parking, Toilet & Service</p> <p>3) 1st floor to 15th floor- 2194.52 sqm (each) – Residential dwellings</p> <p>4) 16th floor- 1490.74 sqm- Residential dwellings with Home theatre.</p> <p>2B+3S+31 floors (Block-B) Residential Building consisting of 04 towers (T5, T6, T7 & T8)</p> <p>1) Lower & Upper Basement floor – 5838.18 sqm (each) – Parking.</p> <p>2) Stilt, 1st Stilt & 2nd Stilt floor – 4214.04 sqm (each) – Parking, Toilets, Electric panel room (stilt)</p> <p>3) 3rd floor – 3132.07 sqm – Society room, Community area, isolation room.</p> <p>4) 4th & 5th floors – 2562.95 sqm (each) – Residential dwellings</p> <p>5) 6th to 18th and 20th to 28th & 30th to 32nd floors – 2562.95 sqm- Residential dwellings.</p> <p>6) 19th & 29th floors – 2580.07 sqm – Residential dwellings, Refuge area</p> <p>7) 33rd floor – 2328.09 sqm - Residential dwellings with Home theatre.</p> <p>G+3 floors Community Centre, “Mixed Occupancy” (Shops, Assembly & Lodging)</p> <p>1) Ground floor – 696.36 sqm – Back office, Kitchen, Electric room & Shops.</p> <p>2) 1st floor – 559.89 sqm Society Room, Isolation room, saloon, shop</p> <p>3) 2nd – 559.32 sqm – Staffrooms, Guest rooms, Staff dormitories</p> <p>4) 3rd floor – 559.32 sqm- Video game, Indoors games, Gym & Multimedia gaming room.</p> <p>The height of the aforesaid proposed B+S+16 floors (Block-A) Residential Building consisting of 04 towers (i.e. T1, T2, T3 & T4) shall be of height 51 mtrs from ground level. 2B+3S+31 floors (Block-B) Residential Building consisting of 04 towers (T5, T6, T7 & T8) shall be of height 103.50 mtrs. from ground level and G+3 floors Community Centre, “Mixed Occupancy” (Shops, Assembly & Lodging) shall be of height 14.85 mtrs. from ground level.</p> <p>Besides, as per Rule- 39 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020, the height of stilt floor and basement floor of the respective building / tower shall not be included in the height of the said building, if the height of the ceiling of the stilt floor/ basement roof is not exceeding 2.4 meters and 1.5 mtrs respectively.</p>
ii.	Parking	<p>Provision of parking area at basement floors of the aforesaid proposed building has been shown in the plan. The off-street parking space to be provided shall be in addition to the minimum open space (setbacks) as required under Rule- 33 (1) Table-6 of ODA (P & BS) Rules, 2020.</p> <p>Provision of parking shall be made in accordance to Rule-37 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p>
iii.	Access To The Building	<p>As per plan the proposed building abuts on a road of width 30.48mtrs. at front side & 06 mtrs. at left side of the proposed building respectively, which shall be made as per Rule-31 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020. Besides, there is a proposed 30 mtrs. wide road is shown in the building plan at the rear side.</p> <p>As per Odisha Development Authorities (Planning and Building Standards) Rules, 2020, the main entrance to the premises shall not be less than 06 (six) meters in width in order to allow easy access to fire engine and the gate shall fold back against the compound wall of the premises, thus leaving the exterior access way, within the plot, free for the movement of fire service vehicles. If archway is provided over the main entrances, the height of the archway shall not be less than 5 (five) meters. But, there is provision of three (02) two nos. entry/exit gate of width 06mtrs. each at front side, (01) One no gate of width 7.981 mtrs. at rear side and (01) one no gate of width 6.206 mtrs. at Left side, which shall be made as per Rule-71 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p>
iv.	Open spaces (In Mtrs.)	Provisions of following open space / setbacks have been shown in the plan as per Rule-33 of



Odisha Development Authorities (Planning and Building Standards) Rules, 2020.

B+S+16 floors (Block-A) Residential Building consisting of 04 towers (T1, T2, T3 & T4)

Front- max. 17.965 mtrs & min. 13.673mtrs.,
Rear- max. 17.270mtrs & min. 13.055mtrs,
Left- max. 15.196 mtrs & min. 13.926mtrsand
Right-max. 16.219 mtrs & min. 8.50mtrs.

2B+3S+31 floors (Block-B) Residential Building consisting of 04 towers (T5, T6, T7 & T8)

Front- max. 12.820 mtrs& min. 09 mtrs.,
Rear- max. 9.008mtrs& min. 09 mtrs,
Left- 9 mtrs and
Right-max. 15.196 mtrs& min. 12.448 mtrs.

G+3 floors Community Centre, "Mixed Occupancy" (Shops, Assembly & Lodging)

Front- 2.278 mtrs.
Rear- Not Mentioned
Left-Not Mentioned and
Right-max. 3.071 mtrs& min. 2.768 mtrs.

The provision of open spaces between the towers T1 & T2, T3 & T4 is shown as 06 mtrs. and in between T1 & T4 and T2 & T3 is shown as 07.5 mtrs. respectively. But the provision of open space inbetween the buildings be made as per Rule-34 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020& as per part-III NBCI-2016. Hence, the provision of open space be made accordingly.

Besides, the provision of open space around the G+3 floors Community Centre building shall be minimum of 03 mtrs. except Left side of the building as per Rule-33 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020 and the left side shall be of minimum 09 mtrs as per part-III NBCI-2016.Hence, the provision of open space be made accordingly.

Further, The provision of open spaces in between the towers T5 & T6, T6 & T7, T6 & T8 is shown as 06.80 mtrs. and 06 mtrs respectively. But the provision of open space in between the buildings be made as per Rule-34 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020as per part-III NBCI-2016. Hence, the provision of open space be made accordingly.

As the towers of Block-A i.e. T1, T2, T3 & T4 is under construction so provision of setbacks and other structural parameters shall be provided as per Odisha Development Authorities (Planning and Building Standards) Rules, 2020 and also for the proposed construction of G+3 floors community building and towers of Block-B i.e. T5, T6, T7 & T8.

The space setapart for providing access within the premises shall not be used as parking space or spaces for other amenities required for the building. The entire setback / driveway shall be kept unbuilt. It shall be constructed of hard surface capable of taking load of fire engine weighing up to 45 tonnes.

As per Rule-33 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020, driveway around the aforesaid building shall be provided and load bearing capacity certificate from the competent authority shall be obtained to that effect.

v.

Exits (Type, Number, Dimension & Ramp Arrangement)

As shown in the plan, there is provision of 05 no. of staircases in each tower of Block -A, which are continuing as follows.

- 1) 01 no. staircases (01 in each tower) are continuing from Basement to terrace floor of each tower.
- 2) 01 no. staircases are continuing from stilt floor to 15th floor of each tower. The connectivity shall be from Stilt floor to Terrace floor. Hence, provision be made accordingly.
- 3) 02 no. internal staircases are continuing from 15th floor to 16th floor.
- 4) 01 no staircase from 16th floor to terrace floor.
- 5) 02 staircase like structures are made in 16th floor connecting to private terrace for 16th floor

As shown in the plan, there is provision of 05 no. of staircases in each tower of Block -B, which are continuing as follows.

- 6) 01 no. staircases (01 in each tower) are continuing from Lower Basement to terrace floor of each tower.
- 7) 01 no. staircases are continuing from stilt floor to terrace floor of each tower.
- 8) 03 no. internal staircases are continuing from 32th floor to 33th floor. But the same has not been direct access to main staircase in 33th floor. Hence, plan needs to be modified accordingly.

As shown in the plan, there is provision of 03 no. of staircases in community hall building, which are continuing as follows.

- 9) 02 no. staircases are continuing from Ground floor to terrace floor.
- 10) 01 no. staircases are continuing from Ground floor to 1st floor.

The connectivity of all the staircases proposed in each tower of both Block – A & B and Community building shall be from Stilt to Terrace floor. Hence, the provision shall be made accordingly.



However, the provision of number of staircases should be based on occupancy load within the purview of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.

As per Rule-2 (iii & iv) of Annexure-IX and Clause No. 4.4.2.4.3.2 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020, the minimum width of stairway for residential buildings shall be 1.25mtrs., the width of tread shall be 250 mm and the maximum height of riser shall be 190 mm. In case of Assembly, the minimum width of stairway shall be 2 mtrs., the width of tread shall be 300 mm and the maximum height of riser shall be 150mm.

As per Rule-72 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020, exits shall be so arranged as to provide continuous means of access to the exterior of a building or exterior open space leading to a street without passing through any occupied unit. Besides, other provisions i.e. permissible travel distance, dead end corridor length in exit access, connectivity, positioning etc. shall be made as per Rule-72 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.

As per Rule-1 (Annexure-IX) of Odisha Development Authorities (Planning and Building Standards) Rules, 2020, no exit doorway shall be less than 01 meter in width. Doorways shall be not less than 02 meter in height. Doorways for bathrooms, water closet and stores shall be not less than 0.75 meter in width.

- 1) The escape routes should be well ventilated and provided with safety lighting and free from obstructions.
- 2) Exits must be clearly visible and all routes to reach the exit have to be clearly marked and sign posted to guide the population of the floor concerned. Signages required to be illuminated and wired to an independent electrical circuit on an alternative source of supply.
- 3) Access to the staircases be gained through automatic closing fire check doors of 02 hrs rating.

4) The internal staircases not with external wall of the building shall be pressurized and the internal staircases constructed with external wall shall be cross ventilated or pressurized. Wherever pressurized staircase is to be connected to unpressurized area, the two areas shall be segregated by 120 min fire resistant wall. Pressurization of the staircases shall be done as per Clause-4.4.2.5, 4.6, 6.1.1.3 & Annexure-E of Part-4, NBCI-2016.

In addition to above all other provisions for exits / doorways / stairways, means of escape and exit shall be made as per Rule-72 and Annexure- IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.

vi.	Firefighting Shaft	<ol style="list-style-type: none"> 1) Firefighting shaft (fire tower) shall be made in the each tower of the aforesaid buildings as per Clause-2.24 of Part-IV, NBCI-2016. 2) The protected area of the firefighting shaft shall have 120 min. Fire resistance rating & comprising of protected lobby, staircase & fireman's lift. 3) It shall have connectivity directly to exit discharge or through exit passageway with 120 min fire resistance walls at the level of exit discharge to exit discharge. 4) Besides, it shall have provision of fireman talk back, wet riser & landing valve in its lobby. Staircase & fire lift lobby of firefighting shaft shall be smoke controlled.
vii.	Lifts	<p>As shown in the plan, there is provision of 3 no. lifts in each tower of block -A, which are connecting from Basement to top floor.</p> <p>As shown in the plan, there is provision of 5 no. lifts in each tower of block -B, which are continuing as follows.</p> <ul style="list-style-type: none"> • 01 no. lift (01 in each tower) are continuing from Lower Basement to terrace floor of each tower. • 04 nos. lift are continuing from stilt floor to terrace floor of each tower. <p>As shown in the plan, there is provision of 1 no. lifts in community building, which are connecting from Ground to top floor</p> <p>However, the provision of number of lifts should be based on occupancy load within the purview of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p> <ol style="list-style-type: none"> 1) Provision of firemen lift shall be made in aforesaid blocks as per Clause 4.4.2.5 of part-4 and 'Building Services, Section 5 Installation of Lifts, Escalators and Moving Walks, Sub-Section 5 A Lifts of Part-8 of National Building Code of India, 2016. 2) The Lifts shall not open in staircase landing. Grounding switch (es) at ground floor level shall be provided to enable the fire service to ground the lifts. Besides, telephone / talk back communication facilities shall be provided. Collapsible gates shall not be permitted for lifts and shall have solid doors with fire resistance of at least 1 hour. 3) Lift lobby shall be cross ventilated or pressurized as per Clause-4.4.2.5 of Part-IV, NBCI-2016. The mechanism for pressurization shall act automatically with the fire alarm; it shall also be possible to operate this mechanically. Telephone or other communication facilities shall be provided in lift cars and to be connected to fire control room for the building. 4) Construction and provisions of fire and life safety measures of lifts shall be in accordance



with Annexure – IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020 and Clause 4.4.2.5 of Part-4 and 'Building Services, Section 5 Installation of Lifts, Escalators and Moving Walks, Sub-Section 5 A Lifts of Part-8 of National Building Code of India, 2016.

viii.	Building Services
	<p>Electrical Service</p> <p>Electrical Services: - Electrical Installations in the building must be comply to the provisions given in Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p> <ol style="list-style-type: none"> 1) An independent, ventilated or air conditioned MV panel room must be provided on the ground level. This room required to be provided with access from outside. The MV panel room must be provided with fire resistant walls and doors of fire resistance of not less than 120 min. 2) A substation or a switch station with oil filled equipment must not be allowed to be functional inside the building. 3) All transformers must be protected by high velocity water spray systems or nitrogen injection system. As per the plan the placement of transformer has not been clearly shown. 4) A stand-by electric generator must be installed to supply power to staircase and corridor lighting circuits, fire lifts, the stand-by fire pumps, pressurization fans and blowers, smoke extraction and damper system in case of failure of normal electric supply. 5) The staircase and corridor lighting must be on separate service and must be independently connected so as it could be operated by one switch installation on the ground floor, easily accessible to firefighting staff at any time irrespective of the position of the individual control of the light points, if any. 6) Staircase and corridor lighting required to be connected to alternate supply from parallel high-tension supply or to the supply from the stand-by generator. All wires and other accessories used for emergency light must have fire retardant property. 7) The electric distribution cables or wiring shall be laid in separate duct which shall be sealed at every floor with non-combustible materials having the same fire resistance as that of the duct. Low and medium voltage wiring running in shaft and in false ceiling run in separate conduits. Water mains, telephone cables, intercom cables, gas pipes or any other service line need not be laid in the duct for electric cables. 8) All the transformers shall be protected with high velocity water spray system / Nitrogen Injection System Carbon Dioxide total flooding system in case of oil filled transformer if the capacity exceeds 10 MVA. 9) Electric substation transformer shall have clearance on all sides as per BBL/relevant electric rules. 10) The electric substation shall have electric supply from alternate source for operation of vent System lighting arrangements. 11) Cable trenches shall be filled with sand. 12) Party walls shall be provided between two transformers as per the rules. 13) Electric control panels shall be segregated. <p>Air Conditioning: - Air Conditioning & mechanical ventilation requirements of different rooms or areas of the building must be as per the provisions given in Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p> <ol style="list-style-type: none"> 1) Air conditioning systems circulating air to more than one floor area should be provided with dampers designed to close automatically in case of fire and thereby prevent spread of fire or smoke. 2) Escape routes like staircases, common corridors, lift lobbies must not be used as return air passage. 3) Air ducts serving main floor areas, corridors, must not pass through the staircase enclosure. 4) The air-handling units must be separate for each floor and air ducts for every floor must be separated and in no way inter-connected with the ducting of any other floor. 5) Wherever the ducts pass through fire walls or floors, the opening around the ducts must be sealed with materials having fire resistance rating of the compartment. Such duct required to be provided with fire dampers at all fire walls and floors unless such ducts are required to perform for fire safety operation. 6) The Air Conditioning required to be coupled with fire detection and alarm system. 7) Metallic ducts must be used even for the return air instead of space above the false ceiling. 8) The materials used for insulating the duct system (inside or outside) must be of non-combustible material. <p>Service Ducts and Shafts: - Openings in walls or floors which are necessary to be provided to allow passages of the building services like cables, electrical wirings, telephone cables, plumbing pipes, etc. must be protected by enclosure in the form of ducts /shafts and such shaft and inspection doors fitted thereto must have fire resistance rating not less than as specified in Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p> <p>Stand-By Source of Power Supply: - There shall be provision for dedicated emergency power supply to fire pumps, lifts, fire alarm system, pressurization system, emergency lighting, escape route lighting, exit signage, public address system, lighting in fire command centre, magnetic door hold open devices, etc. as per</p>



		<p>Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020. The power supply to the panel /distribution board of these fire and life safety systems shall be through fire proof enclosures or circuit integrity cables or through alternate route in the adjoining fire compartment to ensure supply of power is reliable to these systems and equipment. Cables for fire alarm and PA system shall be laid in metal conduits or armoured to provide physical segregation from the power cables.</p> <p>Lightning Protection: - Provision for lightning protection shall be made in aforesaid buildings as per NBCI-2016 and in accordance to relevant BIS specifications. Routing down of conductors (Insulated or Un-Insulated) of lightning protection shall not be made through electrical or other service shafts.</p> <p>Drainage System:- Provision of drainage system shall be made for the aforesaid buildings as per norms.</p> <p>Gas Pipe Line:- If centrally gas pipe line will be provided, construction and provision of fire safety and fire fighting measures shall be as per relevant BIS and Annexure-IX Clause-7 (VIII) of ODA (P & BS) Rules, 2020.</p>
	Air Conditioning	<p>Air Conditioning: - Air Conditioning & mechanical ventilation requirements of different rooms or areas of the building must be as per the provisions given in Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p> <ol style="list-style-type: none"> 1) Air conditioning systems circulating air to more than one floor area should be provided with dampers designed to close automatically in case of fire and thereby prevent spread of fire or smoke. 2) Escape routes like staircases, common corridors, lift lobbies must not be used as return air passage. 3) Air ducts serving main floor areas, corridors, must not pass through the staircase enclosure. 4) The air-handling units must be separate for each floor and air ducts for every floor must be separated and in no way inter-connected with the ducting of any other floor. 5) Wherever the ducts pass through fire walls or floors, the opening around the ducts must be sealed with materials having fire resistance rating of the compartment. Such duct required to be provided with fire dampers at all fire walls and floors unless such ducts are required to perform for fire safety operation. 6) The Air Conditioning required to be coupled with fire detection and alarm system. 7) Metallic ducts must be used even for the return air instead of space above the false ceiling. 8) The materials used for insulating the duct system (inside or outside) must be of non-combustible material.
	Gas supply	<p>Gas Pipe Line:- If centrally gas pipe line will be provided, construction and provision of fire safety and fire fighting measures shall be as per relevant BIS and Annexure-IX Clause-7 (VIII) of ODA (P & BS) Rules, 2020.</p>
	Service Ducts and Shafts, Stand-By Source of Power Supply, Lightning Protection & Drainage System	<p>Service Ducts and Shafts: - Openings in walls or floors which are necessary to be provided to allow passages of the building services like cables, electrical wirings, telephone cables, plumbing pipes, etc. must be protected by enclosure in the form of ducts /shafts and such shaft and inspection doors fitted thereto must have fire resistance rating not less than as specified in Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020.</p> <p>Stand-By Source of Power Supply: - There shall be provision for dedicated emergency power supply to fire pumps, lifts, fire alarm system, pressurization system, emergency lighting, escape route lighting, exit signage, public address system, lighting in fire command centre, magnetic door hold open devices, etc. as per Annexure-IX of Odisha Development Authorities (Planning and Building Standards) Rules, 2020. The power supply to the panel /distribution board of these fire and life safety systems shall be through fire proof enclosures or circuit integrity cables or through alternate route in the adjoining fire compartment to ensure supply of power is reliable to these systems and equipment. Cables for fire alarm and PA system shall be laid in metal conduits or armoured to provide physical segregation from the power cables.</p> <p>Lightning Protection: - Provision for lightning protection shall be made in aforesaid buildings as per NBCI-2016 and in accordance to relevant BIS specifications. Routing down of conductors (Insulated or Un-Insulated) of lightning protection shall not be made through electrical or other service shafts.</p> <p>Drainage System:- Provision of drainage system shall be made for the aforesaid buildings as per norms.</p>
ix.	Fire Command Centre	<ol style="list-style-type: none"> 1) There shall be a Fire Command Centre on entrance floor of the building having direct access. The Fire Command Centre must have the main fire alarm panel with communication



		<p>system (suitable public-address system). All controls and monitoring of fire alarm systems, Detection system, pressurization systems, smoke management systems must be operated from this room. Integrated building management system must be provided for Fire Command Centre.</p> <p>2) Fire Command Centre must have provisions in accordance with Clause-3.4.12 of Part-4, NBCI-2016.</p> <p>3) The owner/occupier shall provide any additional fire requirements in future if the recommendation is issued by this department.</p> <p>4) The site is suitable for construction of above proposed structure subject to condition that the owner/occupier shall provide any additional fire requirements in future if the recommendation is issued by this department.</p>
x.	Basement, Refuge Area, Construction, Compartmentation & Fire Safety Supervisor	<p>As shown in the plan there is provision of 01no. two-way ramp of width 7.5 mtrs, which is continuing from stilt floor to Basement floor in Block - A.</p> <p>As shown in the plan there is provision of 01no. two-way ramp of width 6 mtrs, which is continuing from stilt-2 floor to Lower Basement floor in Block - B.</p> <p>As shown in the plan there is provision of 01nos. ramp in ground floor of community building for service of staffs. The width of same is not mentioned in plan.</p> <p>1) Basement shall be separately ventilated. Vents with cross-sectional area (aggregate) not less than 2.5 percent of the floor area spread evenly round the perimeter of the basement shall be provided in the form of grills or breakable stall board lights or pavement lights or by way of shafts. Alternatively, a system of mechanical ventilation shall be provided so as to permit 12 air changes per hour in case of fire or distress call. Ventilation system shall start automatically on actuation of detector provided in the basement area in addition to provision of manual control. Doors provided in such exit passageway shall be fire rated doors of 2 hrs rating. Smoke exhaust and pressurization of areas shall be done as per the provisions given in Clause- 4.6 of Part-4, NBCI-2016.</p> <p>2) The basement shall be used for designated purpose only. Adequate provision of exits and ramps shall be made in the basements as per Odisha Development Authorities (Planning and Building Standards) Rules, 2020 and NBCI-2016. The ramp providing access to basement shall be constructed leaving required open space around the building. Door openings leading from upper floors to basement shall need to be protected with fire doors with 120 min. Fire rating except for exit discharge doors from the basements. Adequate arrangement shall be made, so that surface drainage does not enter the basement. The wall and floors of the basement shall be water-tight and be so designed that the effect of the surrounding soil and moisture, if any, are taken in to account in design and adequate damp proofing treatment is given.</p> <p>3) The use and construction of the basement shall confirm to the provisions given in Rule-41 of Odisha Development Authorities (Planning and Building Standards) Rules, 2020 and Clause – 12.9 of Part-III and Clause – 4.5 & 4.6 of Part-IV, NBCI – 2016.</p> <p>1) Refuge area shall be provided for the aforesaid building of height more than 24 meters. Refuge area shall be approachable from the space they serve by an accessible means of egress. Refuge area (s) shall be provided in the building at/or immediately above 24mtrs. and thereafter at every 15mtrs or so. The refuge area shall always be kept clear. No storage of combustible products and materials, electrical and mechanical equipment, etc. shall be allowed in such areas. High rise apartment buildings with apartments having balcony, need not be provided with refuge area. However, the refuge area for apartment buildings of height above 60 mtrs with balcony shall be provided refuge area at 60 mtrs and thereafter at every 30 mtrs. The provision of refuge area shall be made as mentioned in Annexure-E (E-4) as per NBCI, 2016.</p> <p>2) Refuge area shall be made as per Annexure-E-4 of Part-IV, NBCI-2016. The minimum fire resistance rating of structural and non-structural members shall be as given in Table-1 and Annexure-C of Part-IV, NBCI-2016. The false ceiling, including all fixtures used for its suspension shall be of non-combustible material and shall provide adequate fire resistant to the ceiling in order to prevent spread of fire across ceiling. The structural safety design and construction of the building shall be done as per Clause-3.3 & 3.4, Table-25 & 26 of Part-IV, NBCI-2016 and Rule-73 of Odisha Development Authorities (Planning & Building Standards) Rules, 2020. For construction of habitable rooms, kitchen, bathrooms, loft, mezzanine floor, store room & garage shall be constructed in accordance to Clause-12 of Part-III, NBCI-2016. Refuge chutes, if any provided in the building shall have opening of at least 01 mtr. above roof level for venting purpose and they shall not be located within the staircase enclosure wall of non-combustible material with fire resistance of not less than 120 min. Refuge chutes shall be made as per Clause 3.4.5.5 of Part-IV, NBCI-2016.</p> <p>a) Compartmentation shall be made in aforesaid buildings as per Clause-4.5 of Part-4 (Fire and Life Safety), NBCI-2016.</p> <p>b) Exit access corridors from a compartment to another compartment shall be divided at the compartment intersection by a fire door of 120 min fire rating in the fire compartment wall.</p> <p>As per plan, the aforementioned towers are of height more than 45 mtrs. (each) and consisting of more than 400 dwelling units. Hence, Fire Safety Supervisor shall be appointed before occupancy as per Rule – 15 (e) of Odisha Fire Prevention and Fire Safety Rules, 2017.</p>
B.	Fixed Fire Fighting Installations :	



i.	Fire Extinguisher	1) Fire Extinguisher: - Provision of fire extinguishers shall be made in all floors of each tower of Block-A, B & community buildings as per BIS:2190:2010.
ii.	First- Aid Hose Reel	2) First-aid Hose Reel: - First-aid hose reel shall be provided on each floor of all towers of Block-A,B & community buildings in accordance with BIS 884:1985 & BIS 3844:1989.Adequate Hose reels so that Hose reel Hose available within 30 mtrs. from any point at each floor level and the horizontal distance between any two adjacent points need not exceed 50 mtrs on each floor and Hose reels hose must be directly connected to Wet riser.
iii.	Wet Riser	3) Wet Riser: - The each tower of Block-A, B & community buildings are required to be provided with risers adequately so that available within 30 mtrs. from any point at each floor level and horizontal distance between any two adjacent risers shall not exceed 50 mtr. Provision of wet riser shall be made conforming to BIS standards. (IS-3844:1989, 884:1985 and 9668:1990).
iv.	Yard Hydrant	4) Yard Hydrant:--Yard hydrant required to be provided around the buildings/towers of Block – A & B for adequate approach during fire emergency. The yard hydrants installation should have provision of landing valves at every 30 m apart. The yard hydrant installation shall be in accordance to BIS specification. (IS-13039:2014).
v.	Automatic Sprinkler System) Automatic Sprinkler System:--Automatic water sprinkler system with sprinkler heads shall be provided in all floors including basement floors of each tower of Block-A & B. Sprinkler shall be fed water from both underground static water storage tank and terrace tank. (IS:15105-2002).
vi.	Manually Operated Electronic Fire Alarm System	6) Manually Operated Electronic Fire Alarm System:- Manually operated electronic fire alarm system at conspicuous places in each floor of each tower of Block-A&B shall be provided. (IS/ISO 7240-11:2011).
vii.	Automatic Detection Alarm System	7) Automatic Detection and Alarm System – Automatic Detection and Alarm Systems required to be provided both below and above the false ceiling (If void space exceeds 800 mm) in all floors of each tower of Block-B & community buildings inside the electrical shafts & lift machine rooms etc. Electrical rooms, cabins & other areas in car parking shall have also provision of fire detection system. Installation of automatic fire detection and alarm system must be in accordance to IS 2189:2008.
viii.	Underground Static Water Storage Tank	8) Under Ground Static Water Storage Tank: - Underground Static water storage tank capacity of 150, 000 ltrs for Block-A & its incidental occupancy i.e. Community Building and 2,00,000 ltrs For Block-B separately shall be made for aforesaid buildings. All static tanks must entirely be accessible to fire appliances of the local Fire Service. Provision of suitable manhole shall be made available for inspection, repair and insertion of suction hose etc. Static Underground tank must be constructed in accordance to Clause-5.1.2.1 of Part-IV, NBCI-2016.
ix.	Terrace Tank	9) Terrace Tank: - Terrace tank of 10,000 ltrs. capacity shall be provided at the top of each tower of Block A & B and 5000 ltrs for Community Building for firefighting purpose. It should be ensured that water in the tank is not utilized for any other purpose other than firefighting.
x.	Pump Near Underground Static Water Storage Tank	10) Fire Pumps: - Pump house should preferably be installed at ground level. It shall be situated so as to be directly accessible from the surrounding ground level. Required number of sets of pumps each consisting of two Electric & one Diesel pumps (Stand by) of capacity 2280 LPM & two electric pump of capacity 180 LPM shall be provided for Block- A & its incidental building i.e. Community Building. Besides, required number of sets of pumps each consisting of two Electric & one Diesel pumps (Stand by) of capacity 2850 LPM & two electric pump of capacity 180 LPM shall be provided for Block-B. Separate provision of pump house and water tank be made for Block- A & its incidental building i.e. Community Building and Block-B (4 tower). One set of pumps shall be provided for each 100 hydrants or part thereof with a maximum of two sets. In case of more than one pump set installation, both pump sets shall be interconnected at their delivery headers. Alternative to provisions of additional set of pumps, the objective can be met by providing additional diesel pump of the same capacity and doubling the water tank capacity as required for one set of pumps. Lower levels in these high-rise towers are likely to experience high pressure and therefore, it is recommended to consider multi-stage, multi-outlet pumps (creating pressure zones) of variable frequency drive pumps or any other equivalent arrangement. Further, in addition to above provision of independent electric pump (s) of adequate capacity shall be made, if water curtain is used for compartmentation of basement floors. The pumps are to be automatic in action. Installation of pumps shall be made in accordance to Clause-5.1.2.2 of Part-IV, NBCI-2016.



xi.	Pump At Terrace Tank Level With Minimum Pressure Of 3.5 Kg/Cm2	One Electric pump should be provided near the terrace tank of the Community building having a discharge capacity of 450 LPM giving a pressure of not less than 3.5 kg Cm2. The pump is to be operated automatically or manually either from the usual supply of electricity or from the Generator in case of failure of usually supply of electricity. The provision shall be in accordance to IS:3844/1989 specification.
C.	Opinion :	<p>After completion of the construction work including installation of fixed firefighting measures as suggested, the applicant shall be required to apply for Fire Safety Certificate as per Rule-13 (1) of Odisha Fire Prevention and Fire Safety Rules, 2017 along with following documents: -</p> <p>i. The applicant shall produce a certificate to be issued by the office/person concerned to the effect that all the provisions of Bye-laws / Regulations of Odisha Development Authority and Recommendations issued from I/c. Chief Fire Officer (SAG), Fire Prevention Wing, Cuttack have been incorporated in the building.</p> <p>ii. The applicant shall produce a certificate of the Competent Authority concerned to the effect that electrical installations have been done as recommended and as per provisions given in Part-8 "Building Services, Section-2 Electrical and allied installations" of NBCI-2016 and Section-7 of National Electrical Code, 2011.</p> <p>iii. The Applicant shall produce a certificate of the agency concerned to the effect that installation of firefighting measures has been done as recommended and as per provisions given in Part-4 of National Building Code of India-2016 and relevant BIS specifications.</p>



I/c Chief Fire Officer (SAG)
FPW, Odisha

NOTE

- (i) It is a digitally signed electronically generated certificate and therefore needs no ink-signed signature.
- (ii) This Certificate is issued as per section 4, 5, & 6 of Information Technology Act 2000 and its subsequent amendments in 2008.
- (iii) For any Query or Verification, Agency /Department / Office may visit <http://agnishamaseva.odisha.gov.in>



(iv) Tampering of this Certificate will attract penal action.





भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Annexure -3

BHUB/EAST/B/030223/744294

Name and address of the owner Sidharth Sekhar Mohapatra, Managing Director of OU Infraprojects Pvt. Ltd. **Date:** 10-04-2023

OWNER'S NAME & ADDRESS Plot No- 687/2365, Jayadev Vihar, Nayapalli, Near Union Bank Of India, Bhubaneswar- 751012, Dist- Khurda, Odisha **Validity / Valid Up to:** 09-04-2031

No Objection Certificate (NOC) for Height Permission No Objection Certificate for Height Clearance

1) This NOC is in pursuance of the obligations assigned by the Airports Authority of India (AAI) and the notification of the Government of India (Ministry of Civil Aviation) G.O. S. R. 751 (E) dated the 30th September, 2015, G.S. S. R. 770 (E) dated 17th December 2020, as amended vide G.S.R.

1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep.2015 amended by GSR770(E) dated 17th Dec 2020 for safe and regular Aircraft Operations.

2). This office has no objection to the construction of the proposed structure as per the following details :

No Objection Certificate ID / NOC ID	BHUB/EAST/B/030223/744294
Name of the applicant / Applicant Name*	Sidharth Sekhar Mohapatra, Managing Director of OU
Site Address*	PLOT NO- 1480, 2051, 1478, 1479, 2044, 1508, 1511, 1514, 1514/2788, 1511/4133, 1513, 1512/4132, 1480/3127, 1478/3128, 1508/3540/2530, 302 /5097, 2044/3964/4564, 2042/5469, 2041/5467, 2042/4907, 1512/4906, 2041/4905, 2041/3979, 1512/5264, 2037/3602, 2044/2685, 2044, 24144 /2684, 2044/3573, 2044/3964/4388, 2044/3964/4315, 2037/2824, 2037/2823, 1512, 2042 and 2041, MOUZA- RAGHUNATHPUR, THANA NO-14, THANA- NADANKANAN, TAHASIL- BHUBANESWAR, DISTRICT- KHURDA, ODISHA, RAGHUNATHPUR, Bhubaneshwar, Orissa
Site Coordinates*	20 22 22 36.91n 85 49 47.34E, 20 22 36.16n 85 49 48.32e, 20 22 35.71n 85 49 49 48.61, 20 22 36.79n 85 49 49 48.83E, 20 22 37.24n 85 49.23E, 20 22 36.45n 85 49 49.25E, 20 22 36.40n 85 49 50.07e, 20 22 40.83n 85 49 50.51e, 20 22 37.95n 85 49 50.67e, 20 22 40.55n 85 49 50.83e, 20 22 22 39.73n 85 49.01e, 20 22 37.60N 85 49 51.18E, 20 22 41.06N 85 49 51.34E, 20 22 39.12N 85 49 51.63E, 20 22 40.55N 85 49 51.78E
Site Elevation in mtrs AMSL as submitted by Applicant*	21.43M
Permissible Top Elevation in mtrs Above Mean Sea Level(AMSL)	221.43M



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

BHUB/EAST/B/030223/744294

* As provided by the applicant / As provided by the applicant*

3) यह अनापत्ति प्रमाण पत्र निम्नलिखित नियम व शर्तों के अधीन है: -

3. This NOC is subject to the terms and conditions as given below:

क) आवेदक द्वारा उपलब्ध कराए गए स्थल की ऊँचाई तथा निर्देशांक को, प्रस्तावित संरचना हेतु अनुमन्य अधिकतम ऊँचाई जारी करने के लिए प्रयोग किया गया है। भारतीय विमान पत्तन प्राधिकरण, आवेदक द्वारा उपलब्ध कराये गए स्थल की ऊँचाई तथा निर्देशांक की यथार्थता का ना तो उत्तरदायित्व वहन करता है, और ना ही इनको प्रमाणीकृत करता है। यदि किसी भी स्तर पर यह पता चलता है कि वास्तविक विवरण, आवेदक द्वारा उपलब्ध कराए गए विवरण से भिन्न है, तो यह अनापत्ति प्रमाण पत्र अमान्य माना जाएगा तथा क़ानूनी कार्यवाही की जाएगी। सम्बंधित विमान क्षेत्र के प्रभारी अधिकारी द्वारा एयरक्राफ्ट नियम 1994 (भवन, वृक्षों आदि के कारण अवरोध का विध्वंस) के अधीन कार्यवाही की जायगी।

a. Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates & site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The officer in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994",

ख) अनापत्ति प्रमाण पत्र के आवेदन में आवेदक द्वारा उपलब्ध कराए गए स्थल निर्देशांक को सड़क दृश्य मानचित्र और उपग्रह मानचित्र पर अंकित किया गया है जैसा कि अनुलग्नक में दिखाया गया है। आवेदक / मालिक यह सुनिश्चित करे कि अंकित किए गए निर्देशांक उसके स्थल से मेल खाते हैं। किसी भी विसंगति के मामले में, नामित अधिकारी को अनापत्ति प्रमाण पत्र रद्द करने के लिए अनुरोध किया जाएगा।

b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his/her site. In case of any discrepancy, Designated Officer shall be requested for cancellation of the NOC.

ग) एयरपोर्ट संचालक या उनके नामित प्रतिनिधि, अनापत्ति प्रमाण पत्र नियमों और शर्तों का अनुपालन सुनिश्चित करने के लिए स्थल (आवेदक या मालिक के साथ पूर्व समन्वय के साथ) का दौरा कर सकते हैं।

c. Airport Operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that NOC terms & conditions are complied with.

घ) संरचना की ऊँचाई (सुपर स्ट्रक्चर सहित) की गणना अनुमन्य अधिकतम ऊँचाई (ए एम एस एल) से स्थल की ऊँचाई को घटाकर की जायेगी। अर्थात, संरचना की अधिकतम ऊँचाई = अनुमन्य अधिकतम ऊँचाई (-) स्थल की ऊँचाई।

d. The Structure height (including any superstructure) shall be calculated by subtracting the Site elevation in AMSL from the Permissible Top Elevation in AMSL i.e. Maximum Structure Height = Permissible Top Elevation minus (-) Site Elevation.

च) अनापत्ति प्रमाण पत्र जारी करना, भारतीय एयरक्राफ्ट एक्ट 1934, के सैक्शन 9-A तथा इसके अंतर्गत समय-समय पर जारी अधिसूचनाएं तथा एयरक्राफ्ट नियम (1994 भवन, वृक्षों आदि के कारण अवरोध का विध्वंस) के अधीन है।

e. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including, "The Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994".

छ) कोई भी रेडियो/ टीवी एन्टीना, लाइटनिंग अरेस्टर, सीढ़िया, मुम्टी, पानी की टंकी अथवा कोई अन्य वस्तु तथा किसी भी प्रकार के संलग्नक उपस्कर पैरा 2 में उल्लेखित अनुमन्य अधिकतम ऊँचाई से ऊपर नहीं जानी चाहिए।

f. No radio/TV Antenna, lightning arresters, staircase, Mumty, Overhead water tank or any other object and attachments of fixtures of any kind shall project above the Permissible Top Elevation as indicated in para 2.



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

BHUB/EAST/B/030223/744294

ज) विमानक्षेत्र संदर्भ बिंदु के 8 KM के भीतर तेल, बिजली या किसी अन्य ईंधन का उपयोग जो उड़ान संचालन के लिए धुएं का खतरा पैदा नहीं करता है, ही मान्य है।

g. Use of oil, electric or any other fuel which does not create smoke hazard for flight operation is obligatory, within 8 KM of the Aerodrome Reference Point

झ) यह प्रमाणपत्र इसके जारी होने की तारीख से 8 साल की अवधि के लिए वैध है। एक बार रिवेलीडेशन की अनुमति दी जा सकती है, बशर्ते कि इस तरह का अनुरोध एनओसी की समाप्ति की तारीख से छह महीने के भीतर किया जाए और प्रारंभिक प्रमाणपत्र 8 साल की वैधता अवधि के भीतर प्राप्त किया जाए।

h. The certificate is valid for a period of 8 years from the date of its issue. One-time revalidation shall be allowed, provided that such request shall be made within six months from the date of expiry of the NOC and commencement certificate is obtained within initial validity period of 8 years.

ट) भवन के निर्माण के दौरान या उसके बाद किसी भी समय स्थल पर ऐसी कोई भी लाइट या लाइटों का संयोजन नहीं लगाया जाएगा जिसकी तीव्रता, आकृति या रंग के कारण वैमानिक ग्राउन्ड लाइटों के साथ भ्रम उत्पन्न हो। विमान के सुरक्षित प्रचालन को प्रभावित करने वाली कोई भी गतिविधि मान्य नहीं होगी।

i. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights.

ठ) आवेदक द्वारा विमानपत्तन पर या उसके आसपास विमान से उत्पन्न शोर, कंपन या विमान प्रचालन से हुई किसी भी क्षति के विरुद्ध कोई शिकायत/दावा नहीं किया जाएगा।

j. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

ड) डे मार्किंग तथा सहायक विद्युत आपूर्ति सहित नाइट लाइटिंग (डीजीसीए भारत की वेबसाइट www.dgca.nic.in पर उपलब्ध) नागर विमानन आवश्यकताएं श्रंखला 'बी' पार्ट I सैक्शन-4 के चैप्टर 6 तथा अनुलग्नक 6 में विनिर्दिष्ट दिशानिर्देशों के अनुसार उपलब्ध कराई जाएंगी।

k. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in

ढ) भवन के नक्शे के अनुमोदन सहित अन्य सभी वैधानिक अनापत्ति, संबंधित प्राधिकरणों से लेना आवेदक की जिम्मेदारी होगी, क्योंकि इस ऊँचाई हेतु अनापत्ति प्रमाणपत्र लेने का उद्देश्य सुरक्षित एवं नियमित विमान प्रचालन सुनिश्चित करना है तथा इसे भूमि के स्वामित्व आदि सहित किसी अन्य उद्देश्य/ दावे के लिए दस्तावेज के रूप में प्रयोग नहीं किया जा सकता।

l. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is only to ensure safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

ण) इस अनापत्ति प्रमाणपत्र आईडी का मूल्यांकन Bhubaneshwar विमानक्षेत्रों के संबंध में किया गया है। यह अनापत्ति प्रमाणपत्र भारतीय विमान पत्तन प्राधिकरण के विमानक्षेत्रों और अन्य लाइसेंस प्राप्त सिविल विमानक्षेत्रों, जो जी. एस. आर. 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के अनुसूची - III, अनुसूची - IV (भाग- I), अनुसूची- IV (भाग -2; केवल RCS हवाई अड्डे) और अनुसूची- VII में सूचीबद्ध हैं, के लिए जारी किया गया है।

m. This NOC ID has been assessed with respect to the Bhubaneshwar Airports. NOC has been issued w.r.t. the AAI Aerodromes and other licensed Civil Aerodromes as listed in Schedule - III, Schedule - IV (Part-I), Schedule- IV (Part-2; RCS Airports Only) and Schedule-VII of GSR 751(E) amended by GSR770(E)



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

BHUB/EAST/B/030223/744294

त) यदि स्थल रक्षा विभाग के विमान क्षेत्र के अधिकार क्षेत्र में आता है, जैसा कि जीएसआर 751 (ई) की अनुसूची-V में सूचीबद्ध है, तो आवेदक को रक्षा विभाग से अलग से अनापत्ति प्रमाणपत्र लेना होता है। जीएसआर 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के नियम 13 के अनुसार, आवेदकों को उन स्थलों के लिये, जो जीएसआर 751 (ई) जी. एस. आर. 770 (ई) द्वारा संशोधित के अनुसूची- IV (भाग -2; आरसीएस हवाई अड्डों के अलावा) के रूप में सूचीबद्ध बिना लाइसेंस वाले विमान क्षेत्र के अधिकार क्षेत्र में आता है, तो संबंधित राज्य सरकार से भी अनापत्ति प्रमाणपत्र लेने की आवश्यकता है।

n. Applicant needs to seek separate NOC from Defence, if the site lies within the jurisdiction of Defence Aerodromes as listed in Schedule – V of GSR 751 E amended by GSR770(E). As per rule 13 of GSR 751 E amended by GSR770(E), applicants also need to seek NOC from the concerned state government for sites which lies in the jurisdiction of unlicensed aerodromes as listed in Schedule-IV (Part-2; other than RCS airports) of GSR 751 E amended by GSR770(E)

थ) अनापत्ति प्रमाण पत्र (एनओसी) की किसी भी त्रुटि/व्याख्या की स्थिति में अंगरेजी अनुवाद ही मान्य होगा।

o. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.

द) स्थल की ऊँचाई और/या संरचना की ऊँचाई के किसी भी विवाद में अनुमन्य अधिकतम ऊँचाई एएमएसएल में ही मान्य होगी।

p. In case of any dispute with respect to site elevation and/or AGL height, Permissible Top Elevation in AMSL shall prevail.

क्षेत्र का नाम / Region Name:

पूर्व/EAST

पदनामित अधिकारी/Designated Officer	
नाम/ पदनाम/दिनांक सहित हस्ताक्षर Name/Designation/Sign with date	<p>राजेन्द्र सिंह लहौरिया/R S Lahauria महाप्रबंधक (ए.टी.एम.) ए.ई. (ATM)ER भारतीय विमानपत्तन प्राधिकरण Airport Authority of India ने.सु.च.ब.अ. हवाई अड्डा/NSCBI Airport कोलकाता/Kolkata-700052</p> <p>11/04/23</p>
द्वारा तैयार Prepared by	<p>11/04/2023</p>
द्वारा जांचा गया Verified by	<p>Basu 11.04.23.</p>

ईमेल आईडी / EMAIL ID : gmatmer@aai.aero


फोन/ Ph: 033-25111293

ANNEXURE/अनुलग्नक

Distance From Nearest Airport And Bearing/निकटतम विमानक्षेत्र से दूरी और बीयरिंग

Airport Name/ विमानक्षेत्र का नाम	Distance (Meters) from Nearest ARP/निकटतम विमानक्षेत्र संदर्भ बिंदु से दूरी (मीटर में)	Bearing(Degree) from Nearest ARP/निकटतम विमानक्षेत्र संदर्भ बिंदु से बीयरिंग (डिग्री)
Bhubaneshwar	14443.48	5.18
NOCID	BHUB/EAST/B/030223/744294	

Street View



April 10, 2023



Satellite View



April 10, 2023



**THE SAKALA**

Bhubaneswar - 02 Aug 2023 - Page 9

M/S. M J ACCRETION PRIVATE LIMITED ENVIRONMENTAL CLEARANCE

The State Environment Impact Assessment Authority (SEIAA), Odisha has accorded Environment Clearance to Residential Apartment Complex of M/S. M J ACCRETION PRIVATE LIMITED located at Mouza - Raghunathpur, Tahasil-Bhubaneswar, Dist-Khurda, Odisha.

The copies of environment Clearance, 2587/SEIAA dated 15.11.2014 are available for reference with SEIAA, Odisha and Odisha State Pollution Control Board (OSPCB) and may also be seen at website of the Board.

The State Environment Impact Assessment Authority (SEIAA) has accorded the environmental clearance for the said project under the provisions of EIA Notification, 2006.

For MJ Accretion Private Limited
Sidhartha Sekhar Mohapatra
Director

ସକାଳ

THE SAKALA

Bhubaneswar - 02 Aug 2023 - Page 9

ମେସର୍ସ ଏମ୍‌ଜେ ଆକ୍ସେସ୍ ପ୍ରାଇଭେଟ୍ ଲିମିଟେଡ୍ ପରିବେଶ ମଞ୍ଜୁରୀ

ରାଜ୍ୟସ୍ତରୀୟ ପରିବେଶ ପ୍ରଭାବ ମୂଲ୍ୟାଙ୍କନ ପ୍ରାଧିକରଣ (ଏସ୍‌ଇଆଇଏଏ), ଓଡ଼ିଶା, ମେସର୍ସ ଏମ୍‌ଜେ ଆକ୍ସେସ୍ ପ୍ରାଇଭେଟ୍ ଲିମିଟେଡ୍‌ର ଆବାସିକ ଆପାର୍ଟମେଣ୍ଟ ଯାହାର ଅବସ୍ଥିତି ମୌଜା-ଗରୁନାଥପୁର, ଚନ୍ଦ୍ରସିଲ- ଭୁବନେଶ୍ୱର, ଜିଲ୍ଲା- ଖୋର୍ଦ୍ଧା, ଓଡ଼ିଶାକୁ ପରିବେଶ ମଞ୍ଜୁରୀ ପ୍ରଦାନ କରିଛନ୍ତି ।

ଏହାର ପରିବେଶ ମଞ୍ଜୁରୀ ନକଲ, ୨୫୮୭/ଏସ୍‌ଇଆଇଏଏ ଚା.୧୫.୧୧.୨୦୧୪ ଏସ୍‌ଇଆଇଏଏ, ଓଡ଼ିଶା ଏବଂ ଓଡ଼ିଶା ରାଜ୍ୟ ପ୍ରଦୂରଣ ନିୟନ୍ତ୍ରଣ ବୋର୍ଡ୍ (ଓଏସ୍‌ପିସି) ଠାରେ ଉପଲବ୍ଧ ଅଛି ଏବଂ ଏହାକୁ ମଧ୍ୟ ବୋର୍ଡ୍‌ର ସ୍ୱେଚ୍ଛାକୃତ୍ୱ ଯାଇ ଦେଖାଯାଇପାରିବ ।

ରାଜ୍ୟସ୍ତରୀୟ ପରିବେଶ ପ୍ରଭାବ ମୂଲ୍ୟାଙ୍କନ ପ୍ରାଧିକରଣ (ଏସ୍‌ଇଆଇଏଏ) ଇଆଇଏ ନୋଟିଫିକେସନ୍, ୨୦୦୬ ଅଧିନ ଉପରୋକ୍ତ ପ୍ରୋଜେକ୍ଟକୁ ପରିବେଶ ମଞ୍ଜୁରୀ ପ୍ରଦାନ କରିଛନ୍ତି ।

ସା/- ମେସର୍ସ ଏମ୍‌ଜେ ଆକ୍ସେସ୍ ପ୍ରାଇଭେଟ୍ ଲିମିଟେଡ୍
ସିଦ୍ଧାର୍ଥ ଶେଖର ମହାପାତ୍ର
ନିର୍ଦ୍ଦେଶକ

ପାଳିତ ହେଲା 'ସମ୍ବଲପୁରୀ ଦିନ'

ସମ୍ବଲପୁର, ୧୮ (ସମିସ): ସମ୍ବଲପୁର ସହରରେ ବେଶ ଆନନ୍ଦ ଭଙ୍ଗାସର ସହିତ ପାଳିତ ହୋଇଯାଇଛି 'ସମ୍ବଲପୁରୀ ଦିନ'। ସମ୍ବଲପୁର ଦିନ ଅବସରରେ ମୁଖ୍ୟମନ୍ତ୍ରୀ ନବୀନ ପଟ୍ଟନାୟକ ଶୁଭେଚ୍ଚା ବାର୍ତ୍ତା ପ୍ରଦାନ କରୁଛନ୍ତି। ଗୁରୁତ୍ୱ କି ମୁଖ୍ୟମନ୍ତ୍ରୀ କହିଛନ୍ତି ଯେ ସମ୍ବଲପୁରୀ ଦିନ ଉପେ ସମସ୍ତଙ୍କ ମୋର ଗୁରୁତ୍ୱେ ଶୁଭେଚ୍ଚା। ଇନ୍ଦ୍ରପଥ ଉପେ ବିଶିଷ୍ଟ ସାହିତ୍ୟିକ ଗୁରୁ ସତ୍ୟନାରାୟଣ ଦହରାଜକୁ ମୋର ସମ୍ମାନ ଆଉ ଶ୍ରଦ୍ଧାଞ୍ଜଳି ଜନାଇବି। ସମ୍ବଲପୁର ହାର୍ ଭାବେ ପହିଲି ଓଡ଼ିଶା ତଥା ଓଡ଼ିଶାର ବିକାଶ କେ



ସମଲେଷୀରାଜୁ ଲାଗିହେଲା ସମ୍ବଲପୁରୀ ପାଟ
ଗୁରୁତ୍ୱେ ଦୁଆ ଦିନ ମିଳୁ। ଜୟ ମା' ସମଲେଇ। ସେହିପରି ବିଜେପି ରାଷ୍ଟ୍ରୀୟ ଅଧ୍ୟକ୍ଷ ଜେ ପି ନମ୍ବ, ଅଧିକାରୀ ନିର୍ମଳା ସାତରାମେ, ବୈଦେଶିକ ବ୍ୟାପାର ମନ୍ତ୍ରୀ ଏସ୍. ଜୟଶଙ୍କର, କେନ୍ଦ୍ର ଶିକ୍ଷାମନ୍ତ୍ରୀ ଧର୍ମେନ୍ଦ୍ର ପ୍ରଧାନ ପ୍ରମୁଖ ସମ୍ବଲପୁରୀ ପୋଷାକ ପିନ୍ଧି ସମ୍ବଲପୁରୀ ଦିନ ପାଳନ କରିଥିଲେ। ଅନ୍ୟପକ୍ଷରେ ଆଜି ରାଜ୍ୟସଭାରେ ମଧ୍ୟ କେତେକ ସଦସ୍ୟ ସମ୍ବଲପୁରୀ ପୋଷାକ ପିନ୍ଧି ଓଡ଼ିଶାର ଏହି ଅନନ୍ୟ ସଂସ୍କୃତିକୁ ପାଳନ କରିଥିଲେ।

ଏଠାରେ ସୁତରା ଦିଆଯାଇପାରେ ଯେ, ଗୁରୁ ସତ୍ୟନାରାୟଣ ଦହରାଜଙ୍କ ଜନ୍ମଦିନ ଅଗଷ୍ଟ ୧ ତାରିଖକୁ ପ୍ରତ୍ୟେକ ବର୍ଷ 'ସମ୍ବଲପୁରୀ ଦିନ' ଭାବେ ପହିଲି ଓଡ଼ିଶାର ବିଭିନ୍ନ ସଂଗଠନ ପକ୍ଷରୁ ପାଳନ କରାଯାଇଛି। ଏହି ଅବସରରେ ଆଜି ବର୍ଷା ବାଧ୍ୟତା ସତ୍ତ୍ୱେ ସମ୍ବଲପୁରୀଦିନ ପାଳନ କରାଯାଇଛି। ପହିଲି ଓଡ଼ିଶାର ବିଭିନ୍ନ ଜିଲ୍ଲା ଓ ସହରରେ ଏକ ସଂସ୍କୃତିକ ପରିବେଶ ସୃଷ୍ଟି ହୋଇଛି। ସମ୍ବଲପୁରରେ ଜାତି, ବର୍ଣ୍ଣ, ଭାଷା ନିର୍ବିଶେଷରେ ଆଜି ସମସ୍ତଙ୍କୁ ସମ୍ବଲପୁରୀ ବାନ୍ଧବତ୍ୱର ପରିପାଟଣାରେ ଦେଖିବାକୁ ମିଳିଥିଲା।

ପୁଣି ଶିମିଳିପାଳ ପାଦଦେଶରୁ ୨୮ ଦେଶୀ ବନ୍ଧୁକ ଜବତ

୧।ରି ପ ଦ।/ ବ ଡ ସ।ହି, ୧୮୮ (ସମିସ): ସୋମବାର ମୟୂରଭଞ୍ଜ ଜିଲ୍ଲା ପୁଲିସକୁ ପୁଣି ମିଳିଛି ବଡ଼ଧରଣର ସଫଳତା। ଶିମିଳିପାଳ ଜୈବପ୍ରକଳ ପାଦଦେଶରେ ଥିବା ଗାଁ ଏବଂ ଆଖପାଖ ଗାଁଗୁଡ଼ିକରେ ବନ୍ୟଜନ୍ତୁ ଶିକାର ପାଇଁ ବ୍ୟବହୃତ ବନ୍ଧୁକ ସମେତ ସମସ୍ତ ସାମଗ୍ରୀଗୁଡ଼ିକୁ ପୁଲିସ ନିକଟରେ ସମ୍ପର୍କ ଅଭିଯାନ ଶେଷ ହୋଇଛି। ଏ ନେଇ ସତେଜନ କରାଯିବା ପରେ ବଡ଼ସାହି ପୁଲିସ ରେଝାସାହିରୁ ୧୬ ଏବଂ ଚନ୍ଦନତୁରା ଲୋଧାସାହିରୁ ୧୨ଟି ଦେଶୀ ବନ୍ଧୁକ ଜବତ କରିଛି। ପୁଲିସ ଦୁଇଟି ସ୍ଥାନରେ ପୁଅକଭାବେ ଚଢ଼ଉ କରି ମୋଟ ୨୮ଟି ହାତ

ଡିଆରି ଦେଶୀବନ୍ଧୁକ ଜବତ କରିବା ସହିତ ପୁଅକ ମାମଲା ରୁଜୁ କରିଛି। ବିଶ୍ୱାସଯୁକ୍ତ ଖବର ପାଇ ବଡ଼ସାହି ପୁଲିସ ସୋମବାର ଅପରାହ୍ନରେ ପ୍ରଥମେ ରେଝାସାହି ଅଞ୍ଚଳରେ ବୁଦାମୁଳରେ ଲୁଚାଇ ରଖାଯାଇଥିବା ୧୬ଟି ହାତ ତିଆରି ଦେଶୀବନ୍ଧୁକ ଜବତକରି ଥାନାକୁ ଆଣିଥିଲେ। ସେହିଭଳି ସୋମବାର ସଞ୍ଜାରେ ଚନ୍ଦନତୁରା ଲୋଧାସାହି ଗ୍ରାମରେ ଅନୁରୂପଭାବେ ବୁଦାମୁଳରେ ଲୁଚାଇ ରଖାଯାଇଥିବା ୧୨ଟି ହାତଡିଆରି ଦେଶୀବନ୍ଧୁକ ଜବତ କରିଛି ପୁଲିସ। ଏ ନେଇ ବଡ଼ସାହି ଥାନାରେ ଦୁଇଟି ପୁଅକ ମାମଲା ରୁଜୁ କରାଯାଇ ଚଢ଼ଉ ଜାରି ରହିଛି।

ଡାହାଣା ସନ୍ଦେହରେ ବୃକ୍ଷକୁ ହତ୍ୟା ମାମଲା ଅଭିଯୁକ୍ତକୁ ଆଜୀବନ ଜେଲ୍

ରାଇରଙ୍ଗପୁର, ୧୮୮ (ସମିସ): ଡାହାଣା ସନ୍ଦେହରେ ଜଣେ ବୃକ୍ଷକୁ ହତ୍ୟା କରାଯାଇଥିବା ମାମଲାରେ ବିଚାର କରି ରାଇରଙ୍ଗପୁର ଅଧିକାରୀ ଜିଲ୍ଲା ଏବଂ ବୌରାଜକ ଦାପକ କ୍ରମାର ଅଧିକାରୀ ମଦନ ପିଲୁଆକୁ ଆଜୀବନ କାରାଦଣ୍ଡ ଶୁଣାଣି କରିଛନ୍ତି। ଏଥିସହିତ ୫ ହଜାର ଟଙ୍କା ଜମାଦାନ, ଅନାଦେୟ ଏକ ବର୍ଷ ଅତିରିକ୍ତ କାରାଦଣ୍ଡରେ ଦଣ୍ଡିତ କରିଛନ୍ତି। ମୟୂରଭଞ୍ଜ ଜିଲ୍ଲା ବାମନପାଟି ରପତକ୍ଷେ ଜାମିନ ଥାନା ବତାମତଳିଆ ଗାଁରେ ଡାହାଣା ସନ୍ଦେହରେ ଗତ ୨୦୨୨ ଜୁଲାଇ ୧୨ରେ ବୃକ୍ଷ ଗଣ୍ଡା ଜାମୁଦା (୬୦୦) କୁ ପତୋଣା ମଦନ ପିଲୁଆ (୬୫) ଏକ ଠେଙ୍ଗାରେ ପିଟିପିଟି ହତ୍ୟା କରିଥିଲେ।

ହାତୀ ଆକ୍ରମଣରେ ଚାଷୀଙ୍କ ମୃତ୍ୟୁ

ହିରୋଲ, ୧୮୮ (ସମିସ): ଡେକାନାଲ ଜିଲ୍ଲା ହିରୋଲ ଉପଖଣ୍ଡରେ ହାତୀ ଆକ୍ରମଣରେ ଜଣେ ଚାଷୀଙ୍କ ମୃତ୍ୟୁ ହୋଇଛି। ମୃତକ ହେଲେ ଖଜୁରିଆଳଦା ସେକ୍ସନ୍ ଅନ୍ତର୍ଗତ ଠୋକର ପଞ୍ଚାୟତ ଦୁଆଗ୍ରାମର ଚାଷୀ ଗୌରଚନ୍ଦ୍ର ସାମଲ(୪୫)।

ଅଲକାଏଦା ଆତଙ୍କବାଦୀ ଲିଙ୍କ

ଭରୁଆଲରେ ହାଜର ହେଲା ଅବଦୁର ରହେମାନ

କଟକ, ୧୮୮ (ସମିସ): ଅଲକାଏଦାର ଆତଙ୍କବାଦୀ ସଂଗଠନ ଲିଙ୍କରେ କଟକରୁ ଗିରଫ ହୋଇଥିବା ଏହି ସଂଗଠନର ସଦସ୍ୟ ଅବଦୁର ରହେମାନଙ୍କୁ ଆଜି କଟକ ଜିଲ୍ଲା ଓ ଦୌରା ଜଲ୍ ଅପାଳତରେ ହାଜର କରାଯାଇଛି। ଦିଲ୍ଲୀ ଜେଲରେ ଥିବା ରହେମାନଙ୍କୁ ଭିତି ଓ କନପଡ଼ରେବୁଁ ବ୍ୟବସ୍ଥା ମାଧ୍ୟମରେ ହାଜର କରାଯାଇଥିଲା। ସେହିପରି ଏହି ମାମଲାରେ ବକ୍ସିବଜାରର ଜଣେ ବ୍ୟକ୍ତି ମଧ୍ୟ ଅପାଳତରେ ଉପସ୍ଥିତ ରହି ଯାକ୍ଷ୍ୟ ପ୍ରଦାନ କରିଥିବା ଜଣାପଡ଼ିଛି। ଅଲକାଏଦା ଲିଙ୍କ ଘଟଣାରେ କ୍ରାନ୍ତମୁଖୀ ପକ୍ଷରୁ ଜବତ ହୋଇଥିବା ଏକ ବ୍ୟାନର ପ୍ରସଙ୍ଗରେ ସମ୍ପୂର୍ଣ୍ଣ ବ୍ୟକ୍ତି ଯାକ୍ଷ୍ୟ ପ୍ରଦାନ କରିଥିଲେ। ପ୍ରକାଶାଧିକାରୀ ମାମଲା ସାଲେପୁର ପ୍ରଥମ ଶ୍ରେଣୀ ବିଚାରବିଭାଗୀୟ ମାଜିଷ୍ଟ୍ରେଟଙ୍କ ଅପାଳତରୁ କଟକ ଜିଲ୍ଲା ଓ ଦୌରା ଜଲ୍ ଅପାଳତକୁ ଶୁଣାଣି ପାଇଁ ସ୍ଥାନାନ୍ତର ହୋଇଥିଲା। ୨୦୨୩, ପେବୁଆରି ୨୨ରେ ରହେମାନ ଜାମିନ ଆବେଦନକୁ ହାଇକୋର୍ଟ ଖାରଜ କରିଦେଇଥିଲେ। ତେବେ ଏହି ମାମଲାର ଗ୍ରାଏଲ ୨୦୨୩, ଡିସେମ୍ବର ସୁଦ୍ଧା ଶେଷ କରିବାକୁ କଟକ ଦେବା ଜଲ୍ ଅପାଳତକୁ ହାଇକୋର୍ଟ ନିର୍ଦ୍ଦେଶ ଦେଇଥିଲେ। ରହେମାନଙ୍କୁ ଦିଲ୍ଲୀ ପୁଲିସ କମିସନରେଟ୍ ପୁଲିସ ସହାୟତାରେ ୨୦୧୫, ଡିସେମ୍ବର ୧୬ ତାରିଖରେ ଜଗତପୁର ଥାନା ଅନ୍ତର୍ଗତ ପହିଲକନ୍ଦୁ ବିକମ୍ପିତ ରାତିରେ ଗିରଫ କରିଥିଲା। ସରକାରଙ୍କ ତରଫରୁ ସତନ୍ତ୍ର ପଞ୍ଚିକ ପ୍ରସିଦ୍ଧାନ୍ତର ଦେବାଶିଷ୍ଟ ସାମନ୍ତରାୟ ମାମଲା ପରିଚାଳନା କରୁଛନ୍ତି।

ରାଜ୍ୟ ସମବାୟ ଉନ୍ନୟନ କମିଟିର ପ୍ରଥମ ବୈଠକ ଅନୁଷ୍ଠିତ

ପ୍ୟାକ୍ଟଗୁଡ଼ିକୁ ବହୁମୁଖୀ ସମବାୟ ସମିତିରେ ପରିଣତ ଉପରେ ଗୁରୁତ୍ୱାରୋପ

ଭୁବନେଶ୍ୱର, ୧୮୮ (ସମିସ): ଭୁବନେଶ୍ୱର ଲୋକସେବା ଭବନର ବିଡ଼ାଝ ମହଲା ସମ୍ମିଳନୀ କକ୍ଷରେ ମୁଖ୍ୟ ଶାସନ ସଚିବ ପ୍ରଦୀପ କୁମାର ଜେନାଙ୍କ ଅଧ୍ୟକ୍ଷତାରେ ରାଜ୍ୟ ସମବାୟ ଉନ୍ନୟନ

ସମବାୟ ସମିତିଗୁଡ଼ିକୁ ସୁଦୃଢ଼ କରିବା ଦିଗରେ ମୂଲ୍ୟବାନ ପ୍ରସ୍ତାବ ଉପରେ ଆଲୋଚନା

କମିଟି (ଏସ୍.ସି.ସି)ର ପ୍ରଥମ ବୈଠକ ଅନୁଷ୍ଠିତ ହୋଇଯାଇଛି। ବୈଠକରେ ଅନ୍ୟାନ୍ୟ ମଧ୍ୟରେ ରାଜ୍ୟ ସମବାୟ କୃଷି ଓ କୃଷକ ସମ୍ପର୍କାଳୟର ତଥା ସମବାୟ ବିଭାଗର ପ୍ରମୁଖ ଶାସନ ସଚିବ ଡଃ. ଅରବିନ୍ଦ କୁମାର ପାଢ଼ୀ, ମଧ୍ୟ ଓ ପ୍ରାଣ ସମ୍ପଦ ବିଭାଗ ବିଭାଗ ପ୍ରମୁଖ ଶାସନ ସଚିବ ସୁରେଶ କୁମାର ବଶିଷ୍ଠ, ସି.ଏସ୍.ଏମ୍ ନାଗାର୍, ଏନ୍.ସି.ସି, ଏନ୍.ସି.ସି.ଏମ୍ ଓ ପି.ସି.ସି.ଏମ୍ ପ୍ରତିନିଧିମାନେ ଉପସ୍ଥିତ ଥିଲେ।



ବର୍ତ୍ତମାନ ରହିଥିବା କୃଷି ସମବାୟ ସମିତିଗୁଡ଼ିକୁ ବ୍ୟବସାୟରେ ବିଦିପତା ଆଣି ସେମାନଙ୍କୁ ବହୁମୁଖୀ ସମବାୟ ସମିତିରେ ପରିଣତ କରିବା ଏବଂ ପ୍ରତ୍ୟେକ ଗ୍ରାମ ପଞ୍ଚାୟତରେ ଯେଉଁ ପ୍ୟାକ୍ଟ, ପ୍ରାଥମିକ ଦୁଗ୍ଧ ସମବାୟ ସମିତି କିମ୍ବା ମଧ୍ୟ ସମବାୟ ସମିତି ରହିଥିବ, ତାହା ସୁନିଶ୍ଚିତ କରିବା ଏହି କମିଟିର ମୁଖ୍ୟ ଲକ୍ଷ୍ୟ ରହିଛି। ଆବର୍ତ୍ତ ଉପନିୟମ ଗ୍ରହଣର ସ୍ଥିତି,

ବହୁରମ ବିକେନ୍ଦ୍ରାକୃତ ଶସ୍ୟ ସଂରକ୍ଷଣ ଯୋଜନାର ସ୍ଥିତି, ପ୍ୟାକ୍ଟଗୁଡ଼ିକର କମ୍ପ୍ୟୁଟରୀକରଣ, ସମବାୟ ବ୍ୟାଙ୍କଗୁଡ଼ିକୁ ସୁଦୃଢ଼ କରିବା, ସମବାୟ ଶିକ୍ଷା ଏବଂ ପ୍ରଶିକ୍ଷଣ ଅନୁଷ୍ଠାନ ତିରୁପ୍ତ, ଜିଲ୍ଲା ଏମ୍ ପୋର୍ଟାଲରେ ବହୁତ ସମବାୟ ସମିତିଗୁଡ଼ିକ ସାମିଲ ହେବା ସମ୍ପର୍କରେ ଏହି ବୈଠକରେ ବିଶଦ ଆଲୋଚନା ହୋଇଥିଲା। ସେହିପରି ତିନୋଟି ନୂତନ ବହୁ-

ରାଜ୍ୟ ସମବାୟ ସମିତି - ଜାତୀୟ ଉତ୍ସାହି ସମବାୟ, ଜୈବିକ କୃଷି ପାଇଁ ଜାତୀୟ ସମବାୟ ଏବଂ ଜାତୀୟ ବିହନ ସମବାୟରେ ପ୍ରାଥମିକ, କେନ୍ଦ୍ରୀୟ ଏବଂ ସର୍ବୋଚ୍ଚ ସମବାୟର ସଦସ୍ୟତାକୁ ପ୍ରୋତ୍ସାହିତ କରିବା ଏବଂ ସମବାୟ ତିନି କଳଗୁଡ଼ିକର ପୁନରୁଦ୍ଧାର ସମ୍ପର୍କରେ ବୈଠକରେ କେତେକ ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ଏକେଣ୍ଡା ଉପରେ ଆଲୋଚନା ହୋଇଥିଲା। ଅନ୍ୟପକ୍ଷରେ ବୈଠକରେ ସମବାୟ ସମିତିଗୁଡ଼ିକର ପୁନରୁଦ୍ଧାର ଓ ପୁରୁତ୍ୱାକରଣ, ନୂତନ ପଞ୍ଜିକୃତ ପ୍ୟାକ୍ଟ/ଲ୍ୟାମ୍ପଗୁଡ଼ିକୁ କାର୍ଯ୍ୟକ୍ଷମ କରିବା, ସମସ୍ତ କ୍ଷେତ୍ରରେ ନୂତନ ସମବାୟ ପାଇଁ କାର୍ଯ୍ୟକ୍ଷମ ଜାଞ୍ଚା ପ୍ରସ୍ତୁତ କରିବା, କ୍ଷେତ୍ରସ୍ତରୀୟ ବ୍ୟବସାୟ ବିଶେଷଣ ଆଧାରରେ ସମବାୟ ପାଇଁ ପ୍ରାସଙ୍ଗିକ ବ୍ୟବସାୟିକ କାର୍ଯ୍ୟକଳାପ ତିରୁପ୍ତ କରିବା, ସମସ୍ତ ସମବାୟ ବ୍ୟାଙ୍କରେ ଆଧାର ସଂପର୍କ ଦେଇ ବ୍ୟବସ୍ଥା (ଏଲ.ସି.ଏସ୍) କାର୍ଯ୍ୟକାରୀ କରିବା ସମ୍ପର୍କରେ କେତେକ ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ନିଷ୍ପତ୍ତି ପ୍ରସଙ୍ଗରେ ବିଶଦ ଭାବେ ଆଲୋଚନା କରାଯାଇଥିଲା।

ପ୍ରଥମ ପୃଷ୍ଠାର ଅବଶିଷ୍ଟାଂଶ

ଆଜି ବି ଭାଷଣ...

ଖୋର୍ଦ୍ଧା, କଟକ, ନୟାଗଡ଼, ଅନୁଗୁଳ, ଡେକାନାଲ ଓ ଦେବଗଡ଼ ଜିଲ୍ଲାରେ ପ୍ରବଳରୁ ଅତି ପ୍ରବଳ ବର୍ଷା ହେବାର ସମ୍ଭାବନା ରହିଛି। ସେହିପରି ଅଗଷ୍ଟ ୨-୪ ମଧ୍ୟରେ ଦେବଗଡ଼, ଅନୁଗୁଳ, ସୁନ୍ଦରଗଡ଼, ଝାରସୁଗୁଡ଼ା, ବରଗଡ଼, ସମ୍ବଲପୁର, ସୋନପୁର, ବୌଦ୍ଧ, ବଲାଙ୍ଗୀର, ନୂଆପଡ଼ା ଓ କଳାହାଣ୍ଡି ଜିଲ୍ଲା ଗୁଡ଼ିକରେ ମଧ୍ୟ ଭାଷଣ ବର୍ଷା ହୋଇପାରେ। ଏହି ବର୍ଷା ଆସନ୍ତା ତିନିଦିନ ଧରି ସୁବର୍ଣ୍ଣରେଖା ଓ ବ୍ରାହ୍ମଣୀ ନଦୀର ଉତ୍ତର ମୁଖ ଏବଂ ମହାନଦୀର ଉତ୍ତର ଉପତ୍ୟା ଓ ତଳ ମୁଣ୍ଡରେ ହେବାର ସମ୍ଭାବନା ରହିଛି ବୋଲି ଡ. ସାହୁ କହିଛନ୍ତି। ଏହାଛଡ଼ା ବୈତରଣୀ ଓ ବୁଢ଼ୀବଳଙ୍ଗ ନଦୀର ଉତ୍ତର ମୁଣ୍ଡରେ ବର୍ଷାର ସମ୍ଭାବନାକୁ ଏତାଇ ଦିଆଯାଇ ନ ପାରେ ବୋଲି ସେ କହିଛନ୍ତି। ପାଣିପାଗ କେନ୍ଦ୍ର କହିଛି ଯେ ମୟୂରଭଞ୍ଜ, ସୁନ୍ଦରଗଡ଼, ଡେକାନାଲ, ଅନୁଗୁଳ ଓ କେନ୍ଦୁଝର ଜିଲ୍ଲାରେ ୩୦-୪୦ କିମି ପର୍ଯ୍ୟନ୍ତ ପବନ ବହିବାର ଆଶଙ୍କା ରହିଛି। ସେହିପରି ସମୁଦ୍ର ସମୀପରେ ସହିତ ସମୁଦ୍ର ମଧ୍ୟରେ ପବନର ବେଗ ବୃଦ୍ଧି ୬୫ କିମି ପର୍ଯ୍ୟନ୍ତ ପହଞ୍ଚିପାରେ ଏହାକୁ ଦୃଷ୍ଟିରେ ରଖି ଆସନ୍ତା ୩ ତାରିଖ ପର୍ଯ୍ୟନ୍ତ ମତ୍ସ୍ୟକାରୀମାନଙ୍କୁ ସମୁଦ୍ରକୁ ଯିବା ପାଇଁ ବାରଣ କରାଯାଇଛି।

ମଣିପୁର ସରକାରଙ୍କୁ...

ବୋଲି ମଧ୍ୟ ଅପାଳତ ଉପସ୍ଥିତ କରିଛନ୍ତି। ମଣିପୁରରେ ମଇ ୪ରେ କଟକ ମହିଳାଙ୍କୁ କାରରୁ ବାହାର କରି ପୁଅ ସାମ୍ରାରେ ହତ୍ୟା କରାଯାଇଥିଲା, ବିଜୁ ଏହି ମାମଲାର ଗୁରୁତ୍ୱ ଗ୍ରହଣ କରି ଓଡ଼ିଶା ଗୁରୁ ହୋଇଥିଲା। ଏହା ପରେ ୬, ୫୨୩ ବର୍ଷର ଗୁରୁ ହୋଇଥିବାବେଳେ ମାତ୍ର ୧୧ ଜଣଙ୍କୁ କେମିତି ଗିରଫ କରାଯାଇଛି ବୋଲି ବୋର୍ଡ ଆଣ୍ଡ୍‌ସାପ୍‌ସକର୍ କରିଛନ୍ତି। ମାମଲାର ଗୁରୁତ୍ୱ ଦେଖି ତଦନ୍ତ କରିବା ଉଚିତ। ସବୁ ମାମଲା ସିବିଆଇକୁ ହସ୍ତାନ୍ତର କରିପାରିବେ ନାହିଁ। ଆମକୁ ଏକ ବ୍ୟବସ୍ଥା ପ୍ରତିଷ୍ଠା କରିବାକୁ ପଡ଼ିବ। ବୋଲି ଅପାଳତ କହିଛନ୍ତି।

ଦିଲ୍ଲୀ ଆଧାଦେଶ...

କହିଛନ୍ତି ଯେ ଏହି ଦିଲ୍ଲୀ କେନ୍ଦ୍ରଶାସିତ ଅଞ୍ଚଳ ଉପରେ ସରକାରଙ୍କ ଆକ୍ରମଣକୁ ଦର୍ଶାଇଛି। ସୁପ୍ରିମକୋର୍ଟ ନିଷ୍ପତ୍ତି ବଦଳାଇବାକୁ ପ୍ରୟାସ କରାଯାଉଥିବା ବେଳେ ଆମ ଆଦମା ପାର୍ଟି (ଆ.ପି) ଦିଲ୍ଲୀ ବେଆଇନ ବୋଲି କହିଛି। ଏ ପର୍ଯ୍ୟନ୍ତ ଗୃହରେ ଆଗତ ହୋଇଥିବା ବିଲ୍.ଠାରୁ ଏହା ସହୁ ପୁରାପା। ଏହା ରଖତକ, ସମ୍ବିଧାନ ଏବଂ ଦିଲ୍ଲୀ ଅଧିକାରୀଙ୍କ ବିରୋଧୀ। ନିର୍ବାଚିତ ସରକାରଙ୍କଠାରୁ କ୍ଷମତାକୁ ଛଡ଼ାଉ ଉପ-ରାଜ୍ୟପାଳ ଏବଂ ବାବୁଙ୍କ ହାତରେ ଦିଆଯାଇଛି ବୋଲି ଆମ ଆଦମା ପାର୍ଟି ଅଭିଯୋଗ କରିଛି। ତେବେ ପୁରୀ ମନ୍ତ୍ରୀ ଅଧିକ ଶାନ୍ତ ବିରୋଧୀଙ୍କ ସମସ୍ତ ଅଭିଯୋଗକୁ ଖଣ୍ଡନ କରିଛନ୍ତି। ସମ୍ବିଧାନ ସଂସଦକୁ ଦିଲ୍ଲୀ ପାଇଁ ଆଇନ ପ୍ରସ୍ତୁତ କରିବାର ଅଧିକାର ଦେଇଛି। ଦିଲ୍ଲୀ ବିରୋଧରେ କେବଳ ରାଜନୈତିକ କନ୍ୟାନ ଦିଆଯାଇଛି। ଏହା ସମ୍ପୂର୍ଣ୍ଣ ଆଧାରହୀନ ବୋଲି କହିଛନ୍ତି କେନ୍ଦ୍ର ସରକାରଙ୍କ ମନ୍ତ୍ରୀ ଶାନ୍ତ। କେନ୍ଦ୍ର ସରକାର ମଇ ୧୯ରେ ଅଧିକାରୀଙ୍କ ନିୟୁକ୍ତି ଏବଂ ବଦଳି ନେଇ ଆଧାଦେଶ ଆଣିଥିଲା। ଏହାକୁ ନେଇ ଆପ ମୁଖ୍ୟ ଅରବିନ୍ଦ କେଳୁଖାଇ ବିରୋଧୀ ଦଳର ମୁଖ୍ୟଙ୍କୁ କେଟି ସମର୍ଥନ ମାଗିଥିଲେ। ଏବେ ଏହି ମାମଲା ସୁପ୍ରିମକୋର୍ଟରେ ବିଚାରାଧୀନ ରହିଛି।

ବିଜେଡି-ଖାଇଏସ୍ ଆର୍କ...

ବିଜେଡିର ବରିଷ୍ଠ ସାଂସଦ ପିନାକୀ ମିଶ୍ର କହିଛନ୍ତି, ଦେଶର ରାଜଧାନୀ ଦିଲ୍ଲୀରେ ଆଇଡ଼ ଶୁଖିଲା ଏବଂ ଅନ୍ୟ ସ୍ଥିତିକୁ ଦୃଷ୍ଟିରେ ରଖି କେନ୍ଦ୍ର ସରକାରଙ୍କ ହସ୍ତକ୍ଷେପ ଆବଶ୍ୟକ। ସଂଘୀୟ ବ୍ୟବସ୍ଥାରେ ଯଦି ଏକାଧିକ ରାଜ୍ୟ ପାଇଁ ନିୟମ ଲାଗୁ ହୋଇପାରୁଛି ତେବେ ଦିଲ୍ଲୀ ପାଇଁ କାହିଁକି ନୁହେଁ? ଦିଲ୍ଲୀ ଆଧାଦେଶ ମାମଲା ସର୍ବୋଚ୍ଚ ନ୍ୟାୟାଳୟରେ ବିଚାରାଧୀନ ରହିଛି। ଏଭଳି ଏକ ଉଦ୍ଦିଷ୍ଟ ମୁହୂର୍ତ୍ତରେ ଆମେ ବିଲ୍ଲୀ ସମର୍ଥନ କରିବା ପାଇଁ ନିଷ୍ପତ୍ତି ନେଇଛୁ। ସେହିପରି କେନ୍ଦ୍ର ସରକାରଙ୍କ ବିରୋଧରେ କଂଗ୍ରେସ ଦଳ ଅନାମ୍ନା ପ୍ରସ୍ତାବ ଆଣିଛି। କୌଣସି ପରିସ୍ଥିତିରେ ବି ଆମେ କଂଗ୍ରେସକୁ ସମର୍ଥନ

କରିପାରିବୁ ନାହିଁ। କଂଗ୍ରେସ ମଣିପୁର ମାମଲାରୁ ଯେଉଁ ରାଜନୈତିକ ଉନ୍ନତ ବେଳାକୁ ଉଦ୍ଧାର କରିଛି ତାହାକୁ ଆମେ ପ୍ରଥମ ଦିନରୁ ବିରୋଧ କରି ଆସୁଛୁ। ଏପରି ସମୟରେ ସମଗ୍ର ଦେଶ ଏକାଠି ଛିଡ଼ା ହୋଇ ସମାଧାନର ପଥ ନିର୍ଦ୍ଧାରଣ କରିବାର ଆବଶ୍ୟକତା ରହିଛି। କଂଗ୍ରେସ ଦଳର ମୁଖ୍ୟ ଉଦ୍ଦେଶ୍ୟ ହେଉଛି ପ୍ରଧାନମନ୍ତ୍ରୀ ବିକ୍ରମ ଦିଲ୍ଲୀ। ପ୍ରଧାନମନ୍ତ୍ରୀ ବିକ୍ରମ ଦେବେ ବୋଲି ସରକାର କହିଛନ୍ତି; ତେଣୁ ଅନାମ୍ନା ପ୍ରସ୍ତାବ ମୂଲ୍ୟହୀନ। ଏଥିପାଇଁ ଆମେ ଅନାମ୍ନାକୁ ବିରୋଧ କରିବୁ ବୋଲି ଶ୍ରୀ ମିଶ୍ର କହିଛନ୍ତି। ପୂର୍ବରୁ ଆସ୍ଥ ପ୍ରଦେଶର କ୍ଷମତାସୀନ ଜଗନମୋହନ ରେଡ୍ଡୀଙ୍କ ଘାଟ-ଏସ୍.ଆର୍. କଂଗ୍ରେସ ମଧ୍ୟ କେନ୍ଦ୍ର ସରକାରଙ୍କ ବିରୋଧରେ ବିରୋଧୀ ଆଗତ କରିଥିବା ଅନାମ୍ନା ପ୍ରସ୍ତାବକୁ ବିରୋଧ କରିବାକୁ ନିଷ୍ପତ୍ତି ନେଇଛି। ସେହିପରି ଦିଲ୍ଲୀ ଆଧାଦେଶ ବିଲ୍ ପ୍ରସଙ୍ଗରେ ଜଗନମୋହନଙ୍କ ଘାଟ-ଏସ୍.ଆର୍. ଦଳ ବିଜେଡ଼ି ପରି କେନ୍ଦ୍ର ସରକାରଙ୍କୁ ସମର୍ଥନ କରିବାକୁ ଘୋଷଣା କରିଛି। ଉଲ୍ଲେଖଯୋଗ୍ୟ ଯେ ଆସନ୍ତା ଅଗଷ୍ଟ ୮ରୁ ୧୦ ତାରିଖ ପର୍ଯ୍ୟନ୍ତ ମଣିପୁର ମାମଲାର ଆସିଥିବା ଅନାମ୍ନା ପ୍ରସ୍ତାବ ଉପରେ ଆଲୋଚନା କରିବା ପାଇଁ ଲୋକସଭାରେ ବାତସ୍ପତି ଓ.ଏ.ସି. ଦିନ ଧାର୍ଯ୍ୟ କରିଛନ୍ତି। ଏହି ଆଲୋଚନା ପରେ ୧୦ ତାରିଖରେ ପ୍ରଧାନମନ୍ତ୍ରୀ ସଂସଦରେ ତାଙ୍କର ବିକ୍ରମି ରଖିବେ।

୧୪ ଜିଲ୍ଲାରେ ସ୍ୱତନ୍ତ୍ର...

ପ୍ରଧାନ, ଦେବଗଡ଼ରେ ପାଣିଆ ଭୋଇ, ବରଗଡ଼ରେ ସୁଶୀଳା ଭୋଇ, ଝାରସୁଗୁଡ଼ା ପାଇଁ ମୋହନ କିଶାନ, ନୟାଗଡ଼ରେ ଜାନକା ଦେହୁରା, ଗଞ୍ଜାମରେ ବିଦ୍ୟାଧର ଜାନକୀ ଅଧିକାରୀଙ୍କୁ ସ୍ୱତନ୍ତ୍ର ପ୍ରଦାନ କରାଯାଇଛି। ୨୦୧୬ ମସିହାରୁ ୯ଟି ଜିଲ୍ଲାରେ ସ୍ୱତନ୍ତ୍ର ଉନ୍ନୟନ ପରିଷଦ କାର୍ଯ୍ୟକାରୀ ହୋଇଥିଲା। ପରବର୍ତ୍ତୀ ସମୟରେ ଆବଶ୍ୟକତାମୁତାୟୀ ଆଉ ୧୪ ଜିଲ୍ଲାକୁ ଏହାକୁ ସମ୍ପର୍କିତ କରାଯାଇଥିଲା। ଏବେ ୨୩ଟି ଜିଲ୍ଲାରେ ସ୍ୱତନ୍ତ୍ର ଉନ୍ନୟନ ପରିଷଦ ଗଠନ କରାଯାଇଛି। ଏସ୍.ସି.ସି. ଅଧିକାରୀଙ୍କ ପରିଷଦ ଯୋଜନା କାର୍ଯ୍ୟାନୁଷ୍ଠାନ ପାଇଁ ମୁଖ୍ୟମନ୍ତ୍ରୀ ୨୨୩ କୋଟି ଟଙ୍କା ମଞ୍ଜୁର କରିଛନ୍ତି। ରାଜ୍ୟର ୮୦ ଲକ୍ଷକୁ ଅଧିକ ଜନଜାତି ଲୋକ ଏଥିରେ ସାମିଲ ହୋଇ ନିଜ କଳା ଓ ସଂସ୍କୃତିର ବିକାଶ ପାଇଁ ଜାମା କରିବାର ସୁଯୋଗ ପାଇବେ। ପୂର୍ବରୁ ଏସ୍.ସି.ସି.ରେ ସାମିଲ ଥିବା ୯ ଜିଲ୍ଲାର ୧୧୨ଟି ବ୍ଲକ୍‌ରେ ଯୋଜନା କାର୍ଯ୍ୟକାରୀ ହେଉଥିଲା ବେଳେ ୬୫ ଲକ୍ଷ ଲୋକ ସାମିଲ ହୋଇଥିଲେ। ତେବେ ଏଥିରେ ଆଉ ୧୪ ଜିଲ୍ଲା ସାମିଲ ହେବା ପରେ ସମୁଦାୟ ୧୨୨ଟି ବ୍ଲକ୍‌ରେ ଏହା କାର୍ଯ୍ୟକାରୀ ହେବ। ଜନଜାତି ମାନକର କଳା ଓ ସଂସ୍କୃତିର ସଂରକ୍ଷଣ ପାଇଁ ସ୍ୱତନ୍ତ୍ର ଉନ୍ନୟନ ପରିଷଦ ଗଠନ କରାଯାଇଛି। ନୂଆ ପରିଷଦ ଗଠନ ଦ୍ୱାରା ସବୁ ଜୋଟ୍ ଛୋଟ୍ ବର୍ଗର ଜନଜାତି ଗୋଟାଏ ସେମାନଙ୍କ କଳା ଓ ସଂସ୍କୃତିର ସୁରକ୍ଷା ପାଇଁ ମଧ୍ୟ ନିଜର ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ଅବଦାନ ରଖି ପାରିବେ। ୨୦୧୬-୧୮ ଆର୍ଥିକ ବର୍ଷରେ ସ୍ୱତନ୍ତ୍ର ଉନ୍ନୟନ ପରିଷଦ ଗଠନ ଦ୍ୱାରା ଜନଜାତି ବର୍ଗର ଅନନ୍ୟ ସଂସ୍କୃତିର ସୁରକ୍ଷା ଦିଗରେ ମୁଖ୍ୟମନ୍ତ୍ରୀ ନବୀନ ପଟ୍ଟନାୟକଙ୍କ ନେତୃତ୍ୱରେ ଓଡ଼ିଶା ଏକମାତ୍ର ରାଜ୍ୟ ଭାବେ ପଦକ୍ଷେପ ନେଇଥିଲା। ଏଥିରେ ଜନଜାତି ଲୋକଙ୍କ ପବିତ୍ର ବୃକ୍ଷର ସଂରକ୍ଷଣ, ସଂସ୍କୃତି କ୍ଲବ୍ ଗଠନ, ସଂସ୍କୃତିକ କାର୍ଯ୍ୟାନୁଷ୍ଠାନ ଆୟୋଜନ ଆଦି ଅନେକ କାର୍ଯ୍ୟକ୍ରମ ହାତକୁ ନିଆଯାଇଛି। ବର୍ତ୍ତମାନ ସୁଦ୍ଧା ଏହି କାର୍ଯ୍ୟକ୍ରମରେ ୬୦ ହଜାରରୁ ଅଧିକ ପ୍ରକଳ୍ପର କାର୍ଯ୍ୟାନୁଷ୍ଠାନ ହୋଇଛି। ସେହିପରି ୪୫୯୯୯୯୯ ବିଭିନ୍ନ ପବିତ୍ର ବୃକ୍ଷ ମଧ୍ୟ ୪୫୯୯୯୯୯ ବିଭିନ୍ନ ସଂରକ୍ଷଣ କରାଯାଇ ଥିବା ବେଳେ ୧୫୯୯୯୯୯୯୯ ଗଠନ କରାଯାଇଛି। ଏଥିସହ ୨୧ଟି ଭାଷାରେ ଜନଜାତି ବିଭାଗୀ ଅଭିଧାନ ଓ ପ୍ରକାଶ୍ୟ ପ୍ରୋଡିଂସିବିପ୍ ମୋଡୁଲ୍ ପ୍ରସ୍ତୁତ କରାଯାଇ ୩୦ଟି ଜିଲ୍ଲାରେ ବ୍ୟବହ କରାଯାଇଛି।

ସମ୍ବଲପୁର ଓ ବାଲେଶ୍ୱରରେ...

ଡି.ଏ.ଏ. ପ୍ରୋ.ପା.ଇ.ଲି. ଯୁନିଟ୍ ଏବଂ ସାଲବର ପୋରେନସିକ୍ ଯୁନିଟ୍ ଉଦ୍‌ଯାଗିତ ହୋଇଥିଲା। ସେହିପରି ୨୦୧୬ ମସିହାରେ ଅତ୍ୟାଧୁନିକ ବ୍ୟବସ୍ଥା ଥିବା ରାଜ୍ୟ ସାଲବର ପୋରେନସିକ୍ ଲାବୋରଟୋରୀ ଲୋକାର୍ପିତ କରାଯାଇଥିଲା। ପୂର୍ବରୁ ବିଭିନ୍ନ ପ୍ରକାର ବୈଜ୍ଞାନିକ ପରୀକ୍ଷା ପାଇଁ ନେଇଜାଗା, ହାଇଦ୍ରାବାଦ, ଗୁଡ଼ଗୁଡ଼ି ପ୍ରଭୃତ ପରେନସିକ୍ ପରୀକ୍ଷାଗାର ଉପରେ ନିର୍ଭର କରିବାକୁ ପଡୁଥିଲା। ସ୍ୱତନ୍ତ୍ର ପାଠେ ଆଞ୍ଚଳିକ

ପୋରେନସିକ୍ ସାଲବ ଲାବୋରଟୋରୀ ପ୍ରତିଷ୍ଠା କରି ବାଲିଷ୍ଟିକ୍, ବାୟୋଲୋଜି, କେମିଷ୍ଟ୍ରି, ପିଜିକ୍, ସେରୋଲୋଜି, ଟକ୍ସିକୋଲୋଜି ଆଦି କ୍ଷେତ୍ରରେ ତଦନ୍ତ ସୁଦୃଢ଼ କରିବା ପାଇଁ ଉଦ୍ଦ୍ୟମ କରାଯାଇଛି। ଆସନ୍ତା ବର୍ଷ ସୁଦ୍ଧା ଏହାକୁ କାର୍ଯ୍ୟକ୍ଷମ କରିବା ଲାଗି ଲକ୍ଷ୍ୟ ରହିଛି।

ଜାଲିଦେଲେ ୪୦୦...

ଏଠାରେ ୨ ସମ୍ପ୍ରଦାୟର ଲୋକେ ମୁହାର୍ତ୍ତ ହୋଇଛନ୍ତି। ଗାନ୍ଧୀ ଛକ ନିକଟରେ ଥିବା ରେଷ୍ଟୋରାଣ୍ଟ ଏବଂ ଦୋକାନୀ ଜାଲି ଦେବାସହ ବିଭିନ୍ନ ସାମଗ୍ରୀ ଲୁଚି ନେଇଛନ୍ତି। ସେହିପରି ଗୁରୁଗ୍ରାମର ବାଘଶାହପୁର ଅଞ୍ଚଳରେ ଦୋକାନୀରେ ରଜାରୁଜା କରି ନିଆଁ ଲଗାଇ ଦେଇଛନ୍ତି। ମଙ୍ଗଳବାର ସ୍ଥିତି ଉତ୍ତରକଳାପୂର୍ଣ୍ଣ ରହିଛି। ଅଞ୍ଚଳରେ ପୁଲିସ ପୋର୍ଟ ମୁତୟନ କରାଯାଇଛି। ସ୍ଥିତିକୁ ଦୈର୍ଘ୍ୟ କଳା ଏବଂ ସିନେମା ହଲ ବନ୍ଦ କରିଦିଆଯାଇଛି। ତେଣୁ ରହି କାମ କରିବାକୁ କମ୍ପାନୀଙ୍କୁ ନିର୍ଦ୍ଦେଶ ଦିଆଯାଇଛି। ପେଟ୍ରୋଲ ଡିଜେଲ ନ ଦେବା ପାଇଁ ମାଲିକମାନଙ୍କୁ ହୁହାରିଆଇଛି। ଏ ପର୍ଯ୍ୟନ୍ତ ହିଁସାରେ ୨ ପୁଲିସ କର୍ମଚାରୀ, ୨ ଭିଏସ୍.ପି କର୍ମୀଙ୍କ ସମେତ ୫ ଜଣଙ୍କ ଜାମିନ ଗଲାଣି। ପୁଲିସ କର୍ମଚାରୀଙ୍କ ସହିତ ୫୦ରୁ ଅଧିକ ଲୋକ ଆହତ ହୋଇଛି। ୪୪ରୁ ଅଧିକ ଏତଲା ରୁଜୁ ହୋଇଥିବାବେଳେ ହଜାରେ ଜଣକୁ ଅଭିଯୁକ୍ତ ବନାଯାଇଛି। ଏମାନଙ୍କ ମଧ୍ୟରୁ ୭୦ ଜଣକୁ ଗିରଫ କରାଯାଇଛି। ନୁହେଁ ସେହିପରି ଅଧିକ କ୍ଷତି ହୋଇଛି। ଏଠାରେ ଉପଦ୍ରବୀ ୩ କିମି ପର୍ଯ୍ୟନ୍ତ ରାସ୍ତାରେ ଛିଡ଼ା ହୋଇଥିବା ଗାଡ଼ିକୁ ଲୋକଙ୍କୁ ବାହାର କରି ଗାଳ୍ପାରୁଜା କରିଛନ୍ତି ଏବଂ ନିଆଁ ଲଗାଇ ଦେଇଛନ୍ତି। ମଙ୍ଗଳବାର ସକାଳେ ଏହାର ଉଦ୍ଧାରକ ତିପ୍ର ସାମ୍ରାଜ୍ ଆସିଛି। ୫୦୦ରୁ ଅଧିକ ଲୋକ ଗାଡ଼ି ଯୋ' ଲୁଚି ନେଇଥିବା କଳି ୨୦୦ ବାଲକ ଲୁଚି ନେଇଛନ୍ତି। କର୍ମଚାରୀଙ୍କୁ ଗୁଡ଼ ମାରିବା ସହିତ ରଜାରୁଜା କରିଥିବା ମଧ୍ୟ ସୂଚନା ମିଳିଛି। ଏହା ବ୍ୟତୀତ ନୁହେଁ ସିପା ପରେ ଏକ ମହିରରେ ପର୍ଯ୍ୟ ରହିଥିବା ୨୫୦୦ ଲୋକଙ୍କୁ ପୁଲିସ ଉଦ୍ଧାର କରିଛି। ସେମାନଙ୍କୁ ଉପଦ୍ରବୀ ଘରେ ରହିଥିଲେ। ପରେ କଡ଼ା ସୁରକ୍ଷା ମଧ୍ୟରେ ତାଙ୍କୁ ଉଦ୍ଧାର କରାଯାଇଥିଲା। ସୋମବାର ବିକମ୍ପିତ ରାତିରେ ଗୁରୁଗ୍ରାମର ଏକ ମସଜିଦ୍‌ରେ ମଧ୍ୟ ଆକ୍ରମଣ ହୋଇଛି। ଏଥିରେ ଜଣେ ଇମାମଙ୍କ ମୃତ୍ୟୁ ହୋଇଥିବାବେଳେ ଅନ୍ୟ ଜଣେ ଆହତ ହୋଇଥିଲା। ଏହାକୁ ବେଶ୍ ଗୁରୁଗ୍ରାମର ଧାର୍ମିକ ସ୍ଥଳର ସୁରକ୍ଷା ବ୍ୟବସ୍ଥା ବୃଦ୍ଧି କରାଯାଇଛି।

ହିସାକୁ ନେଇ ଉତ୍ତରପ୍ରଦେଶ ଏବଂ ରାଜସ୍ଥାନରେ ମଧ୍ୟ ସତର୍କତା ଜାରି ହୋଇଛି। ରାଜସ୍ଥାନ ଭରତପୁରର ୪ଟି ଅଞ୍ଚଳରେ ଉତ୍ତରପ୍ରଦେଶ ବନ୍ଦ କରିଦିଆଯାଇଛି। ଯୁକ୍ତି ହରିୟଣା ସହ ଯୋଡୁଥିବା ମଥୁରା ସାମା ସିଲ୍ କରିଦିଆଯାଇଛି। ମିରଜ, ଅଲିଗଡ଼, ମଜୁଲୀରେ ସମେତ ହରିୟଣାକୁ ଲାଗିଥିବା ଜିଲ୍ଲାରେ ସୁରକ୍ଷା ବ୍ୟବସ୍ଥାକୁ କଡ଼ାକଡ଼ି କରାଯାଇଛି। ଅନ୍ୟପକ୍ଷରେ ହରିୟଣା ମୁଖ୍ୟମନ୍ତ୍ରୀ ନମୋହନଲାଲ ଖଟର ହିଁସାକୁ ନେଇ ଗୁହମନ୍ତ୍ରୀ ଅନିଲ ଭିକ୍ ଏବଂ ପୁଲିସ ଅଧିକାରୀଙ୍କ ସହ ବୈଠକ କରି ସ୍ଥିତି ସମୀକ୍ଷା କରିଛନ୍ତି। ସେ ଏହାକୁ ସୁନିୟୋଜିତ କ୍ଷତ୍ରମତ କହିଛନ୍ତି। ପ୍ରତି ବର୍ଷ ପରି ତଳିତ ବର୍ଷ ବୁକ୍‌ମେଣ୍ଟ କଳାଜିଷେକ ଯାତ୍ରାର ଆୟୋଜନ ହୋଇଥିଲା। କିଛି ଲୋକ କ୍ଷତ୍ରମତ କରିଛନ୍ତି। ଏଥିଯୋଗୁଁ ଯାତ୍ରାବନ୍ଦ ହୋଇଯାଇଛି। କ୍ଷତ୍ରମତକାରୀଙ୍କୁ ଛଡ଼ାଯିବ ନାହିଁ। କଡ଼ା କାର୍ଯ୍ୟାନୁଷ୍ଠାନ ଗ୍ରହଣ କରାଯିବ। କେନ୍ଦ୍ରୀୟ ସୁରକ୍ଷା ବାହିନୀର ୧୬ କମ୍ପାନୀ ଏବଂ ପୁଲିସର ୩୦ କମ୍ପାନୀ ମୁତୟନ କରାଯାଇଛି। ସମସ୍ତେ ସ୍ଥିତିକୁ ସ୍ୱାଭାବି



‘ଦ ସି ଆଣ୍ଡ ସେଭେନ ଭିଲେଜେସ’ ସିନେମାକୁ ଆଉ ଏକ ସଫଳତା

ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ)



ଚଳଚ୍ଚିତ୍ର ନିର୍ମାତା ତଥା ଜାତୀୟ ପୁରସ୍କାରପ୍ରାପ୍ତ ନିର୍ଦ୍ଦେଶକ ହିମାଂଶୁ ଖଟୁଆଙ୍କ ନିର୍ଦ୍ଦେଶିତ ପ୍ରାମାଣିକ ଚଳଚ୍ଚିତ୍ର ‘ଦ ସି ଆଣ୍ଡ ସେଭେନ ଭିଲେଜେସ’କୁ ଆଉ ଏକ ସଫଳତା ମିଳିଛି । ବିଶ୍ୱର ଦୀର୍ଘତମ ଭ୍ରାମ୍ୟମାନ ଚଳଚ୍ଚିତ୍ର ମହୋତ୍ସବ କାରଗଣା ପିଲ୍ମ ଫେଷ୍ଟିଭାଲରେ ପ୍ରଦର୍ଶିତ ହେବା ପାଇଁ ଏହି ସିନେମାଟି ମନୋନୀତ ହୋଇଛି । ଏହି ଚଳଚ୍ଚିତ୍ର ମହୋତ୍ସବକୁ ଯାବା ବିଶ୍ୱର ୧୨ ଦେଶରୁ ୧ ହଜାର ସିନେମା ଆସିଥିଲା । ଯେଉଁଥିରେ ଅଜ୍ଞ କେରୋଟି ବନ୍ଧା ବନ୍ଧା ହାତ ଗଣି ଶ୍ରେଷ୍ଠ ସିନେମାକୁ ଏହି ମହୋତ୍ସବରେ ପ୍ରଦର୍ଶନ କରିବା ପାଇଁ ଜାତୀୟସ୍ତରର ସୁନାମଧନ୍ୟ ଜୁରୀମାନେ ବିବେଚନା କରିଛନ୍ତି । ସେଥି ମଧ୍ୟରୁ ଓଡ଼ିଶାରୁ ‘ଦ ସି ଆଣ୍ଡ ସେଭେନ ଭିଲେଜେସ’ ଅନ୍ୟତମ । ସାରା ବିଶ୍ୱରେ ଭଲ ସିନେମାକୁ ପ୍ରୋତ୍ସାହନ ଦେବା ତଥା ସିନେମାର କଳାତ୍ମକ ଦୃଷ୍ଟିକୋଣକୁ ଲୋକଲୋଚନରେ ପହଞ୍ଚାଇବା ପାଇଁ କାରଗଣା ପିଲ୍ମ ଫେଷ୍ଟିଭାଲର ଗୁପ୍ତ ଦ୍ୱାରା ପରିଚାଳିତ ‘କାରଗଣା ଭ୍ରାମ୍ୟମାନ ପିଲ୍ମ ମହୋତ୍ସବ’ ଯାବା

ଭାରତ ବର୍ଷରେ ୧୧ଟି ରାଜ୍ୟରେ ୧୦୦ ଦିନ ଧରି ବିଭିନ୍ନ ମେଟ୍ରେସିଭିଟିରେ ଏହି ଚଳଚ୍ଚିତ୍ର ମହୋତ୍ସବକୁ ଅଣ୍ଟାରେଇ ନେଇ କରାଯାଇଛି । ଜଳବାୟୁ ପରିବର୍ତ୍ତନ ଓ ବିପ୍ଳାବକୁ ନେଇ ହିମାଂଶୁ ଖଟୁଆଙ୍କ ନିର୍ଦ୍ଦେଶିତ ତଥା କିଟ୍ ଏବଂ କିସର ପ୍ରତିଷ୍ଠାତା ତତ୍କାଳ ଅଧ୍ୟାପକ ନିରେଦିତ ତଥା କାନ୍ଦମୁନୀ ମିତ୍ରିଆ ପ୍ରସ୍ତୁତ ସିନେମା ‘ଦ ସି ଆଣ୍ଡ ସେଭେନ ଭିଲେଜେସ’ ଏହି ଚଳଚ୍ଚିତ୍ର ମହୋତ୍ସବରେ ପ୍ରଦର୍ଶିତ ହେବାକୁ ମନୋନୀତ ହୋଇଛି । ତତ୍କାଳ ଇତି ସାମନ୍ତ ଏହାର ପ୍ରଯୋଜନା କରିଛନ୍ତି । ପୂର୍ବରୁ ଏହି ସିନେମାଟି ଅନ୍ଧାଧିକାରୀ କେନ୍ଦ୍ର ଚଳଚ୍ଚିତ୍ର ମହୋତ୍ସବରେ ପ୍ରଦର୍ଶିତ ହେବାକୁ ମନୋନୀତ ହୋଇ ଓଡ଼ିଶା ପାଇଁ ଗୌରବ ଆଣିଥିଲା । ଜଳବାୟୁ ପରିବର୍ତ୍ତନ ଯୋଗୁଁ କେନ୍ଦ୍ରାପଡ଼ା ଜିଲ୍ଲା ରାଜନଗର ବ୍ଲକ୍ ସତରାୟର ୧୪ଟି ଗାଁ ସମୁଦ୍ରେ ଲାଜ ହୋଇଯାଇଛି । ସାତଭାଇବାସୀ ବରପାଟିଆଠାରେ ଅଲଥାନ କରାଯାଇଛି । ଜଳବାୟୁ ପରିବର୍ତ୍ତନ ଯୋଗୁଁ କୋଣାର୍କ ପଞ୍ଚାୟତ ବିଧାୟକ ହେବା ପ୍ରଥମ ଘଟଣା । ଜଳବାୟୁ ପରିବର୍ତ୍ତନ ଓ ସତରାୟବାସୀଙ୍କ ଅନୁଭବ କାହାଣୀକୁ ନେଇ ଏହି ଚଳଚ୍ଚିତ୍ର ପ୍ରସ୍ତୁତ ହୋଇଛି ।

ମାରୁଖାଡ଼ି ମହିଳା ସମିତି ପକ୍ଷରୁ ‘ସାଝନ୍ ମେଳା ଓ ଫନ୍ ଫିଏଣ୍ଟା’ ଉଦ୍ଘାଟିତ

ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ)



ମାରୁଖାଡ଼ି ମହିଳା ସମିତି ଲୁବନେଶ୍ୱର ପକ୍ଷରୁ ‘ସାଝନ୍ ମେଳା ଓ ଫନ୍ ଫିଏଣ୍ଟା’ ମଙ୍ଗଳବାର ପ୍ରେସ୍ କୁବଠାରେ ଉଦ୍ଘାଟିତ ହୋଇଯାଇଛି । ମହିଳାମାନଙ୍କ ଦ୍ୱାରା ପ୍ରସ୍ତୁତ ବିଭିନ୍ନ ସାମଗ୍ରୀର ବିକ୍ରିବଟା ପାଇଁ ଉଚିତ୍ ବଜାର ଯୋଗାଇବା ଉଦ୍ଦେଶ୍ୟରେ ଆୟୋଜିତ ଏହି ପ୍ରଦର୍ଶନୀକୁ ରାଜ୍ୟ ମହିଳା ଆୟୋଗ ଡ. ମିନତା ବେହେରା, ସିଆଇଆଇଆଇଡ଼ିଏସ୍ ଅଧ୍ୟକ୍ଷା

ପ୍ରାତି ଅଗ୍ରଦଳ ଉଦ୍ଘାଟନ କରିଥିଲେ । ୨ଦିନ ଧରି ଚାଲିବାକୁ ଥିବା ଏହି କାର୍ଯ୍ୟକ୍ରମରେ ଓଡ଼ିଶାର ବିଭିନ୍ନ ଜିଲ୍ଲା ସମେତ କୋଲକାତାରୁ ମହିଳାମାନେ ଯୋଗଦେଇ ସେମାନଙ୍କ ଦ୍ୱାରା ପ୍ରସ୍ତୁତ ରାଖୁ, ଘରସଜ୍ଜା ସାମଗ୍ରୀ, ଡ୍ରେସ୍, ଶାଢ଼ି ଆଦି ପ୍ରଦର୍ଶନ ସହ ବିକ୍ରିବଟା କରୁଛନ୍ତି । କାର୍ଯ୍ୟକ୍ରମକୁ ବିଶା ବିଲ୍ଲା, ପ୍ରମିଶା ଭଣ୍ଡାରୀ, ସ୍ୱେଚ୍ଛାଚଳା ଗୁପ୍ତା, କୁହି ଅଗ୍ରଦଳ, କୁଚିକା ମୋଦୀ, ପ୍ରିୟା ଅଗ୍ରଦଳ, ନିଲମ୍ ଅଗ୍ରଦଳ ପ୍ରମୁଖ ସଂଯୋଜନା କରିଥିଲେ ।

ବସ୍ତ୍ର ଡିଜେଲ ଗୋରିକିର ଜଣେ ଗିରଫ



ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ) : ସୋମବାର ସକାଳେ ଏକ ଘରୋଇ ବସ୍ତ୍ର ପାଇସ୍ ଯୋଗେ ଡିଜେଲ ଟୋର ଅଭିଯୋଗରେ ଜଣେ ଅଟୋଚାଳକ ଗିରଫ ହୋଇଛି । ଗିରଫ ଚାଳକ ଜଣକ ହେଉଛି ଗଞ୍ଜାମ ଜିଲ୍ଲା ପୁରୁଷୋତ୍ତମପୁର ଥାନା ନୂଆଗାଁ ଗ୍ରାମର ଅଜ୍ଞାନନ ସାହୁ (୪୪) । ସେ ଖଣ୍ଡଗିରି ଥାନା କର୍ମଚାରୀ ଛକ ତ୍ରିନାଥ ମନ୍ଦିର ନିକଟରେ ରହୁଥିଲେ । ତା’ ନିକଟରେ ୧୦ ଲିଟର ଡିଜେଲ କବଚ କରାଯାଇଛି । ଏନେଇ ବସ୍ କଣ୍ଟ୍ରୋଲ ବିନୋଦ ସାହି ଭରତପୁର ଥାନାରେ ଲିଖିତ ଅଭିଯୋଗ କରିବା ପରେ ପୁଲିସ୍ ଏକ ମାମଲା ରୁଜୁ କରି ପଞ୍ଚାବନକୁ କୋର୍ଟ ଚାଲାଇ କରିଛନ୍ତି । ପଞ୍ଚାବନ ତୁଳନାସ ହେଲା ଲଗାତାର ତିନିଟି ବସ୍ତ୍ର ଡିଜେଲ ଟୋର କରିଥିଲା । ଅନ୍ୟ ଏକ ବସ୍ତ୍ର ବ୍ୟାଚେରି ଟୋର କରିଥିବା ଅଭିଯୋଗ ହୋଇଥିଲା ।

ସମ୍ଭାବନାର ବର୍ଷା ଆସର ଓ ହସ୍ତତନ୍ତ ପରିଧାନ ପ୍ରଦର୍ଶନ

ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ)



ସମ୍ଭାବନା ଓଡ଼ିଆଣୀ ସମିତି ପକ୍ଷରୁ ବର୍ଷା ଉପରେ ଆଧାରିତ କବିତା ଓ ସଙ୍ଗୀତ କାର୍ଯ୍ୟକ୍ରମ ‘ବର୍ଷା ଆସର’ ଅନୁଷ୍ଠିତ ହୋଇଯାଇଛି । ଗୀତଗୋବିନ୍ଦ ସଦନରେ ଅନୁଷ୍ଠିତ ଏହି କାର୍ଯ୍ୟକ୍ରମରେ ସମ୍ଭାବନା ଓଡ଼ିଆଣୀ ସମିତିର ସଭ୍ୟା ତଥା ସ୍ୱତନ୍ତ୍ର

ଆମନ୍ତ୍ରିତ କବିମାନେ ସ୍ୱରଚିତ ବର୍ଷା କବିତା ଆକୃଷ୍ଟ କରିଥିଲେ । ସେହିପରି ଚଳିତ ମାସରେ ପାଳିତ ହେବାକୁ ଥିବା ହସ୍ତତନ୍ତ ଦିବସ ପୂର୍ବରୁ ଓଡ଼ିଆଣୀମାନେ ଓଡ଼ିଶାର ପୁରୁଷାତ ହସ୍ତତନ୍ତ ଦିବସ ପରିଧାନ କରି ମଞ୍ଚରେ ଚାଲୁଥିଲେ । ସେହି ସମୟରେ ବର୍ଷା ସଙ୍ଗୀତ ମଧ୍ୟ ପରିବେଷିତ ହେଉଥିଲା । ପ୍ରଥମଥର ପାଇଁ ସମ୍ଭାବନା ଓଡ଼ିଆଣୀ ସମିତି ପକ୍ଷରୁ ଏହି ହସ୍ତତନ୍ତ ପରିଧାନ ପ୍ରଦର୍ଶନ କାର୍ଯ୍ୟକ୍ରମ ଆୟୋଜିତ ହୋଇଥିଲା । ସମ୍ଭାବନାର ଗ୍ରନ୍ଥ ସ୍ମୃତି ମହାସ୍ମୃତି ପରିଚାଳନାରେ ଅନୁଷ୍ଠିତ ଏହି ବର୍ଷା ଆସରରେ ସମ୍ଭାବନାର ସମ୍ପାଦକ ଦେବ ପ୍ରସାଦ ପରିଜା, ସୌଦାମିନୀ ସାମଲ, ମାନା ପାଣିଗ୍ରାହୀ, ତ. ସୁଜାତା ମହାନ୍ତି, ସୌଭାଗ୍ୟଲକ୍ଷ୍ମୀ ମହାନ୍ତି ପ୍ରମୁଖ ବିଭିନ୍ନ ବର୍ଷର ଶ୍ରେଷ୍ଠ ଓଡ଼ିଆଣୀ ଯୋଗଦେଇଥିଲେ ।

ସାରସ୍ୱତ ସମାଜର ସାହିତ୍ୟ ଆସର

ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ) : ସାରସ୍ୱତ ସମାଜର ସାହିତ୍ୟ ଆସର ଗୋଦାବରୀର ସାହିତ୍ୟ ସଂସଦଠାରେ ଅନୁଷ୍ଠିତ ହୋଇଯାଇଛି । କବି ତଥା ପ୍ରାଚ୍ଚନ୍ଦ୍ର ପ୍ରଣାବନିକ ଅଧିକାରୀ ରାଜକିଶୋର ପଟ୍ଟିକ ଅଧକ୍ଷତାରେ ଅନୁଷ୍ଠିତ ଏହି କାର୍ଯ୍ୟକ୍ରମରେ ମୁଖ୍ୟବକ୍ତା ଭାବେ ପ୍ରାଚ୍ଚନ୍ଦ୍ର ପର୍ଯ୍ୟଟନ ଅଧିକାରୀ ଦେବଦତ୍ତ ରଥ ଯୋଗଦେଇ ଆଜିର ଗଣ୍ୟ ଓ ସାହିତ୍ୟର ବିଭିନ୍ନ ଦିଗ ଉପରେ ଅବତାରଣା କରି ବହୁ ଉପାଦେୟ ପରାମର୍ଶ ଦେଇଥିଲେ । ଏହି ଅବସରରେ ଅନୁଷ୍ଠାନର ଆଧ୍ୟାତ୍ମିକ ପତ୍ରିକା ‘ପାବନୀ’ ଅତିଥିକ ଦ୍ୱାରା ଉନ୍ମୋଚନ ହୋଇଥିଲା । କାର୍ଯ୍ୟକ୍ରମରେ ଅନ୍ୟମାନଙ୍କ ମଧ୍ୟରେ ଅଧ୍ୟାପକା ତ. ସରୋଜିନୀ ପାଣି, ଅନୁଷ୍ଠାନର ଅଧ୍ୟକ୍ଷା ତ. ପ୍ରତିମା ରାଣୀ ମିଶ୍ର ଷଡ଼ଙ୍ଗୀ, ରଜନୀକାନ୍ତ ପଟ୍ଟନାୟକ ପ୍ରମୁଖ ଯୋଗଦେଇଥିଲେ । ଏହାପରେ ସମସ୍ତା ରାଣୀ ପୁଷ୍ପ ଓ ସରୋଜିନୀ ପାଣିଙ୍କ ସଂଯୋଜନାରେ କବିତା ପାଠୋତ୍ସବ ଅନୁଷ୍ଠିତ ହୋଇଥିଲା । ଏଥିରେ ୫୦ରୁ ଉର୍ଦ୍ଧ୍ୱ କବି କବିତାପାଠ କରିଥିଲେ । କବି ସୌଦାମିନୀ ସାମଲରାୟ ସେବପାଠ କରିଥିବାବେଳେ ଅନୁଷ୍ଠାନର ପ୍ରତିଷ୍ଠାତା ସରୋଜ ରଞ୍ଜନ ପଟ୍ଟନାୟକ ସ୍ୱାଗତ ଭାଷଣ ସହ ଆଭିମୁଖ୍ୟ ଉପରେ ବିଷୟ ବିବରଣୀ ଦେଇଥିଲେ । ଶେଷରେ କବି ଜୟଶ୍ରୀ ପଟ୍ଟନାୟକ ଧନ୍ୟବାଦ ଅର୍ପଣ କରିଥିଲେ ।

ଶିକ୍ଷା ପ୍ରଦର୍ଶନୀ ଉର୍ଦ୍ଧ୍ୱର ସାହୁଙ୍କୁ ସମ୍ବର୍ଦ୍ଧନା



ନନ୍ଦନକାନନ, ୧।୮ (ସମ୍ବାଦ) : ପଟିଆ ରାଜା ମଧୁସୂଦନ ଦେବ ତ୍ରିଶ୍ରୀ ମହାବିଦ୍ୟାଳୟର ଶିକ୍ଷା ବିଭାଗର ପ୍ରଦର୍ଶନୀ (ଏକ୍ସକେସନ ଡିପୋଜିଟର) ଉର୍ଦ୍ଧ୍ୱର ସାହୁଙ୍କୁ ସୋମବାର ଅବସରକାଳୀନ ସମ୍ବର୍ଦ୍ଧନା ଦିଆଯାଇଛି । ଉକ୍ତ ମହାବିଦ୍ୟାଳୟରେ ଦୀର୍ଘ ୨୬ ବର୍ଷ ଧରି ଶ୍ରୀମତୀ ସାହୁ ଚାଳକ ଭାବେ ପରାକାଶ୍ୟା ଓ ନିଷ୍ଠା ସହକାରେ କାର୍ଯ୍ୟ ସମ୍ପାଦନ କରିଛନ୍ତି । ଯାହାପାଇଁ ରାଜା ମଧୁସୂଦନ ଦେବ ମହାବିଦ୍ୟାଳୟ ଶିକ୍ଷା କ୍ଷେତ୍ରରେ ଉଲ୍ଲେଖନୀୟ ପ୍ରଦର୍ଶନ କରିପାରୁଥିବା ନେଇ ଅଧକ୍ଷ ପ୍ରଶାନ୍ତ ରାଉତ ପ୍ରକାଶ କରିଛନ୍ତି । ଏହି କାର୍ଯ୍ୟକ୍ରମରେ ମୁଖ୍ୟ ଅତିଥି ଭାବେ ପ୍ରଫେସର କାଳୀ ପ୍ରସାଦ ମିଶ୍ର ଯୋଗଦେଇଥିଲେ । ଅନ୍ୟମାନଙ୍କ ମଧ୍ୟରେ କଟକ ଗୋବିନ୍ଦପୁର ତ୍ରିଶ୍ରୀ ମହାବିଦ୍ୟାଳୟର ଅଧକ୍ଷ ଡ. ଗଗନ ବେହେରା ମୁଖ୍ୟବକ୍ତା ଭାବେ ଯୋଗଦେଇଥିଲେ । ମହାବିଦ୍ୟାଳୟ ପରିଚାଳନା ସମିତିର ଅଧକ୍ଷ ପ୍ରଫେସର ବ୍ରହ୍ମାନନ୍ଦ ଶତପଥୀ କାର୍ଯ୍ୟକ୍ରମର ଅଧକ୍ଷତା କରିଥିଲେ । କାର୍ଯ୍ୟକ୍ରମ ଆରମ୍ଭରେ ପ୍ରଦୀପ ପ୍ରଜ୍ଜ୍ୱଳନ କରାଯିବ ସହ ଶିକ୍ଷା ବିଭାଗର ମୁଖ୍ୟ ଡ. ହର୍ଷକିଶୋର ସେନାପତି ଅତିଥି ପରିଚୟ ପ୍ରଦାନ କରିଥିଲେ । ଅଧ୍ୟାପକା ଗୀତାଞ୍ଜଳି ବେହେରା ଧନ୍ୟବାଦ ଅର୍ପଣ କରିଥିଲେ ।

କୃଷ୍ଣରୋଗୀଙ୍କୁ ମାଇକ୍ରୋ ସେଲୁଲାର ରବର ଜୋଡା ପ୍ରଦାନ

ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ) : ଲୁବନେଶ୍ୱର ମ୍ୟୁନିସିପାଲିଟିରେ ଥିବା ବିଭିନ୍ନ କୃଷ୍ଣ କଲୋନୀରେ ଭାରତୀୟ ରେଡ୍‌କ୍ରସ୍‌ ସୋସାଇଟି ଓଡ଼ିଶା ରାଜ୍ୟ ଶାଖାର ଅଧିକାରୀଙ୍କ ସହିତ ବିଭିନ୍ନ କୃଷ୍ଣ ପଟ୍ଟନାୟକଙ୍କ ଚିକିତ୍ସାଧ୍ୟାୟରେ ମାଇକ୍ରୋ ସେଲୁଲାର ରବର ଜୋଡା ପ୍ରଦାନ କରାଯାଇଛି । ଲିଙ୍ଗରାଜ କୃଷ୍ଣ କଲୋନୀ, ରାମକୃଷ୍ଣ କୃଷ୍ଣ କଲୋନୀ, ଚୋଖୁବାବା କୃଷ୍ଣ କଲୋନୀ ଆଦି ଅଞ୍ଚଳର ଶହେରୁ ଉର୍ଦ୍ଧ୍ୱ ରୋଗୀଙ୍କୁ ବଣ୍ଟନ କରାଯାଇଥିଲା । ସୋମବାର ଚାନ୍ଦିନୀରେ ତିଆରି କରାଯାଇଥିବା ହେତୁ ସମାଜ ଆଖିରେ ଏକ ଘୃଣିତ ଭଳି ଅନୁଭବ କରୁଥିଲେ । ଯାହା ରୋଗୀଙ୍କୁ ସମ୍ପୂର୍ଣ୍ଣ ବିଲୋପ କରିବାରେ ପ୍ରମୁଖ ପ୍ରତିବନ୍ଧକ ଥିଲା । ଏହାକୁ ଦୃଷ୍ଟିରେ ରଖି ଲେପ୍ରୋ ସୋସାଇଟି ‘ଏବଂ ଓଡ଼ିଶା ରେଡ୍‌କ୍ରସ୍‌ ମିଳିତ ସହଯୋଗରେ କୃଷ୍ଣରୋଗୀଙ୍କ ପାଇଁ ବିଭିନ୍ନ ପ୍ରକାର ଓ ବିଭିନ୍ନ ରଙ୍ଗର ଜୋଡା ତିଆରି କରି ବଣ୍ଟନ କରାଯାଇଥିଲା । ଏହାଦ୍ୱାରା ସେମାନଙ୍କ ଗୋଦା ଗୋଡ଼ ଓ ଅଲ୍ପସର ଗୋଡ଼ର ଯତ୍ନ ନେବା ସହ ରୋଗ ନିରାକରଣ ଦିଗରେ ସହାୟକ ହେବ । ଏହି ଅବସରରେ ବର୍ଷା ଦିନେ ଅଲ୍ପସର ପାଦକୁ କିପରି ଯତ୍ନ ନିଆଯିବ ସେ ସମ୍ବନ୍ଧରେ ଏକ ସତେଚନତା କାର୍ଯ୍ୟକ୍ରମରେ ଲୁନିଆର ରେଡ୍‌କ୍ରସ୍‌ ଅଧିକାରୀ ଲକ୍ଷ୍ମଣ ସାହି ସଂଯୋଜନା କରିଥିଲେ । ଏଥିରେ ଲେପ୍ରୋ ସୋସାଇଟିର ଭାବନା ଝା, ଦିଲ୍ଲୀପ କୁମାର ସେଠୀ, କାଳିଆ କାହ୍ନୁ ମହାନ୍ତି, ବାବୁଲୀ ନାୟକ ପ୍ରମୁଖ ଉପସ୍ଥିତ ଥିଲେ ।



ସ୍ୱର୍ଣ୍ଣଦ୍ୱାରରେ ବଢ଼ିଲା ହରିଶ୍ଚନ୍ଦ୍ର ସହାୟତା ରାଶି

ସ୍ୱର୍ଣ୍ଣଦ୍ୱାରକୁ ମୃତଦେହ ଦାହ ପାଇଁ ଆଶୁଥିବା ବ୍ୟକ୍ତିଗଣଙ୍କୁ ଶୋଷଣ ମୁକ୍ତ ଓ ବାଧା ରହିତ ସେବା ଯୋଗାଇଦେବା ପାଇଁ ସ୍ୱର୍ଣ୍ଣଦ୍ୱାର ସେବା ସମିତି ବିଭିନ୍ନ ପଦକ୍ଷେପ ଗ୍ରହଣ କରିଛି । ଇତିମଧ୍ୟରେ ରାଜ୍ୟ ସରକାରଙ୍କ ନିର୍ଦ୍ଦେଶକୁ ନେଇ ହରିଶ୍ଚନ୍ଦ୍ର ଯୋଜନା ଗଣିକୁ ୩ ହଜାରରୁ ୪ ହଜାର ଟଙ୍କାକୁ ବୃଦ୍ଧି କରାଯାଇଛି । ସୋମବାର ମଧ୍ୟ ରାତ୍ରରୁ ଏହା ଲାଗୁ ହୋଇଛି । ଏଥିସହିତ ସ୍ୱର୍ଣ୍ଣଦ୍ୱାର ସେବା କେନ୍ଦ୍ରରୁ ସେବା ନେଇଥିବା ବ୍ୟକ୍ତିଙ୍କ ଚେକିଷ୍ଟାରେ ମୋବାଇଲ ନମ୍ବରକୁ ଏସ୍ଏମ୍ଏସ୍ ମାଧ୍ୟମରେ ବାର୍ତ୍ତା ପଠାଇବା କାର୍ଯ୍ୟ ମଧ୍ୟ ଆରମ୍ଭ ହୋଇଛି । ଏହା ପଳରେ ଯଦି କେହି ଟଙ୍କା ରସିଦ୍ ହଜାଇ ଦେଇଥାନ୍ତି ତେବେ ଚେକିଷ୍ଟାଧିକ ନମ୍ବର ଦେଖାଇ ପୁଣି ସହଜରେ ଡ୍ରୁପିକଟ୍ଟ ରସିଦ୍ ପାଇ ପାରିବେ । ସେହିପରି ପୂର୍ବରୁ ହରିଶ୍ଚନ୍ଦ୍ର ସହାୟତା ପାଇଥିବା ବ୍ୟକ୍ତିଗଣଙ୍କୁ ନେଇ କାର୍ଯ୍ୟ ପାଇଁ ଦେଢ଼ କୁଇଣ୍ଟାଲ କାଠ ପାଇଥିବାବେଳେ ଏବେ ଏହାକୁ ବୃଦ୍ଧି କରି କୁଇଣ୍ଟାଲ ଅଣି କେଜି କରାଯାଇଛି । ସେହିପରି ପଞ୍ଚାଶକ୍ ସାମଗ୍ରୀ ମଧ୍ୟ ହରିଶ୍ଚନ୍ଦ୍ର ସହାୟତା ଗଣିରେ ଅନ୍ତର୍ଭୁକ୍ତ କରାଯାଇଛି । ସଂସ୍କାର ସାମଗ୍ରୀରେ ଘିଅ ପରିମାଣ ଦୁଇ ଗୁଣ ବୃଦ୍ଧି କରି ୨୦୦ଗ୍ରାମରୁ ୩୦୦ଗ୍ରାମ କରାଯାଇଛି । ସଂସ୍କାର କରିବାକୁ ଆସୁଥିବା ବ୍ୟକ୍ତିକାଠ ବୋହିନବା ପାଇଁ ପୂର୍ବରୁ କେବଳ ପୁଲି ବ୍ୟବସ୍ଥା ଥିଲା । ଏହି ବ୍ୟବସ୍ଥାରେ ସୁଧାର ଆଣି କାଠ ବୋହିବା ପାଇଁ ୬ଜଣ ପରିବହନ ସେବକ ମୁହଲ୍ଲ କରାଯାଇଛି । ଯାହା ପଳରେ ମୃତ ବ୍ୟକ୍ତି ଦାହ ସଂସ୍କାର ସ୍ଥାନକୁ ଏହି ସେବକମାନେ ପୁଲି ସାହାଯ୍ୟରେ କାଠ ବୋହି କି ନେଇପାରିବେ ।

ଓସିଏସ୍‌ରେ ‘ବଣିକ୍’ର ଅଭୂତପୂର୍ବ ସଫଳତା



ଲୁବନେଶ୍ୱର, ୧।୮ (ସମ୍ବାଦ)

ଓଡ଼ିଶା ସିଲିକ୍ଟ ସର୍ଭିସ ପରାକ୍ଷୀ-୨୦୨୧ରେ ‘ବଣିକ୍ ଆଇଏସ୍‌ଏସ୍‌’ର ପିଲାମାନେ ଉଲ୍ଲେଖନୀୟ ସଫଳତା ହାସଲ କରିଛନ୍ତି । ସମସ୍ତ ପୂର୍ବ ରେକର୍ଡକୁ ଅତିକ୍ରମ କରି ଏବର୍ଷ ଅନୁଷ୍ଠାନରୁ ୨୫ହଜୁ ଅଧିକ ବିଦ୍ୟାର୍ଥୀ ପରାକ୍ଷୀରେ କୃତ୍ରି ଅର୍ଜନ କରିଛନ୍ତି । ବିତୀରାୟ ସ୍ଥାନରେ ସ୍ମୃତିସ୍ମିତା ପାଣିଗ୍ରାହୀ, ତୃତୀୟରେ ପ୍ରଶାନ୍ତ

ରଞ୍ଜନ ସାହୁ, ପଞ୍ଚମରେ ଶେତୁଲିନା ମାହାନ୍ତ, ନବମରେ ବିନ୍ଦୁ ବଳୟ ରାଉତରାୟ ପ୍ରମୁଖ ଶ୍ରେଷ୍ଠ ୧୦ ଚାଲିକାରେ ସ୍ଥାନିତ ହୋଇଛନ୍ତି । କୃତ୍ରି ଅର୍ଜନ କରିଥିବା ସମସ୍ତ ଆଶାୟାଙ୍କୁ ‘ବଣିକ୍‌’ର ସଂସ୍ଥାପକ ସ୍ୱରୂପ କୁମାର ଛାଟୋଇ ଶୁଭେଚ୍ଛା ଜଣାଇବା ସହିତ ସେମାନଙ୍କ ଉତ୍ସାହ ଭବିଷ୍ୟତ କାମନା କରିଛନ୍ତି । ଆୟୋଜିତ ସାମ୍ବାଦିକ ସମ୍ମିଳନୀରେ ପ୍ରତିଷ୍ଠାନର ଅଧିକାର ଶିକ୍ଷାଦାନ ଶୈଳୀ ଓ ପିଲାଙ୍କ କଠିନ ଅଧ୍ୟବସାୟ ଯୋଗୁଁ ପିଲାମାନେ କୃତକାର୍ଯ୍ୟ ହୋଇଥିବା ଶ୍ରୀ ଛାଟୋଇ କହିଥିଲେ । ଓସିଏସ୍ ନିୟୁକ୍ତରେ ରାଜ୍ୟ ସରକାରଙ୍କ ସଂସ୍କାରମୁଳକ ପଦକ୍ଷେପ ଓ ପ୍ରତ୍ୟେକ ବର୍ଷ ବିଜ୍ଞାପନ ପ୍ରକାଶ ପାଇଥିବାରୁ ବହୁ ସଂଖ୍ୟାରେ ସୁଦକ୍ଷ ଯୁବଗୋଷ୍ଠୀ ନିୟୁକ୍ତର ସୁଯୋଗ ପାଇଥିବା ସେ ଦର୍ଶାଇଥିଲେ । ଏହି ଅବସରରେ ପ୍ରତିଷ୍ଠାନ ପକ୍ଷରୁ କୃତା ବିଦ୍ୟାର୍ଥୀଙ୍କୁ ସମ୍ବର୍ଦ୍ଧିତ କରାଯାଇଥିଲା ।

ଠକାମିରେ ପଡ଼ିଲେ ଦୁଇ ପୁଲିସ୍ କର୍ମଚାରୀ

ଲକ୍ଷେ ଟଙ୍କା ଲୋଭରେ ୧୦ଲକ୍ଷ ହରାଇଲେ
କଟକ, ୧।୮ (ସମ୍ବାଦ) : ବିଧାୟକ ନିଜ ପାଖରେ ରଖିଥିବା ୧୦ ଲକ୍ଷ ୧୦୦ ଟଙ୍କା ନୋଟ ବଦଳ କରିବାକୁ ଚାହୁଁଥିଲେ । ଅର୍ଥାତ୍ ୧୦ ଲକ୍ଷ ମୂଲ୍ୟର ୧୦୦ ଟଙ୍କା ନେଇ ବଦଳରେ ସମାନ ପରିମାଣର ୫୦୦ ଟଙ୍କା ନୋଟ ଦେବାକୁ ପଡ଼ିବ । ଏହା ସହକରେ ୧୦ ଲକ୍ଷ ପିଛା ୧ ଲକ୍ଷ ଟଙ୍କା କମିଶନ ଦିଆଯିବ । ଏହା ଶୁଣି ଉକ୍ତ ପୁଲିସ୍ କର୍ମଚାରୀ ପ୍ରକାଶ୍ଚିତ ହୋଇଥିଲେ । ଏନେଇ ସେ ହୁରକ୍ତ ଘନିଷ୍ଠ ବନ୍ଧୁ ତଥା ଅନ୍ୟ ପୁଲିସ୍ କର୍ମଚାରୀଙ୍କୁ ଜଣାଇଥିଲେ । ଉଭୟ ୫ ଲକ୍ଷ ଟଙ୍କା ଲେଖାଦ୍ ସଂଯୋଗ କରି ୧୦ ଲକ୍ଷ ଅନ୍ତର୍ଦଦକ କରି ଅଧିକ ୧୦ ଲକ୍ଷ ଆଣିବାକୁ ନିଷ୍ପତ୍ତି ନେଇଥିଲେ । ମଙ୍ଗଳବାର ଟଙ୍କା ଦେଖିନେଶ କରାଯିବାକୁ ନିଷ୍ପତ୍ତି ହୋଇଥିଲା । ପୂର୍ବ ଯୋଜନା ମୁତାବକ, ମଧ୍ୟାହ୍ନରେ ପୁଲିସ୍ କର୍ମୀ ବନ୍ଧୁ ଏକ କାର୍ତ୍ତିକିରେ ଚଳି ଚାଲି ବିଧାୟକଙ୍କ ପ୍ରତିନିଧି ବୋଲି ପୈତୃକ ଗାଁର ବିଧାୟକଙ୍କ ପ୍ରତିନିଧି ବୋଲି ପରିଚୟ ଦେଇଥିଲା । ସେ କହିଥିଲା ଯେ



<p>ମୁଦ୍ରା ବିନିମୟ ମୂଲ୍ୟ</p> <p>ମୁଦ୍ରା ବିନିମୟ ମୂଲ୍ୟ (ଟଙ୍କାରେ)</p> <ul style="list-style-type: none"> • ଟଙ୍କା ୮୨.୩୫ • ପାଉଣ ୧୦୫.୫୧ • ଯୁରୋ ୯୦.୮୪ • ଯେନ ୦.୫୭ 	<p>ସୁନାରୁପା ଦର</p> <p>୧୦ ଗ୍ରାମ ପିଛା (ଟଙ୍କାରେ)</p> <ul style="list-style-type: none"> • ସୁନା : ୫୫,୪୦୦ (ନୂଆଦିଲ୍ଲୀ) • ରୁପା : ୭୮,୦୦୦ (କେନ୍ଦ୍ର) 	<p>ଷ୍ଟକ୍ ମାର୍କେଟ୍</p> <p>ବଜାର କାରବାର (ପଏଏନ୍)</p> <ul style="list-style-type: none"> • ସେନ୍ସେକ୍ସ ୬୬,୪୫୯.୦୦ • ନିଫ୍ଟି ୧୯,୭୩୩.୦୦ 	<p>ପେଟ୍ରୋଲ-ଡିଜେଲ୍</p> <p>ଲିଟର ପିଛା (ଟଙ୍କାରେ)</p> <ul style="list-style-type: none"> • ପେଟ୍ରୋଲ- ୧୦୩.୩୭ (ଭୁବନେଶ୍ୱର) • ଡିଜେଲ୍ - ୯୪.୮୬
---	---	---	---

ଜୁଲାଇରେ ପେଟ୍ରୋଲ ଚାହିଦା ବଢ଼ିଲା, ଡିଜେଲ୍ କମିଲା

ମହଙ୍ଗା ହେବ ବିମାନ ଯାତ୍ରା ଏଟିଏଫ୍ ମୂଲ୍ୟ କିଲୋଲିଟର ପିଛା ୭୭୨୦ ଟଙ୍କା ବୃଦ୍ଧି

ନୂଆଦିଲ୍ଲୀ, ୧୮ (ଏଜେନ୍ଟ୍): ଦେଶରେ ପେଟ୍ରୋଲ ଚାହିଦାରେ ବୃଦ୍ଧି ଦେଖାଦେଇଛି । ଅପରପକ୍ଷେ ଡିଜେଲ୍ ବିକ୍ରି କମିଛି । ମୌସୁମୀ ଭୂତରେ ପ୍ରବଳ ବର୍ଷା କାରଣରୁ ଡିଜେଲ୍ ବିକ୍ରିରେ ହ୍ରାସ ପରିଲକ୍ଷିତ ହୋଇଛି । ମିଳିଥିବା ତଥ୍ୟ ଅନୁଯାୟୀ, ସ୍ଥାନରେ ପ୍ରବଳ ବର୍ଷା ହେତୁ ଲୋକମାନେ ବ୍ୟବହାରରେ ବ୍ୟବହାରରେ ୧୫ ପ୍ରତିଶତ ହ୍ରାସ ଘଟିଥିଲା, କିନ୍ତୁ ଦ୍ୱିତୀୟ ୧୫ ଦିନରେ ଏଥିରେ ବୃଦ୍ଧି ଘଟିଥିଲା । ଅପରପକ୍ଷେ ଏହି ସମୟରେ ପେଟ୍ରୋଲ ବିକ୍ରିରେ ୩୮ ପ୍ରତିଶତ ବୃଦ୍ଧି ରେକର୍ଡ କରାଯାଇଛି । ମୌସୁମୀ ସମୟରେ ଦେଶର ବିଭିନ୍ନ ସ୍ଥାନରେ ପ୍ରବଳ ବର୍ଷା ହେତୁ ଲୋକମାନେ ବ୍ୟବହାରରେ ବ୍ୟବହାରରେ ୧୫ ପ୍ରତିଶତ ହ୍ରାସ ଘଟିଥିଲା, କିନ୍ତୁ ଦ୍ୱିତୀୟ ୧୫ ଦିନରେ ଏଥିରେ ବୃଦ୍ଧି ଘଟିଥିଲା । ଅପରପକ୍ଷେ ଏହି ସମୟରେ ପେଟ୍ରୋଲ ବିକ୍ରିରେ ୩୮ ପ୍ରତିଶତ ବୃଦ୍ଧି ରେକର୍ଡ କରାଯାଇଛି ।



ଡିଜେଲ ବିକ୍ରିରେ ବର୍ଷା ବାଧକ

ବର୍ଷା ହେତୁ ସାଧାରଣ ଯାତାୟତରେ ହ୍ରାସ

ବୃଦ୍ଧି କ୍ଷେତ୍ରରେ ଲକ୍ଷ୍ୟ ବ୍ୟବହାର କମିଲା

ଦେଶରେ ସର୍ବାଧିକ ବ୍ୟବହାର ହେଉଥିବା ଲକ୍ଷ୍ୟ ଡିଜେଲର ଚାହିଦା ଚଳିତବର୍ଷ ଲୁଲୁଚି ପାରେ ବୋଲି ଅନୁମାନ କରାଯାଇଛି । ଅପରପକ୍ଷେ ପେଟ୍ରୋଲ ବିକ୍ରିରେ ୩୮ ପ୍ରତିଶତ ବୃଦ୍ଧି ରେକର୍ଡ କରାଯାଇଛି । ମୌସୁମୀ ସମୟରେ ଦେଶର ବିଭିନ୍ନ ସ୍ଥାନରେ ପ୍ରବଳ ବର୍ଷା ହେତୁ ଲୋକମାନେ ବ୍ୟବହାରରେ ବ୍ୟବହାରରେ ୧୫ ପ୍ରତିଶତ ହ୍ରାସ ଘଟିଥିଲା, କିନ୍ତୁ ଦ୍ୱିତୀୟ ୧୫ ଦିନରେ ଏଥିରେ ବୃଦ୍ଧି ଘଟିଥିଲା । ଅପରପକ୍ଷେ ଏହି ସମୟରେ ପେଟ୍ରୋଲ ବିକ୍ରିରେ ୩୮ ପ୍ରତିଶତ ବୃଦ୍ଧି ରେକର୍ଡ କରାଯାଇଛି ।

ବୃଦ୍ଧି ହୋଇ ୦.୬୬ ନିୟୁତ ଟନ ପହଞ୍ଚିଛି । ତେବେ ଯଦି ଆମେ ହିସାବ କରିବା ତେବେ ପେଟ୍ରୋଲ ବିକ୍ରିରେ ମାସିକ ଆଧାରରେ ୪.୬ ପ୍ରତିଶତ ହ୍ରାସ ଘଟିଛି । ଭାରତରେ ଉତ୍ପାଦନ ଏବଂ ବେଳା ସେତେ ବୃଦ୍ଧି ପାଇଛି । ଏହି କାରଣରୁ, ମାର୍ଚ୍ଚ ମାସର ଦ୍ୱିତୀୟ ପକ୍ଷ(୧୫ ଦିନ)ରେ ପେଟ୍ରୋଲ ଏବଂ ଡିଜେଲର ଚାହିଦା ବୃଦ୍ଧି ପାଇଥିଲା । ତଥ୍ୟ ଅନୁଯାୟୀ, ଜୁଲାଇ ୨୦୨୩ରେ କୋଭିଡ୍ ପ୍ରଭାବିତ ମାସ ତୁଳନାରେ ଜୁଲାଇ ମାସରେ ପେଟ୍ରୋଲର ବ୍ୟବହାର ୧୬.୬ ପ୍ରତିଶତ ଅଧିକ ରହିଥିଲା । ସେହିଭଳି, ସମାନ୍ୟ ଅଧିନରେ ଥିବା ମାସରେ ଜୁଲାଇ ୨୦୨୧ ତୁଳନାରେ ଡିଜେଲର ବ୍ୟବହାର ୧୦.୮ ପ୍ରତିଶତ ବୃଦ୍ଧି ପାଇଛି । ତେବେ ଜୁଲାଇ ୨୦୧୯ ତୁଳନାରେ ଏହା ପ୍ରାୟ ଶୁଣ ରହିଛି ।

କମିଲା ବାଣିଜ୍ୟିକ ସିଲିଣ୍ଡର ମୂଲ୍ୟ

ଘରୋଇ ରକ୍ଷଣ ଚାର୍ଜ ଅପରିବର୍ତ୍ତିତ

ଅପରପକ୍ଷେ ରାଷ୍ଟ୍ରୀୟ ଚୈନ କମ୍ପାନୀଗୁଡ଼ିକ ଏକପିଟି ସିଲିଣ୍ଡର ମୂଲ୍ୟରେ ପରିବର୍ତ୍ତନ କରିଛନ୍ତି । ତେବେ ଘରୋଇ ରକ୍ଷଣ ଚାର୍ଜ ଗ୍ରାହକଙ୍କୁ ଏଥିରେ କୌଣସି ପ୍ରକାର ଆଶ୍ଚର୍ଯ୍ୟ ମିଳିବନାହିଁ । ଅର୍ଥାତ୍ ହିତାଧିକାରୀ ମୂଲ୍ୟ ପରିବର୍ତ୍ତନ ଯୋଗୁ ପାଇବା ପାଇବେନାହିଁ । କାରଣ ଚୈନ କମ୍ପାନୀ ବାଣିଜ୍ୟିକ ଏକପିଟି ସିଲିଣ୍ଡର ମୂଲ୍ୟରେ ୨୦୦ ଟଙ୍କା ହ୍ରାସ ହୋଇଛି । ଏହି ପରିବର୍ତ୍ତନ ଯୋଗୁ ଦେଶର ରାଜଧାନୀ ନୂଆଦିଲ୍ଲୀରେ ବାଣିଜ୍ୟିକ ଏକପିଟି ସିଲିଣ୍ଡର ମୂଲ୍ୟରେ ୧୦୦ ଟଙ୍କା ହ୍ରାସ ହୋଇ ୧୬୮୦ ଟଙ୍କାରେ ପହଞ୍ଚିଛି । ସେହପୂର୍ବରୁ ବ୍ୟବସାୟିକ ଗ୍ୟାସ୍ ସିଲିଣ୍ଡର ମୂଲ୍ୟ ୧୬୮୦ ଟଙ୍କା ଥିଲା । ତେବେ ରାଜଧାନୀ ଭୁବନେଶ୍ୱରରେ ବାଣିଜ୍ୟିକ ସିଲିଣ୍ଡର ମୂଲ୍ୟରେ ୯୨ ଟଙ୍କା ୫୦ ପଇସା ହ୍ରାସ ଘଟି ଏହା ୧୬୮୯ ଟଙ୍କା ୫୦ ପଇସାକୁ ଖସିଥିଲା । ଅପରପକ୍ଷେ ଘରୋଇ ଏକପିଟି ସିଲିଣ୍ଡର (୧୪୨ କେଜି) ମୂଲ୍ୟ ପୂର୍ବକଳି ୧୧୨୯ ଟଙ୍କାରେ ସ୍ଥିର ରହିଛି । କେବଳ ଘରୋଇ ରକ୍ଷଣ ଚାର୍ଜ ମୂଲ୍ୟ ବୃଦ୍ଧି, କିଛି ମାସ ଧରି ସିଏଫ୍ ଏବଂ ଫିଏନଜି ମୂଲ୍ୟରେ କୌଣସି ପରିବର୍ତ୍ତନ ହୋଇନାହିଁ । ଏହାବ୍ୟତୀତ ପେଟ୍ରୋଲ ଏବଂ ଡିଜେଲ ମୂଲ୍ୟ ମଧ୍ୟ ବାର୍ଦ୍ଧି ସମୟ ଧରି ପରିବର୍ତ୍ତନ ହୋଇନାହିଁ । ଏଥିଯୋଗୁ ଦେଶ ସାରା ଖାଉଟିକ ଅଧିକାରୀ ବହିବରେ ଲାଗିଛି ।



ଜୁଲାଇରେ ୧,୬୫,୧୦୫ କୋଟିର ଜିଏସ୍ଟି ଆଦାୟ

ନୂଆଦିଲ୍ଲୀ, ୧୮ (ଏଜେନ୍ଟ୍): ୨୦୨୩ ଜୁଲାଇ ମାସରେ ୧,୬୫,୧୦୫ କୋଟି ଟଙ୍କାର ସରକାରୀ ଦ୍ରବ୍ୟ ଓ ସେବା ଚିକସ (ଜିଏସ୍ଟି) ରାଜସ୍ୱ ଆଦାୟ କରାଯାଇଛି । ଏଥିମଧ୍ୟରେ ସିଜିଏସ୍ଟି ପରିମାଣ ୨୯.୬୭୩ କୋଟି ଟଙ୍କା, ଏସଜିଏସ୍ଟି ପରିମାଣ ୩୭.୬୨୩ କୋଟି ଟଙ୍କା, ଆଇଜିଏସ୍ଟି ପରିମାଣ ୮୫.୯୩୦ କୋଟି ଟଙ୍କା ଏବଂ ଏସଜିଏସ୍ଟି ବାବଦରେ ୭୦୮.୧୯୯ କୋଟି ଟଙ୍କା ରହିଛି । ତେବେ ଚଳିତ ବର୍ଷ ଜୁଲାଇ ମାସରେ ଓଡ଼ିଶାରେ ୪୨୪୫୫ କୋଟି ଟଙ୍କାର ଜିଏସ୍ଟି ରାଜସ୍ୱ ଆଦାୟ କରାଯାଇଛି । ଦେଶରେ ଜୁଲାଇ ୨୦୨୩ରେ ସଂଗୃହୀତ ରାଜସ୍ୱ ଗତ ବର୍ଷର ସମାନ ମାସ ତୁଳନାରେ ୧୯% ଅଧିକ ରହିଥିବା ଜଣାଯାଇଛି । ଚଳିତ ମାସରେ ଘରୋଇ କାରବାରରୁ ସଂଗୃହୀତ ରାଜସ୍ୱ (ସେବା ଆମଦାନୀ ସମେତ) ଗତ ବର୍ଷର ସମାନ ମାସରେ ଏସବୁ ଉପରୁ ସଂଗୃହୀତ ରାଜସ୍ୱ ତୁଳନାରେ ୧୫% ଅଧିକ ରହିଛି । ଜିଏସ୍ଟି ବ୍ୟବସ୍ଥା ପ୍ରଚଳନ ହେବା ପରେ ୫ମ ଥର ପାଇଁ ସରକାର ଜିଏସ୍ଟି ରାଜସ୍ୱ ସଂଗୃହ ୧ ଲକ୍ଷ ୬୦ ହଜାର ଟଙ୍କା ଅତିକ୍ରମ କରିଛି ।



୮୮% ଦୁଇ ହଜାର ଟଙ୍କା ନୋଟ୍ ବ୍ୟାଙ୍କିଙ୍ଗ୍ ବ୍ୟବସ୍ଥାକୁ ଫେରିଛି

ନୂଆଦିଲ୍ଲୀ, ୧୮ (ଏଜେନ୍ଟ୍): ଜୁଲାଇ ୩୧ ତାରିଖ ୮୮% ଦୁଇ ହଜାର ଟଙ୍କା ନୋଟ୍ ବ୍ୟାଙ୍କିଙ୍ଗ୍ ବ୍ୟବସ୍ଥାକୁ ଫେରିଛି । ଭାରତୀୟ ରିଜର୍ଭ ବ୍ୟାଙ୍କ (ଆରବିଆଇ) ପକ୍ଷରୁ ମଙ୍ଗଳବାର ଏକ ବିବୃତ୍ତିରେ କୁହାଯାଇଛି ଯେ, ଜୁଲାଇ ୩୧ ପର୍ଯ୍ୟନ୍ତ ମୋଟ ୨୦୦୦ ଟଙ୍କା ମୂଲ୍ୟର ୩୧୪ ଲକ୍ଷ କୋଟି ଟଙ୍କାର ପ୍ରସାର (ସର୍କ୍ଚ୍ଚେସ୍)ରୁ ପ୍ରତ୍ୟାହାର କରାଯାଇଛି । ଏଥିପାଇଁ ଗ୍ରାହକଙ୍କୁ ୩୦ ସେପ୍ଟେମ୍ବର ପର୍ଯ୍ୟନ୍ତ ବ୍ୟାଙ୍କରେ ଏହି ନୋଟ୍ ଜମା କିମ୍ବା ବିନିମୟ କରିବାର ସୁବିଧା ଦିଆଯାଇଛି । ଏହି ଅନୁକ୍ରମରେ ୩୧ ଜୁଲାଇ ପର୍ଯ୍ୟନ୍ତ ୩୧୪ ଲକ୍ଷ କୋଟି ଟଙ୍କାର ୨୦୦୦ ଟଙ୍କା ନୋଟ୍ ବ୍ୟାଙ୍କିଙ୍ଗ୍ ଫେରସ୍ତ କରାଯାଇଛି । ବର୍ତ୍ତମାନ ୨୦୦୦ ଟଙ୍କା ମୂଲ୍ୟର ୪୨,୦୦୦ କୋଟି ଟଙ୍କା ପ୍ରସାରରେ ରହିଛି । ଯେତେବେଳେ ଆରବିଆଇ ଏହି ନୋଟ୍ଗୁଡ଼ିକୁ ପ୍ରତ୍ୟାହାର କରିବାକୁ ଘୋଷଣା କଲା, ସେତେବେଳେ ୩.୫୬ ଲକ୍ଷ କୋଟି ଟଙ୍କାର ନୋଟ୍ ପ୍ରସାରରେ ରହିଥିଲା ।

● ମନି ଲଣ୍ଡରି ମାମଲା

ପଞ୍ଚମ୍ ମୁଞ୍ଚାଲକ୍ସ ଘରେ ଲଢ଼ି ଚଢ଼ାଉ

ନୂଆଦିଲ୍ଲୀ, ୧୮ (ଏଜେନ୍ଟ୍): ମଙ୍ଗଳବାର ପ୍ରବର୍ତ୍ତନ ନିର୍ଦ୍ଦେଶାଳକ (ଇଡି) ହିରୋ ମୋଟୋକର୍ପ ଲିମିଟେଡର ଅଧ୍ୟକ୍ଷ ପଞ୍ଚମ୍ ମୁଞ୍ଚାଲକ୍ସ ବ୍ୟାଚରନରେ ଚଢ଼ଉ କରିଛନ୍ତି । ରିପୋର୍ଟ ଅନୁଯାୟୀ, ତଦନ୍ତକାରୀ ଏଜେନ୍ଟ୍ ମନି ଲଣ୍ଡରି ଆକୁ ଅର୍ଥାତ୍ ଫିଏନ୍ଏଲଏ ଆଧାନରେ କମ୍ପାନୀର ଦିଲ୍ଲୀ ଏବଂ ଗୁରୁଗ୍ରାମରେ କାର୍ଯ୍ୟାଳୟ ଏବଂ ଘର ଉପରେ ଚଢ଼ଉ କରିଥିଲେ । ଲଢ଼ିର ଏହି ପଦକ୍ଷେପ ପରେ ହିରୋ ମୋଟୋକର୍ପ ପକ୍ଷରୁ ଏକ ବିବୃତ୍ତି ଜାରି କରି ପଞ୍ଚମ୍ ମୁଞ୍ଚାଲକ୍ସ ଦିଲ୍ଲୀ ଏବଂ ଗୁରୁଗ୍ରାମ କାର୍ଯ୍ୟାଳୟରେ ଚଢ଼ଉ କରାଯାଇଥିବା ଖବରକୁ ନିଶ୍ଚିତ କରାଯାଇଛି । ଅଗଷ୍ଟ ୨୦୧୮ରେ ପଞ୍ଚମ୍ ମୁଞ୍ଚାଲକ୍ସ ଦିଲ୍ଲୀ ବି.ମା.ନ.ବ.ସ.ରେ ଏକ ବିମାନରୁ ଓହ୍ଲାଇ ଦିଆଯାଇଥିଲା । ସୁରକ୍ଷା ଯାତ୍ରା ସମୟରେ ତାଙ୍କ ସହ ଯାତ୍ରା କରୁଥିବା ଅଧିକ ବାଲିକ ନିକଟରୁ ସିଆଇଏଏସ୍ ୮୧ ଲକ୍ଷ ଟଙ୍କା ମୂଲ୍ୟର ବିଦେଶୀ ଯତ୍ରା ପାଇଥିଲା । ରାଜସ୍ୱ ଗୁରୁତ୍ୱ ନିର୍ଦ୍ଦେଶାଳକ ଏହି ଘଟଣାର ତଦନ୍ତ କରୁଛନ୍ତି । ଏହି ମାମଲା ଆଧାରରେ ଲଢ଼ି ଚଢ଼ଉ କରିଛି । ଲଢ଼ି କାର୍ଯ୍ୟାଳୟରେ ଚଢ଼ଉ କରିଥିଲା । ତା'ପରେ ସେୟାରଗୁଡ଼ିକ ୩.୨୫% ହ୍ରାସ ପାଇଛି । ଏହାପରେ ହିରୋ ମୋଟୋକର୍ପ ସେୟାର ବେଖଲିଆଇ ପାଇଥିଲା । ମୂଲ୍ୟ ୩୨୦୩ ଟଙ୍କାରେ କାରବାର ଶେଷ କରିଛି । ଏହାପୂର୍ବରୁ, ୨୦୨୨ ମାର୍ଚ୍ଚ ୨ରେ ଆଧାରରେ ଲଢ଼ି ଚଢ଼ଉ କରିଛି । ଲଢ଼ି କାର୍ଯ୍ୟାଳୟରେ ଚଢ଼ଉ କରିଥିଲା । ତା'ପରେ ସେୟାରଗୁଡ଼ିକ ୩.୨୫% ହ୍ରାସ ପାଇଛି । ଏହାପରେ ହିରୋ ମୋଟୋକର୍ପ ସେୟାର ବେଖଲିଆଇ ପାଇଥିଲା ।



ଦୂର୍ବଳ ଚାହିଦା ଭାରତର ରୟାଳି ଆଗରେ ବଡ଼ ଆହ୍ୱାନ

ପାଣ୍ଡାତ୍ୟ ଅପେକ୍ଷା ଏପିଏସି କ୍ଷେତ୍ରରୁ ଅଧିକ ବିପଦ

ନୂଆଦିଲ୍ଲୀ, ୧୮ (ଏଜେନ୍ଟ୍): ସମ୍ପ୍ରତି ବୈଶ୍ୱିକ ସ୍ତରରେ ଦେଖାଦେଇଥିବା ମାନ୍ଦ୍ୟ ଯୋଗୁ ରୟାଳି କ୍ଷେତ୍ର ଆଗରେ ବଡ଼ ଆହ୍ୱାନ ସୃଷ୍ଟି ହୋଇଛି । ଦୂର୍ବଳ ଚାହିଦା ପାଇଁ ଦେଶର ରୟାଳି କ୍ଷେତ୍ର ପ୍ରଭାବିତ ହେବାରେ ଲାଗିଛି । ଏମିତିକ ପାଣ୍ଡାତ୍ୟ ଅପେକ୍ଷା ଏପିଏସି-ପ୍ରଶାନ୍ତ ମହାସାଗରୀୟ (ଏପିଏସି) କ୍ଷେତ୍ରରୁ ଭାରତର ରୟାଳି କ୍ଷେତ୍ର ପ୍ରତି ଅଧିକ ବିପଦ ରହିଥିବାରୁ ରେଟି ଏଜେନ୍ଟ୍ କ୍ରିସିଲ୍ ପକ୍ଷରୁ କୁହାଯାଇଛି । ବାଣିଜ୍ୟ ଏବଂ ଶିଳ୍ପ ମନ୍ତ୍ରାଳୟର ତଥ୍ୟକୁ ଦର୍ଶାଇ

• ଏପିଏସି ଅଞ୍ଚଳରେ ରୟାଳିରେ ତାକୁ ହ୍ରାସ

• କ୍ରମାଗତ ୫ ମାସ ଧରି ରୟାଳି ଖସୁଛି

ରେଟି ଏଜେନ୍ଟ୍ କହିଛି ଯେ ଏପିଏସି ଏବଂ ମେ' ମାସରେ ଆମେରିକା, ଆସ୍ତ୍ରାଲିଆ, ଯୁରୋପିୟ ଫ୍ରେ (ଇୟୁ) ଏବଂ ଉପସାଗରୀୟ କ୍ଷେତ୍ର ତୁଳନାରେ ଏପିଏସି ଅଞ୍ଚଳରେ ଭାରତୀୟ ରୟାଳିରେ ହ୍ରାସ ଚାହୁଁ ଦେଖାଦେଇଛି । ଏପିଏସି-ପ୍ରଶାନ୍ତ ମହାସାଗରୀୟ କ୍ଷେତ୍ରରେ ରେଟି ଏଜେନ୍ଟ୍ କ୍ରିସିଲ୍ ଚାହୁଁ ଦେଖାଦେଇଛି । ଏପିଏସି ରୟାଳିରେ ୩୮ ପ୍ରତିଶତ ହ୍ରାସ ପାଇଛି । ଏହାଛଡ଼ା ଉପସାଗରୀୟ କ୍ଷେତ୍ରର ଦେଶଗୁଡ଼ିକୁ ଭାରତର ରୟାଳିରେ ୩୮ ପ୍ରତିଶତ ହ୍ରାସ ପରିଲକ୍ଷିତ ହୋଇଛି । ଏପିଏସି ରୟାଳିରେ ୧୨.୮ ପ୍ରତିଶତ ହ୍ରାସ ପାଇଛି । କ୍ରମାଗତ ଭାବେ ୫ ମାସ ଧରି ଭାରତର ରୟାଳିରେ ହ୍ରାସ ଧାରା ଲାଗିରହିଛି । ଏପିଏସି ଏବଂ ମେ' ମାସରେ ଦେଶରୁ କରାଯାଇଥିବା ୬.୫୫ ପ୍ରତିଶତ ହ୍ରାସ ଚାହୁଁ ଦେଖାଦେଇଛି । ଏପିଏସି ରୟାଳିରେ ୨୨ ପ୍ରତିଶତ ହ୍ରାସ ହୋଇ ୩୨.୯ ବିଲିୟନ ଟୁଲାରରେ ପହଞ୍ଚିଛି । ରୟାଳିରେ କ୍ରମାଗତ ୫ମ ମାସ ପାଇଁ ହ୍ରାସ ଜାରି ରହିଛି । କମ୍ ରୟାଳି ଏବଂ ଅଧିକ ଆମଦାନୀ ହେତୁ ଏପିଏସି ଅଞ୍ଚଳ ସହିତ ଭାରତର ବାଣିଜ୍ୟ ନିଅଣ୍ଟ ବୃଦ୍ଧି ପାଉଥିବା କ୍ରିସିଲ୍ କହିଛି । ଏପିଏସିକୁ ଭାରତର ରୟାଳି ହ୍ରାସ ପାଇବା ତିକ୍ତାବ ଦିଶେଇ । ଏଥିସହିତ, ଏପିଏସିରୁ

ଆମଦାନୀ ବୃଦ୍ଧି ପାଇଛି । ଏହାଛଡ଼ା ଏହି ଅଞ୍ଚଳ ସହିତ ଭାରତର ବାଣିଜ୍ୟ ନିଅଣ୍ଟ ବୃଦ୍ଧି ପାଇଛି । ଏହା ଦେଶର ବୈଦେଶିକ ମୁଦ୍ରା ଲଣ୍ଡର ଉପରେ ଚାପ ପକାଉଛି । କ୍ରିସିଲ୍ ହିରୋମୋଟୋ, ଏପିଏସି ସହିତ ଭାରତର ବାଣିଜ୍ୟ ନିଅଣ୍ଟରେ ଚାନ୍ ସର୍ବାଧିକ ଯୋଗଦାନ ଦେଇଛି, କିନ୍ତୁ ବାଲି ଅଞ୍ଚଳ (ଯେଉଁଠିରେ ଚାନ୍ କଠିତ ହୁଏ) ସେଠାରେ ବାଣିଜ୍ୟ ନିଅଣ୍ଟ ବୃଦ୍ଧି ପାଇଛି । ଏହାର କାରଣ ହେଉଛି ଏପିଏସି ଭାରତର ରୟାଳି ହ୍ରାସ ପାଇବାପାଇଁ ଲାଗିଥିଲା । ତେବେ ଭାରତର ରୟାଳି ହ୍ରାସ ଘଟିବାପରେ ଚାନ୍ ଲୁଗା ଅଧ୍ୟ ଦେଶ ତୁଳନାରେ କମ୍ ରହିଥିବା ଏହା ଖୁସ ହୋଇଛି । କ୍ରିସିଲ୍ କହିଛି ଯେ ଭାରତର ସାମଗ୍ରୀ ରୟାଳିରେ ଆମେରିକା ଏବଂ ଯୁଏଇର ଯୋଗଦାନ ୨୦୨୧ରୁ ବୃଦ୍ଧି ପାଇଛି । ଅପରପକ୍ଷେ ଏପିଏସି ଅଞ୍ଚଳର ଯୋଗଦାନ ଏଥିରେ ହ୍ରାସ ପାଇବାପାଇଁ ଲାଗିଛି । ୨୦୨୧ ମସିହାରେ ମହାମାରୀ ଆରମ୍ଭ ହେବାପରେ ନିର୍ମାଣ ଭାରତର ବାଣିଜ୍ୟ ରୟାଳିରେ ଏପିଏସି ଅଞ୍ଚଳର ଯୋଗଦାନ ହ୍ରାସ ପାଇବାପାଇଁ ଲାଗିଥିବା ସେ କହିଛନ୍ତି । ଏହା ବ୍ୟବସାୟ ଗତିଶୀଳତାର ଏକ ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ଏବଂ ସ୍ତାୟୀ ପରିବର୍ତ୍ତନ ସୂଚାଇପାରେ । ୨୦୧୯ରେ, ଏପିଏସି କ୍ଷେତ୍ରର ଯୋଗଦାନ ଭାରତର ବାଣିଜ୍ୟ ରୟାଳୀର ୩୩ ପ୍ରତିଶତ ରହିଥିଲା, ଯାହା ଆମେରିକା ଏବଂ ଇଣ୍ଡିଆ ମିଳିତ ଅଞ୍ଚଳ ତୁଳନାରେ ୩୦.୫ ପ୍ରତିଶତ ଅଧିକ । ଅବଶ୍ୟ, ୨୦୨୩ରେ ଏପିଏସିର ଯୋଗଦାନ ୨୬.୫ ପ୍ରତିଶତରୁ ହ୍ରାସ ପାଇବ ଏବଂ ଆମେରିକା ଓ ଇଣ୍ଡିଆ ମିଳିତ ଅଞ୍ଚଳ ୩୪ ପ୍ରତିଶତରୁ ବୃଦ୍ଧି ପାଇବ ବୋଲି କ୍ରିସିଲ୍ ପକ୍ଷରୁ ରିପୋର୍ଟରେ କୁହାଯାଇଛି ।

ସୁଧ ହାର ବଢ଼ାଇଲେ ବ୍ୟାଙ୍କ

ନୂଆଦିଲ୍ଲୀ, ୧୮ (ଏଜେନ୍ଟ୍): କେନ୍ଦ୍ରୀୟ ଭାରତୀୟ ରିଜର୍ଭ ବ୍ୟାଙ୍କ (ଆରବିଆଇ) ରେପୋ ହାରରେ ବୃଦ୍ଧି ଘଟାଇଥିଲା । ତେବେ ଏହା ପରେ ଦେଶର ମାଟି ବଡ଼ ବ୍ୟାଙ୍କ ଋଣ ସୁଧ ସୁଧ ହାରରେ ବୃଦ୍ଧି ଘୋଷଣା କରିଛନ୍ତି । ବ୍ୟାଙ୍କଗୁଡ଼ିକ ପକ୍ଷରୁ ଏହି ନିଷ୍ପତ୍ତି ପକ୍ଷରେ ଗ୍ରାହକଙ୍କ ଉପରେ ଏହାର ସିଧାସଳଖ ପ୍ରଭାବ ପଡ଼ିବ । ସୁରନା ମୁଦ୍ରାପତ୍ର, ଦେଶର ବୁଲେଟ୍ ସରକାର ଓ ଗୋଟିଏ ଘରୋଇ ବ୍ୟାଙ୍କ ଋଣ ସୁଧ ହାର ବୃଦ୍ଧି କରିଛନ୍ତି । ତେବେ ପଞ୍ଜାବ ନ୍ୟାସନାଲ ବ୍ୟାଙ୍କ, ବ୍ୟାଙ୍କ ଅଫ ଇଣ୍ଡିଆ ଓ ଆଇସିଆଇଆଇ ବ୍ୟାଙ୍କ ସୁଧହାର ବୃଦ୍ଧି କରିଛନ୍ତି । ବ୍ୟାଙ୍କଗୁଡ଼ିକ ପାଖାପାଖି ସମସ୍ତ ଅବଧିର ଋଣ ପାଇଁ ମାର୍ଚ୍ଚିଆର କିମ୍ବ ଅଫ୍ ପଞ୍ଚମ୍ ବେସର୍ ଲେଣ୍ଡିଂ ରେଟ୍ (ଏମ୍‌ସିଏଲ)ରେ ପରିବର୍ତ୍ତନ କରିଛନ୍ତି । ତେବେ ଏହି ନୂଆ ଋଣ ସୁଧ ହାର ଅଗଷ୍ଟ ପହିଲୀରୁ ଲାଗୁ ହେବ ବୋଲି ଜଣାପଡ଼ିଛି । ଆଇସିଆଇଆଇ ବ୍ୟାଙ୍କର ସମସ୍ତ ଅବଧିର ଋଣ ସୁଧ ହାର ୦.୦୫ ପ୍ରତିଶତ ବୃଦ୍ଧି କରାଯାଇଛି ।

ଏଲଏନଜି ଜାହାଜରେ ଅଷ୍ଟ୍ରେଲିଆରୁ ଟାଟା ଷ୍ଟିଲର କର୍ମଚାରୀମାନଙ୍କୁ ଫେରିବା

ଭୁବନେଶ୍ୱର, ୧୮ (ସମ୍ପାଦକ): ଦୀର୍ଘସମ୍ପଦ ପ୍ରତି ନିଜ ପ୍ରତିବନ୍ଧକକୁ ଦୋହରାଇ ଟାଟା ଷ୍ଟିଲ୍ ପ୍ରଥମ ଭାରତୀୟ କମ୍ପାନୀ ଭାବେ ପଶ୍ଚିମ ଆମେରିକା ପାଇଁ ଏକ ବିଶାଳ ଜାହାଜ ବ୍ୟବହାର କରିଛି ଯେଉଁଥିରେ ପାରମ୍ପରିକ ଭିଏଟ୍‌ଏସ୍‌ଏଫ୍ (ଭେରି ଲୋ ସଲମ୍‌ଡି ମ୍ୟୁଏଲ୍ ଅଏଲ୍) ବଦଳରେ ଏଲଏନଜି ବ୍ୟବହାର ହେଉଛି । ଦୀର୍ଘସମ୍ପଦ ଜାହାଜ ଅଭ୍ୟାସ କ୍ଷେତ୍ରରେ ଏହି ଜାହାଜ ନୂତନ ମାନଦଣ୍ଡ ଧାର୍ଯ୍ୟ କରିଥିବାବେଳେ ଦେଶର ସାମୁଦ୍ରିକ କ୍ଷେତ୍ର ପାଇଁ ଏକ ପ୍ରମୁଖ ମାଇଲଖୁଣ୍ଟି ସାଧ୍ୟ ହୋଇଛି । ୨୦୨୩ ଜୁଲାଇ ୨୪ରେ ବିଶାଳ ଜାହାଜ 'ଏସି ଇନ୍ଦ୍ରକୂର୍ ମୁନିଟି' ସପକ୍ଷରେ ସହ ଧାରଣା ବନ୍ଦରେ ଲାଗିବା ସହିତ ସେପ୍ଟେମ୍ବର ୧, ୨୫, ୨୦୦ ଟନ କୋଇଲା ଅବରଣ କରିଛି । ଧାରଣା ବନ୍ଦ ଓ ଟାଟା ଷ୍ଟିଲର ବରିଷ୍ଠ ଅଧିକାରୀଙ୍କ ଉପସ୍ଥିତିରେ ଟାଟା ଷ୍ଟିଲର ଚିପ୍ ଗ୍ରୁପ୍ ସିଫ୍ଟି ରଞ୍ଜନ ସିଂହା ସେହି ଜାହାଜକୁ ସାଗର କରିଥିଲେ । ଏହି ଏଲଏନଜି ଚାଳିତ ଜାହାଜରେ ୨୦୨୩-୨୪ରେ ଅଷ୍ଟ୍ରେଲିଆରୁ ୧ ନିୟୁତ ଟନ କୁଲିଂ କୋଲ୍ ମରାଜାହାଜୁ ଟାଟା ଷ୍ଟିଲ୍ ଯୋଜନା ରଖିଛି । ଧାରଣା ବନ୍ଦ ପରେ ଏଲଏନଜି ଜାହାଜକୁ ବର୍ତ୍ତମାନ ସୁଦ୍ଧା ପ୍ରଦାନ କରାଯାଇଛି ଯାହା ସ୍କୋପ୍ ଗା ଏପିଏନଜି କମ୍ପାନିରେ ଟାଟା ଷ୍ଟିଲର ଉଦ୍ୟମ ପ୍ରତି ସହାୟକ ହେବ । ୨୦୨୩ ଜୁଲାଇ ୧ରେ ଏସି ଇନ୍ଦ୍ରକୂର୍ ମୁନିଟିରେ ଗ୍ଲୋଷ୍ଟୋର୍ କୋଇଲା ବୋର୍ଡିଙ୍ଗ୍ ହୋଇଥିଲା । ଟିଆନଜିନ୍ ଗ୍ଲୋଷ୍ଟୋର୍ ପର୍ଯ୍ୟନ୍ତ ଯିବା ଲାଗି ଏଲଏନଜି ବ୍ୟବହାର କରାଯାଇଥିବା ବେଳେ ଗ୍ଲୋଷ୍ଟୋର୍ ଧାରଣା ପର୍ଯ୍ୟନ୍ତ ଆସିବା ଲାଗି ଜାହାଜରେ ଏଲଏନଜି ଓ ପାରମ୍ପରିକ ଲକ୍ଷନ ମିଶ୍ରଣ ବ୍ୟବହାର କରାଯାଇଥିବା ଟାଟା ଷ୍ଟିଲ୍ ଉପ ସର୍ବାଧିକ-ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ବିକାଶ ପ୍ରୋଜେକ୍ଟର ମଧ୍ୟ ସମ୍ପନ୍ନ ହେବ ଯୋଗୁ ପ୍ରମୁଖ ଗୁଣା କହିଛନ୍ତି ।



ପ୍ରି-କ୍ୱାର୍ଟରରେ ଆମେରିକା, ନେଦରଲାଣ୍ଡସ

ହୁନେଡିନ, ୧।୮ (ଏକେଡ଼ି): ପଦ୍ମିନୀ ପାଠୀଙ୍କ ନେତୃତ୍ୱରେ ଗତ ସପ୍ତାହରେ ଗତ ସପ୍ତାହରେ ଆମେରିକା ଓ ନେଦରଲାଣ୍ଡସ ମଧ୍ୟରେ ଘଟଣା ପାଇଁ ଚିନ୍ତା କରିବାକୁ ପଡ଼ିବ। ଆମେରିକା ମଙ୍ଗଳବାର ଗ୍ରୀଷ୍ମ ଋତୁରେ ଚାରି ଅଧିକ ମ୍ୟାଚ୍ରେ



ଡେନମାର୍କ-ହାଲଟି ମଧ୍ୟରେ ଅନୁଷ୍ଠିତ ମ୍ୟାଚ୍

ପ୍ରଦର୍ଶନ କରିଥିଲା ଓ ଭିଏତ୍ନାମକୁ ଲୋକପ୍ରିୟ ହୋଇଥିଲା। ସର୍ବ ପ୍ରଥମ ଚାର୍ଟରଡ୍, ବଲ୍ ପଲେସିଆ, ପାସ୍ ଓ ପାସ୍ ଆଲ୍ୟୁମିନିୟମରେ ନେଦରଲାଣ୍ଡସ ଯଥେଷ୍ଟ ଆଗରେ ରହିଥିଲା। ବୁହର୍ ବିଜୟ ସହ ନେଦରଲାଣ୍ଡସ ପ୍ରି-କ୍ୱାର୍ଟରକୁ ଛାଡ଼ି ଓ ଏବେ ଲତ୍ୱାନିଆକୁ ଛେଡ଼ିବା ସମ୍ଭାବନା ରହିଛି। ନେଦରଲାଣ୍ଡସ ଗାରି ମ୍ୟାଚ୍ ଖେଳି ୨ ବିଜୟ ଓ ଗୋଟିଏ ଡ୍ର ସହ ୬ ପଏଣ୍ଟ ପାଇଁ ଗ୍ରୁପ୍ ଇ' ଶୀର୍ଷରେ ରହିଛି। ଅନ୍ୟପକ୍ଷେ ଭିଏତ୍ନାମ ଗାରି ମ୍ୟାଚ୍ ଖେଳି ସବୁଥରେ ପରାସ୍ତ ହୋଇ ଖାତା ଖୋଲି ନପାରି ଚତୁର୍ଥ ସ୍ଥାନରେ ରହି ବିଶ୍ୱକପ୍ରେ ବାଦ୍ ପଡ଼ିଛି।

ଭିଏତ୍ନାମ ରକ୍ଷଣଭାର ହ୍ରାସ କରିଥିଲା ଓ ନେଦରଲାଣ୍ଡସ ଏହାର ପାଇଁ ପ୍ରସ୍ତୁତ ହେବାକୁ ସମର୍ଥନ ପ୍ରଦାନ କରିଥିଲା। ଦଳ ଚଳିତା ୨୦ ବର୍ଷୀୟ ପରଷାର୍ଥେ ଏହି କ୍ରମରେ ୧୮ ଓ ୫୬ତମ ମିନିଟ୍ରେ ଏକ ୨୬ ବର୍ଷୀୟ ମିଡ଼ଫିଲ୍ଡର ଜିଲ ରୁଡ଼େୱା ଓ ୮୩ତମ ମିନିଟ୍ରେ ୨୮ ବର୍ଷୀୟ ଗୋଲ ଷ୍ଟ୍ରେଲ କରିଥିଲେ। ଲିଏନ୍ ମେଡ଼େର୍ସ୍ ୮୮, କାରିଟା ଷ୍ଟ୍ରେଲିସ୍ ୯୯ ଓ ତାନ୍‌ସିଲେ ଭାନ୍ ଡେ ଡକ୍ ୪୫ତମ ମିନିଟ୍ରେ ଗୋଲ ଦେଇଥିଲେ। ଗତ ସପ୍ତାହରେ ନେଦରଲାଣ୍ଡସ ରନର୍ସଅପ୍ ହୋଇଥିଲା।

ବୁହର୍ ବିଜୟ ସହ ନକ୍ୱାଡର୍ରେ ଇଂଲଣ୍ଡ
ଗ୍ରୁପ୍ ଡି'ରେ ଇଂଲଣ୍ଡ ତାର ଅଧିକ ମ୍ୟାଚ୍ରେ ୬-୧ ଗୋଲରେ ଚାନ୍ସୁ ପରାସ୍ତ କରି ଶୀର୍ଷରେ ରହିବା ସହ ନକ୍ୱାଡର୍କୁ ଛାଡ଼ି। ସମ୍ପୂର୍ଣ୍ଣ ଏକପାଖୀୟ ଏହି ମ୍ୟାଚ୍ରେ ଇଂଲଣ୍ଡ ଅଧିକାଂଶ ବିଭାଗ କରି ଗୋଟିଏ ପରେ ଗୋଟିଏ ଗୋଲ ଷ୍ଟ୍ରେଲ କରିଥିଲା। ଦଳ ଚଳିତା ୯୯ତମ ମିନିଟ୍ରେ କେମ୍ପି ୪୯ ଓ ୫୫ତମ ମିନିଟ୍ରେ ହୁଇଟି ଗୋଲ ଷ୍ଟ୍ରେଲ କରିଥିଲେ। ଅନ୍ୟପକ୍ଷେ ମଧ୍ୟରେ ଆଲେକ୍ସିଆ ରୁସୋ ଚତୁର୍ଥ, ଲରେନ ହେମ୍ ୨୬, କ୍ଲେଭି ୬୬, ରାଚେଲ ଡେଲି ୮୪ତମ ମିନିଟ୍ରେ ଗୋଲ ଷ୍ଟ୍ରେଲ କରିଥିଲେ।

ଦେଖିବାର ଦୃଶ୍ୟ ପୂର୍ବ-ଦକ୍ଷିଣ ପାଇଁ ନାଲ

ପୁରୁଷ, ୧।୮ (ଏକେଡ଼ି): ବିଶ୍ୱିଆଲ ଆଲ୍ୟୁମିନିୟମରେ ରାଲିଥିବା ଦେଖିବାର ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ। ଦେଖିବାର ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ। ଦେଖିବାର ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ।



ରିୟାନ ପରାଗ ଓ କୁମାର କୁଶାଗ୍ର

ପଞ୍ଜାବୀ ଦଳ ପୁରୁଷ କ୍ରିକେଟ୍ ଆସୋସିଏସନ୍‌ର ଗ୍ରାଉଣ୍ଡ୍ ୨ରେ ପୂର୍ବାଞ୍ଚଳ ଓ ପଶ୍ଚିମାଞ୍ଚଳ ସାମ୍ବାଦି ହୋଇଥିଲେ। ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ। ଦେଖିବାର ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ।

ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ। ଦେଖିବାର ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ। ଦେଖିବାର ଦୃଶ୍ୟ ପାଇଁ ନାଲ ଲାଭନୀୟ ହୁଏ।

ପିପା ମହିଳା ବିଶ୍ୱକପ୍

ହୁନେଡିନ ପରେ ଦେଖି ପାରୁଥିବା ଦେଖିଥିଲା। ଏହି ମ୍ୟାଚ୍ ଗୋଲ ଶୂନ୍ୟ ଭାବେ ଶେଷ ହେବା ପାଇଁ ଗୋଲ ଦଳ ପଏଣ୍ଟ ଲାଭ କରିଥିଲେ। ଆମେରିକା ଗାରି ମ୍ୟାଚ୍ ଖେଳି ଗୋଟିଏ ବିଜୟ ଓ ୨ଟି ଡ୍ର ସହ ୫ ପଏଣ୍ଟ ପାଇଁ ଗ୍ରୁପ୍ ଡି'ର ସ୍ଥାନରେ ରହି ନକ୍ୱାଡର୍କୁ ଛାଡ଼ି।



ଭିଏତ୍ନାମ-ନେଦରଲାଣ୍ଡସ ମ୍ୟାଚ୍ରେ

ଡୁଭାୟ ଓ ଚତୁର୍ଥ ସ୍ଥାନରେ ରହି ବିଶ୍ୱକପ୍ରେ ବାଦ୍ ପଡ଼ିଥିଲା। ପୁରୁଣା ଗାରି ମ୍ୟାଚ୍ ଖେଳି ଗୋଟିଏ ବିଜୟ ଓ ୨ଟି ଡ୍ର ସହ ୫ ପଏଣ୍ଟ ପାଇଁ ଗ୍ରୁପ୍ ଡି'ର ସ୍ଥାନରେ ରହିଥିଲା। ଆମେରିକା ପ୍ରି-କ୍ୱାର୍ଟରରେ ଏବେ ସିଡ଼େନ୍ ଡେବିସ୍ ସମ୍ଭାବନା ରହିଛି।

ଏସି ଓ ଡିଏଲ୍‌ସ୍ ଗୋଲ୍: ନେଦରଲାଣ୍ଡସର ବଡ଼ ଡିଏଲ୍‌ସ୍ ଗ୍ରୁପ୍ ଇ' ଅନ୍ୟ ଏକ ମ୍ୟାଚ୍ରେ ନେଦରଲାଣ୍ଡସ ୬-୦ ଗୋଲରେ ଭିଏତ୍ନାମକୁ ହରାଇଛି। ନେଦରଲାଣ୍ଡସ୍ ସବୁଦିଗରୁ ଉନ୍ନତ

ଏସିଆନ ଚାମ୍ପିୟନ୍ସ ଟ୍ରଫି ହକି

ଚେନ୍ନାଇରେ ପହଞ୍ଚିଲେ ଭାରତ ଓ ପାକିସ୍ତାନ



ଆନ୍ଦୋଳନ ଭାରତ ଓ ପାକିସ୍ତାନ ହକି ଦଳ ଏଠାରେ ଆସି ପହଞ୍ଚିଲେ। ହୁନେଡିନ ଗ୍ରାମରେ ଯାଇ ଭାରତୀୟ ହକି ଦଳ ସେମାନଙ୍କୁ ଦକ୍ଷିଣରେ ପରୀକ୍ଷା ନିରୀକ୍ଷା କରିଛନ୍ତି। ସେମାନଙ୍କୁ ଦଳ ସାମାଜିକ ଚେନ୍ନାଇ ଆସିଛି। ଭାରତୀୟ ଅଧିନାୟକ ହରମନପ୍ପାଲ୍ ସିଂହ ମଧ୍ୟ ଆସିଛନ୍ତି। ୨ ମାସ ଆମ ଲାଗି ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ। ବିଶେଷକରି ହାଜିଲେ ଅସିଆ ଗେମ୍ରେ ସର୍ବ ପଦକ ଜିତିବା ଆମର ଲକ୍ଷ୍ୟ। ଏଠାରେ ପ୍ରଥମ ସମ୍ମାନ ଅଧିକାର କରିବା ଅର୍ଥ ଆମକୁ ସାମାଜିକ

ଆମିନି ଲାଗି ଯୋଗ୍ୟ ଅର୍ଜନ କରିବା। ଏଥିଲାଗି ଆମେ ସମସ୍ତ ପ୍ରକାର ଉପାଦାନ କରିବା। ଏଠାରେ ଆମକୁ ବିଭିନ୍ନ ହାଲିଡୋଲ୍‌ସ୍ ମ୍ୟାଚ୍ରେ ଲଢ଼େଇ କରିବାକୁ ହେବ। ଯାହା ଫଳରେ ସମାନ ପ୍ରତିସ୍ପର୍ଦ୍ଧାକ ସହ ମଧ୍ୟ ଆମେ ଏସିଆନ ଗେମ୍ରେ ଖେଳିବା ପୂର୍ବରୁ ନିଜର ହ୍ରାସକରଣକୁ ସୁଧାରିବା।



ପାକିସ୍ତାନୀୟ ଚାମ୍ପିୟନ୍ସ ଟ୍ରଫି ହକି ଦଳ

ବିଶ୍ୱ ବିଶ୍ୱବିଦ୍ୟାଳୟ କ୍ରୀଡ଼ା

ସୁଟରଙ୍କ ପଦକ ବିଜୟ ଅବ୍ୟାହତ

ହୁନେଡିନ, ୧।୮ (ସିପି): ରାନ୍ଦ୍ ଚେନ୍ନାଇ ସହରରେ ଚାଲିଥିବା ବିଶ୍ୱ ବିଶ୍ୱବିଦ୍ୟାଳୟ କ୍ରୀଡ଼ା ପ୍ରତିଯୋଗିତାରେ ଭାରତୀୟ ସୁଟରଙ୍କ ପଦକ ବିଜୟ ଅବ୍ୟାହତ ରହିଛି। ଏହି ଲଢ଼େଇ ଶେଷ ହେବାକୁ ଆଉ ଗୋଟିଏ ଦିନ ବାକିଥିଲା ବେଳେ ମଙ୍ଗଳବାର ଦଳକୁ ଆଉ ୪ଟି ପଦକ ମିଳିଛି। ଏହା ଫଳରେ ଭାରତର ପଦକ ସଂଖ୍ୟା ୨୧ରେ ପହଞ୍ଚିଛି। ଏହା ମଧ୍ୟରୁ ୧୧ଟି ସ୍ୱର୍ଣ୍ଣ, ୪ଟି ଚୂର୍ଣ୍ଣ ଓ ୬ଟି କଂସ୍ୟ ପଦକ ରହିଛି। ଏଥିରୁ ଭାରତକୁ ଅଧିକ ପଦକ ମିଳିବ ବୋଲି ଆଶା କରାଯାଉଛି। ମଙ୍ଗଳବାର ମିଳିଥିବା ପଦକ ମଧ୍ୟରୁ ଭାରତକୁ ପ୍ରଥମ ସ୍ୱର୍ଣ୍ଣ ଭାବେ ୧୦ ମିଟର ଏୟାର ପିସ୍ତଲ ବିଜୟ ମିଳିଥିଲା। ବରୁଣ ତୋମାର, ଅର୍ଜୁନ ସିଂ, ଚାମା ଓ ଅନମୋଲ ଜିନ ଏହି ସ୍ୱର୍ଣ୍ଣ ପଦକ ବିଜୟ ହୋଇଥିଲେ।



ମହିଳା ୫୦ ମିଟର ରାଇଫଲ-୩ ପୋଜିସନ୍‌ରେ ସ୍ୱର୍ଣ୍ଣ ପଦକ ଜିତିଥିବା ସିପ୍ କୌର ସମ୍ରାଣ ଓ ଚୂର୍ଣ୍ଣ ପଦକ ବିଜୟିନୀ ଆଶି ବୋକ୍ସା।

ଡେଭିସ୍ କପ୍ ଟେନିସ: ମରୋକ୍କୋ ମୁକାବିଲାରୁ ଅବସର ନେବେ ବୋପନ୍ନା

ଜେନିଫ୍ ପ୍ରଥମ ପିପା ବିଶ୍ୱକପ୍ରେ ମହାନାୟିକା

ନୁଆଦିଲ୍ଲା, ୧।୮ (ଏକେଡ଼ି): ଭାରତର ଅନ୍ୟତମ ସଫଳ ପୁରୁଷ ଡେଭିସ୍ ଖେଳାଳି ୩୨ ବର୍ଷୀୟ ମରୋକ୍କୋ ମରୋକ୍କୋ ବିପକ୍ଷରେ ଡେଭିସ୍ କପ୍ ମୁକାବିଲାରୁ ଅବସର ନେବେ। ଏହା ତାଙ୍କର ଶେଷ ମୁକାବିଲା ହେବ। ଉତ୍ତର ପ୍ରଦେଶର ରାଜଧାନୀ ଲକ୍ନୌରେ ଭାରତ-ମରୋକ୍କୋ ମୁକାବିଲା ସେପ୍ଟେମ୍ବର ୧୬ ଓ ୧୭ ତାରିଖରେ ଖେଳାଯିବ। ଗତ ମାସରେ ବୋପନ୍ନା ଡେଭିସ୍ କପ୍ରେ ଅବସର ନେବେ ବୋଲି ଘୋଷଣା କରିଥିଲେ। ଯାହା ଫଳରେ ସର୍ବଭାରତୀୟ ଟେନିସ୍ ସଂଘ ତାଙ୍କୁ ଏହି ମ୍ୟାଚ୍ରେ ଅବସର ନେବାକୁ ସମସ୍ତ ପ୍ରକାର ସମ୍ଭାବନା କରିଛି। ଏହି ମୁକାବିଲା ଲାଗି ଚୋଇଟି ରାଜ୍ୟପାଳଙ୍କ ନେତୃତ୍ୱରେ ଏକ ଶକ୍ତିଶାଳୀ ଦଳ ଘୋଷଣା କରାଯାଇଛି। ଦେଶର ଉତ୍ତମ ସମସ୍ତ ଖେଳାଳିଙ୍କୁ ଏହି ଦଳରେ ସାମିଲ କରାଯାଇଛି। ସେମାନଙ୍କ ମଧ୍ୟରେ ଅଛନ୍ତି ସୁପିତ ନାଗଲ, ଶଶିକୁମାର ମୁକୁନ୍ଦ, ସୁଲି ଗାମ୍ପା, ରାମକ୍ରମାଣ ରାମନାଥନ, ଦିଗବିଜୟ ପ୍ରତାପ ସିଂ ଓ ବୋପନ୍ନା। ଏମାନଙ୍କ ବ୍ୟତୀତ ୫ ଜଣ ଖେଳାଳି ସାକେତ ମିନେନା, ମନସ୍ ହେହମାନେ, ମନାସ୍ ସୁରେଶ୍ କୁମାର, କରଣ୍ଡ ସିଂ ଓ ସୁଭାଜିତ ନନ୍ଦାଙ୍କ ସହ ଏହା ଏକ ମହାନାୟିକା ମୁକାବିଲା ହେବ। ତଳିତରୁ ଆରମ୍ଭରେ ଡେଭିସ୍ କପ୍ ଚାଲିଯିବ। ପରେ ଭାରତୀୟ ଟେନିସ୍ ଦଳ ବିଶ୍ୱ ଗ୍ରୁପ୍-୨କୁ ଖସିଯାଉଛି।

ଆଷ୍ଟ୍ରେଲିଆ ଓ ନ୍ୟୁଜିଲାଣ୍ଡରେ ଚାଲିଥିବା ମହିଳା ପିପା ବିଶ୍ୱକପ୍ରେ ପ୍ରତିଯୋଗିତା ଏବେ ନକ୍ୱାଡର୍ ପର୍ଯ୍ୟାୟରେ ପହଞ୍ଚିଛି। ଏହି ବିଶ୍ୱକପ୍ରେ ଅନେକ ଖେଳାଳି ଲକ୍ଷ୍ୟ ଚାହୁଁଛନ୍ତି। ମିଡ଼ଫିଲ୍ଡର ତଥା ପରଷାର୍ଥ ଖେଳୁଥିବା ଲକ୍ଷ୍ୟ ଚାହୁଁଛନ୍ତି। ମିଡ଼ଫିଲ୍ଡର ତଥା ପରଷାର୍ଥ ଖେଳାଳି ଭାବରେ ପରିଚିତ ଥିଲେ। ଲକ୍ଷ୍ୟ ସହ କର୍ମୀନାର ସେଲିଆ ସାସିସ୍ ମଧ୍ୟ ୬ଟି ଗୋଲ ଦେଇ ନିଜର ଦୃବ୍ୟ ଦେଖାଇଥିଲେ।

ଭରୁଗୁଣ୍ଡ ଡିପେଣ୍ଡର ଗୋଡ଼ିନିଙ୍କ ଅବସର

୨. ମେମୋରାଭିନୋଲ (୨୦୧୯, ୨ ଗୋଲ୍):

ମୋଡେଲିସ୍, ୧।୮ (ଏକେଡ଼ି): ପୂର୍ବତନ ଭରୁଗୁଣ୍ଡ ଅଧିନାୟକ ଡିପେଣ୍ଡର ଗୋଡ଼ିନିଙ୍କୁ ଅନ୍ତର୍ଗାମୀ ପୁସ୍ତକରେ ଅବସର ଘୋଷଣା କରିଛନ୍ତି। ବାପା ହୁଇ ଦଶନ୍ଧିରେ ସେ ଭରୁଗୁଣ୍ଡ ପୁସ୍ତକ ସହତ ଜଡ଼ିତ ରହିଥିଲେ। ୩୮ ବର୍ଷ ବୟସରେ ସେ ମଧ୍ୟ କୁବ ପୁସ୍ତକରେ ସକ୍ରିୟ ଥିଲେ। ସେ ଭରୁଗୁଣ୍ଡ କାଳୀୟ ଦଳ ପାଇଁ ୨୬୨ଟି ମ୍ୟାଚ୍ ଖେଳି ୮ଟି ଗୋଲ ଷ୍ଟ୍ରେଲ କରିଥିଲେ। ସେ ୨୦ ବର୍ଷରୁ କମ୍ ଭରୁଗୁଣ୍ଡ ଦଳ ଚଳାଉ ମଧ୍ୟ ୧୪ଟି ମ୍ୟାଚ୍ ଖେଳିଥିଲେ। ବିଭିନ୍ନ କୁବ ଚଳାଉ ଖେଳିଥିଲେ ମଧ୍ୟ ସେ ଜଣାଶୁଣା କୁବ ଆଟଲେଟିକୋ ମାପ୍ରିସ୍ ପାଇଁ ସର୍ବାଧିକ ୨୬୬ଟି ମ୍ୟାଚ୍ ଖେଳି ଦୁଷ୍ଟାନ୍ତମୂଳକ ପ୍ରଦର୍ଶନ କରିଥିଲେ। ସେ କ୍ୟାରିୟରରେ ମୋର୍ ଉପରେ ୬୨୬ଟି ମ୍ୟାଚ୍ ଖେଳି ୩୮ଟି ଗୋଲ ଷ୍ଟ୍ରେଲ କରି ୧୦ଟି ଟାଇଟଲ ଜିତିଥିଲେ। ଏଥିରେ ହୁଇଟି ହୁଇଟି ମାପ୍ରିସ୍ ଓ ଗାରି ହୁଇଟିସ୍ ସମ୍ଭାବନା କପ୍ ସାମିଲ ରହିଛି। ଆଟଲେଟିକୋ ମାପ୍ରିସ୍ ନେତୃତ୍ୱ ନେଇଥିବା ବେଳେ ସେ ଏହି ଟାଇଟଲ ଜିତିଥିଲେ। ସେ ମଧ୍ୟ ୪ଟି ବିଶ୍ୱକପ୍ରେ ଭରୁଗୁଣ୍ଡ ଚଳାଉ ପ୍ରତିନିଧିତ୍ୱ କରିଥିଲେ।

ପ୍ରଥମ ମ୍ୟାଚ୍ରେ ମିଡ଼ଫିଲ୍ଡର ମେମୋରାଭିନୋଲ ୨୦୨୯ ବିଶ୍ୱକପ୍ରେ ଆମେରିକା ଦଳ ପକ୍ଷରୁ ୬ଟି ଗୋଲ ଷ୍ଟ୍ରେଲ କରି ଶ୍ରେଷ୍ଠ ଖେଳାଳି ପୁରସ୍କାର ପାଇଥିଲେ। ସେ ବାଲାନ ଡି'ଓର ମଧ୍ୟ ଜିତିଛନ୍ତି। ୨୦୧୨ ଲଣ୍ଡନ ଅଲମ୍ପିକ୍ ସର୍ବ ପଦକ ବିଜୟ ଆମେରିକା ଦଳର ମଧ୍ୟ ସେ ସଦସ୍ୟ ଥିଲେ। ଏହି ବର୍ଷ ପିପା ମହିଳା ବିଶ୍ୱକପ୍ରେ ଇଂଲଣ୍ଡର ଲକ୍ଷ୍ୟ ଚାହୁଁଛନ୍ତି ଓ ଆମେରିକାର ଆଲେକ୍ସ ମୋର୍ଗାନ ମଧ୍ୟ ୬ଟି ଗୋଲ ଦେଇଥିଲେ।

୨. କାଲିଲଡ (୨୦୧୫, ୬ ଗୋଲ୍): ଆମେରିକା କାଳୀୟ ଦଳ ପକ୍ଷରୁ ଖେଳି ୧୩୪ଟି ଗୋଲ୍ ଜିତିଥିବା କାଲିଲଡ ୨୦୧୫ରେ ମହିଳା ପିପା ବିଶ୍ୱକପ୍ରେ ଶ୍ରେଷ୍ଠ

ଖେଳାଳି ବିବେଚିତ ହୋଇଥିଲେ। ସେ ମଧ୍ୟ ୨୦୦୮ ଓ ୨୦୧୨ ଅଲମ୍ପିକ୍ ସର୍ବ ବିଜୟ ଆମେରିକା ଦଳର ସଦସ୍ୟ ରହି ସାରିଛନ୍ତି। ମିଡ଼ଫିଲ୍ଡର ତଥା ପରଷାର୍ଥ ଖେଳୁଥିବା ଲକ୍ଷ୍ୟ ଚାହୁଁଛନ୍ତି। ମିଡ଼ଫିଲ୍ଡର ତଥା ପରଷାର୍ଥ ଖେଳାଳି ଭାବରେ ପରିଚିତ ଥିଲେ। ଲକ୍ଷ୍ୟ ସହ କର୍ମୀନାର ସେଲିଆ ସାସିସ୍ ମଧ୍ୟ ୬ଟି ଗୋଲ ଦେଇ ନିଜର ଦୃବ୍ୟ ଦେଖାଇଥିଲେ।

୩. ହୋମାରେ ସାଖା (୨୦୧୧, ୫ ଗୋଲ୍): କାପାନ କାଳୀୟ ଦଳ ପକ୍ଷରୁ ୨୨୬ଟି ମ୍ୟାଚ୍ ଖେଳିଥିବା ହୋମାରେ ୨୦୧୧ ପିପା ମହିଳା ବିଶ୍ୱକପ୍ ଖେଳି

ଶ୍ରେଷ୍ଠ ଖେଳାଳି ରହିଥିଲେ। ମିଡ଼ଫିଲ୍ଡର ପୋଜିସନ୍‌ରେ ଖେଳୁଥିବା ସାଖା ମୋର୍ ୫ଟି ଗୋଲ ଷ୍ଟ୍ରେଲ କରି ଏହି ସପ୍ତାହରେ କାପାନକୁ ବିଶ୍ୱକପ୍ ଚାକ ପିସାଇଥିଲେ।



ଜେନିଫ୍ ଜେନିଫ୍

ଖେଳାଳି ବିବେଚିତ ହୋଇଥିଲେ। ସେ ମଧ୍ୟ ୨୦୦୮ ଓ ୨୦୧୨ ଅଲମ୍ପିକ୍ ସର୍ବ ବିଜୟ ଆମେରିକା ଦଳର ସଦସ୍ୟ ରହି ସାରିଛନ୍ତି। ମିଡ଼ଫିଲ୍ଡର ତଥା ପରଷାର୍ଥ ଖେଳୁଥିବା ଲକ୍ଷ୍ୟ ଚାହୁଁଛନ୍ତି। ମିଡ଼ଫିଲ୍ଡର ତଥା ପରଷାର୍ଥ ଖେଳାଳି ଭାବରେ ପରିଚିତ ଥିଲେ। ଲକ୍ଷ୍ୟ ସହ କର୍ମୀନାର ସେଲିଆ ସାସିସ୍ ମଧ୍ୟ ୬ଟି ଗୋଲ ଦେଇ ନିଜର ଦୃବ୍ୟ ଦେଖାଇଥିଲେ।

୪. ପାର୍ଟି ଡି ସିଲଭା (୨୦୦୭, ୬ ଗୋଲ୍): ମହିଳା ପୁସ୍ତକର କିମ୍ବଦନ୍ତୀ ଭାବରେ ପ୍ରାଣିତ ମାର୍ଟି ଡି ସିଲଭା ବିଶ୍ୱରେ ପରିଚିତ ଲାଭ କରିଛନ୍ତି। ପିପା ଚଳାଉ ସେ ୬ ଥର ଶ୍ରେଷ୍ଠ ପୁସ୍ତକ ଅଟେ ଓ ଲକ୍ଷ୍ୟ ପୁରସ୍କାର ପାଇଛନ୍ତି। ୨୦୦୭ ମହିଳା ବିଶ୍ୱକପ୍ରେ ୬ଟି ଗୋଲ୍ କରି ଶ୍ରେଷ୍ଠ ଖେଳାଳି ଟ୍ରଫି ଜିତିଥିଲେ। ମାର୍ଟି ସାକିଲ କାଳୀୟ ମହିଳା ଦଳରୁ ପକ୍ଷରୁ ୧୧୫ ଗୋଲ୍ ଦେଇଛନ୍ତି।

୫. ବିରିଟିସ୍ ପ୍ରିନ (୨୦୦୩, ୬ ଗୋଲ୍): କର୍ମୀନାର ପୂର୍ବତନ ମହିଳା ଖେଳାଳି ବିରିଟିସ୍ ପ୍ରିନ ୨୦୦୩ ସପ୍ତାହରେ ସର୍ବାଧିକ ଷ୍ଟ୍ରେଲ ରହିଥିଲେ। ୨୦୦୩ ମହିଳା ପିପା ବିଶ୍ୱକପ୍ରେ ସେ ୬ଟି ଗୋଲ୍ ଏହି ପୁରସ୍କାର ହାତରେ ରଖିଥିଲେ। ଏବେ ସେ ପୁସ୍ତକ ପରାମର୍ଶଦାତା ଭାବେ କାର୍ଯ୍ୟରତ।

୬. ସୁନା ଷ୍ଟେନ (୧୯୯୯, ୬ ଗୋଲ୍): ଚାନ୍‌ସିଲ କାଳୀୟ ପୁସ୍ତକର ସୁନା ଷ୍ଟେନ ୧୯୯୯ରେ କାଳୀୟ ଦଳ ପକ୍ଷରୁ ବିଶ୍ୱକପ୍ ଖେଳିଥିଲେ। ୧୯୯୯ ବିଶ୍ୱକପ୍ରେ ଖେଳି ସେ

ସର୍ବାଧିକ ଷ୍ଟ୍ରେଲ କରି ଶ୍ରେଷ୍ଠ ଖେଳାଳି ପୁରସ୍କାର ଟ୍ରଫି ହାତରେ ରଖିଥିଲେ। ଏହି ବିଶ୍ୱକପ୍ରେ ସେ ୬ ଥର ବିଶ୍ୱକପ୍ ପ୍ରତିସଂଯୋଗକୁ ମଧ୍ୟ ଫାଇଁ ଫାଇଁ ରଖିଥିଲେ। ତାଙ୍କ ସହ ସାକିଲ ମହିଳା ପୁସ୍ତକ ଖେଳାଳି ସିସି ଆମୋର ଲିମା ମଧ୍ୟ ସୁସ୍ତ ଭାବରେ ୬ ଗୋଲ ଦେଇଥିଲେ।

୭. ହେଲି ଡିସେ (୧୯୯୫, ୬ ଗୋଲ୍): ନରଓ କାଳୀୟ ମହିଳା ଦଳର କୋଚ ତଥା ପୂର୍ବତନ ମିଡ଼ଫିଲ୍ଡର ହେଲି ଡିସେ ପିପା ବିଶ୍ୱକପ୍ ବିଜୟ ଦଳର ସଦସ୍ୟ ରହି ସାକିଲ ଚାକ ପିସା ସେ ଶ୍ରେଷ୍ଠ ଖେଳାଳି ମଧ୍ୟ ଥିଲେ। ଅଲମ୍ପିକ୍, ସୁପା ବିଜୟ ଦଳର ସଦସ୍ୟ ରହିଥିବା ଡିସେ ୧୯୯୫ ବିଶ୍ୱକପ୍ରେ ୬ଟି ଗୋଲ୍ ଷ୍ଟ୍ରେଲ କରି ଶ୍ରେଷ୍ଠ

ଖେଳାଳି ହୋଇଥିଲେ।

୮. କେରିନ ଜେନିଫ୍ (୧୯୯୧, ୧୦ ଗୋଲ୍): ୧୯୯୧ରେ ମହିଳା ବିଶ୍ୱକପ୍ରେ ପ୍ରଥମ ସପ୍ତାହରେ ଖେଳାଯାଇଥିଲା। ଏଥିରେ ଆମେରିକାର ଅଗ୍ରଭାଗ ଖେଳାଳି କେରିନ ଜେନିଫ୍ ୧୦ଟି ଗୋଲ୍ କରି ଶ୍ରେଷ୍ଠ ଖେଳାଳି ଭାବେ ନିଜ ନାମକୁ ଇତିହାସରେ ସୃଷ୍ଟି କରିଥିଲେ। ସେ ଆମେରିକା ପକ୍ଷରୁ ୧୦୯ ମ୍ୟାଚ୍ ଖେଳି ୫୬ଟି ଗୋଲ୍ ଜିତିଥିଲେ। ଏହି ଖେଳାଳି ବର୍ତ୍ତମାନ ଆମେରିକାର ନାଭାଲ ଏକାଡେମୀରେ ପ୍ରଶିକ୍ଷକ ରହିଛନ୍ତି।



~~XXXXXXXXXX~~

Annexure -5

Web Site upload link

EC NOC - <https://www.nawah.in/nawah-boulevard/images/ECNOC.pdf>

Monitoring Report - <https://www.nawah.in/nawah-boulevard/images/complieancedatanawah.pdf>

Monitoring Data - <https://www.nawah.in/nawah-boulevard/images/compliancereportnawah.pdf>

The screenshot shows the website for NAWAH BOULEVARD. The browser address bar is nawah.in/nawah-boulevard/, with a red arrow pointing to it. The navigation menu includes: HOME, OVERVIEW, AMENITIES, SPECIFICATIONS, PLANS, LOCATION, CONSTRUCTION STATUS, GALLERY, and FAQ. The main heading is "FREQUENTLY ASKED QUESTIONS". Below this, several questions are listed: "Is this project approved by BDA", "Is the project Registered under ORERA?", "Completion time of the project", "Total No of Flats & Flat variants", and "Approved banks for loan?". At the bottom, there are three buttons: "ENQUIRE NOW", "E BROCHURE", and "ENVIRONMENT CLEARANCE", "COMPLIANCE REPORT", and "COMPLIANCE DATA". Red arrows point from the first three questions to the "ENVIRONMENT CLEARANCE", "COMPLIANCE REPORT", and "COMPLIANCE DATA" buttons respectively. The footer contains social media icons for Instagram, Facebook, YouTube, and WhatsApp, along with the text: "ORERA NO: RP19/2021/00574 | www.rera.odisha.gov.in All Rights reserved. Copyright 2023".

Annexure- 6



भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास
और गंगा संरक्षण विभाग
केन्द्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	9 Boulevard		
Project Address:	Plot No1480 2051 And Others Mouza Raghunathpur, Bhubaneswar		
Town:	Bhubaneswar	Block:	Bhubaneswar
District:	Khordha	State:	Odisha
Pin Code:			
Communication Address:	Sidharth Sekhar Mohapatra Director Ou Infraprojects Pvt Ltd, Plot No 687/2365 Jaydev Vihar Next To Union Bank Of India, Nayapalli Bhubaneswar, Bhubaneswar, Khordha, Odisha - 751015		
Address of CGWB Regional Office :	Central Ground Water Board South Eastern Region, Bhujal Bhawan, Khandagiri Square, Nh-5, Bhubaneswar, Khordha, Odisha - 750001		

1. NOC No.:	CGWA/NOC/INF/ORIG/2023/18636	2. Date of Issuance	02/06/2023									
3. Application No.:	21-4/5021/OR/INF/2023	4. Category: (GWRE 2022)	Semi Critical									
5. Project Status:	New Project	6. NOC Type:	New									
7. Valid from:	02/06/2023	8. Valid up to:	01/06/2028									
9. Ground Water Abstraction Permitted:												
Fresh Water		Saline Water		Dewatering		Total						
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year					
332.57	121388.05											
10. Details of ground water abstraction /Dewatering structures												
Total Existing No.:0						Total Proposed No.:6						
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	0	0	0	0	0	0	6	0	0	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit;MPu-Mine Pumps												
11. Ground Water Abstraction/Restoration Charges paid (Rs.):	242777.00											
12. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers						Monitoring Mechanism					
							Manual	DWLR**	DWLR With Telemetry			
**DWLR - Digital Water Level Recorder	1						0	1	0			

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

CENTRAL GROUND WATER AUTHORITY

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m³/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCPE list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)

CENTRAL GROUND WATER AUTHORITY
Department of Water Resources, River Development and Ganga Rejuvenation
Ministry of Jal Shakti, Govt. of India

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743

Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

Receipt

(As per the guideline Gazette Notification S.O. 3281(E) regarding the New Guidelines dated 24.09.2020 of CGWA, MoJS, Govt. of India)
<https://cgwa-noc.gov.in>

Application No.:	21-4/5021/OR/INF/2023		
Name of Firm:	9 BOULEVARD		
AppType Category:	Residential apartment		
Application Type:	Infrastructure		
PAN/GSTIN No. of Firm/Individual:	AAGCS4688H / 21AAGCS4688H2Z5		

S N	Description	Amount (Rs.)
1.	Application Processing Fee	10000.00
2.	Ground Water Abstraction /Restoration charges	242777.00
3.	Environmental Compensation Charges (ECRGW) (Date From to) Days-	
4.	Penalty for non-Compliance of NOC conditions Condition to be mentioned	
Rs. Rupees Two Lakh Fifty Two Thousand Seven Hundred Seventy Seven Only		252777.00

This is an system generated invoice, hence, does not require ink signed.

Term and conditions:

- All disputes are subject to Delhi Jurisdiction.
- Any complaint in regard to the rates will not be entertained

Member-Secretary
CGWA, New Delhi

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये
SAVE WATER - SAVE LIFE

PHOTOGRAPH 1: First Aid Room

Annexure -7





KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

TEST REPORT

NABL ULR NO : **TC1206323000000158**
Test Report No : **KLPL/12/23/ENVN/00023**
Issue Date : 30-Dec-2023
Amendment No : --
Amendment Date : --



TC-12063

Reference : --
Customer Name : **M/S. OU INFRA PROJECTS PVT.LTD.**
Address : 9 BOULVARD, RAGHUNATH PUR, BHUBANESWAR, ODISHA

Date of receipt : 26-Dec-2023 **Commenced On** : 26-Dec-2023 **Completion On**: 29-Dec-2023
Sample Name : **AMBIENT AIR QUALITY MONITORING**
Sample Condition : GASEOUS SAMPLE ABSORBING SOLUTIONS REFRIGERATED/FILTER PAPER SEALED IN ZIP LOCK
Sample Collected By : BY KLPL(MR. MRUTYUNJAYA DAS)
Ref.To Sampling Procedure: KLPL/QSP-07

Parameters	Unit	Requirement	Results	Standard Reference	Test Method
Location & Date : PROJECT SITE, RAGHUNATHPUR, DATE: 26/12/2023					
Sulphur Dioxide	µg/m ³	80	11.03	Requirement is as per standard specification NAAQS:2009	IS 5182(PART-2) : 2001
Nitrogen Dioxide	µg/m ³	80	17.66	Requirement is as per standard specification NAAQS:2009	IS 5182 (PART 6) : 2006
Particulate Matter (PM10)	µg/m ³	100	68.40	Requirement is as per standard specification NAAQS:2009	IS 5182(PART-23) : 2006
Particulate Matter (PM2.5)	µg/m ³	60	32.42	Requirement is as per standard specification NAAQS:2009	KLPL/SOP/AIR-02, Issue No.01:2017
Carbon Monoxide (CO) (01 Hrs.)	mg/m ³	04	0.68	Requirement is as per standard specification NAAQS:2009	KLPL/SOP/AIR-19:2019

Remarks : --

Any unusual feature observed during determination : NIL
Customer information if any : NIL
Confirmation statement as per decision rule , if applicable : N/A

To view "Terms & Conditions & NABL certificate of accreditation click report.kalyanilaboratories.com/images/NACNTC.pdf

Analysed By

Mr. Digambar Arukha
For Kalyani Laboratories Pvt. Ltd.



Authorised By

Dr. Debasis Biswal
For Kalyani Laboratories Pvt. Ltd.

***** End of Test Report *****



KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

TEST REPORT

NABL ULR NO : **TC1206323000000159**
Test Report No : **KLPL/12/23/ENVN/00024**
Issue Date : 30-Dec-2023
Amendment No : --
Amendment Date : --



TC-12063

Reference : -
Customer Name : **M/S. OU INFRA PROJECTS PVT.LTD.**
Address : 9 BOULVARD, RAGHUNATH PUR, BHUBANESWAR, ODISHA

Date of receipt : 26-Dec-2023 **Commenced On** : 26-Dec-2023 **Completion On**: 28-Dec-2023
Sample Name : **NOISE**
Sample Condition : --
Sample Collected By : BY KLPL(MR. MRUTYUNJAYA DAS)
Ref.To Sampling Procedure : KLPL/NOISE/SOP-23

Parameters	Unit	Requirement	Results	Standard Reference	Test Method
Location & Date : PROJECT SITE, RAGHUNATHPUR, DATE: 26/12/2023					
Noise Level Commercial Area (Day)	dB(A)	75	55.83	Standard Specification Noise Rule 2000	IS 9989:1981 (RA 2014):2014
Noise Level Commercial Area (Night)	dB(A)	70	45.81	Standard Specification Noise Rule 2000	IS 9989:1981 (RA 2014):2014

Remarks : --

Any unusual feature observed during determination : NIL
Customer information if any : NIL
Confirmation statement as per decision rule , if applicable : N/A

To view "Terms & Conditions & NABL certificate of accreditation click report.kalyanilaboratories.com/images/NACNTC.pdf

Analysed By

D Arukha

Mr. Digambar Arukha
For Kalyani Laboratories Pvt. Ltd.



Authorised By

Dr. Debasis Biswal

Dr. Debasis Biswal
For Kalyani Laboratories Pvt. Ltd.

***** End of Test Report *****



KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

TEST REPORT

NABL ULR NO : **TC1206323000000160**

Test Report No : **KLPL/12/23/SOIL/00004**

Issue Date : 30-Dec-2023

Amendment No : --

Amendment Date : --



TC-12063

Reference : -

Customer Name : **M/S. OU INFRA PROJECTS PVT.LTD.**

Address : 9 BOULVARD, RAGHUNATH PUR, BHUBANESWAR, ODISHA

Date of receipt : 26-Dec-2023 **Commenced On** : 26-Dec-2023 **Completion On** : 29-Dec-2023

Sample Description : **SOIL**

Form|Shape|Appearance : SEALED IN POLY PACK

Sample Identification : **SOIL**

Batch No , Lot No : NA

MFG Date : NA

EXP Date : NA

Received Quantity : 500G

Sample Collection Location, & Date :

Sample Collected By : By KLPL(MR. MRUTYUNJAYA DAS)

PROJECT FRONT SITE, DATE-26.12.2023

Sampling Procedure if Any : KLPL/QSP-07

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
i	Electrical Conductivity	µs/cm	--	371	--	IS 14767 : 2000
ii	Arsenic (As)	mg/kg	--	1.24	--	KLPL/SOP - SOIL-33 : 2022
iii	Available Nitrogen	Kg/Ha	--	163	--	KLPL/SOP/SOIL-22 : 2019
iv	Available Phosphorus	mg/kg	--	8.9	--	KLPL/SOP/SOIL-14 : 2017
v	Available potassium	mg/kg	--	113.5	--	KLPL/SOP/SOIL-19 : 2017
vi	Bulk Density	g/cc	--	1.43	--	IS 2720(Part 29) : 1975
vii	Cadmium (as Cd)	mg/kg	--	2.2	--	KLPL/SOP/SOIL- 33 : 2022
viii	Colour	--	--	REDDISH BROWN	--	KLPL/SOP/SOIL-28: 2022
ix	Copper (as Cu)	mg/kg	--	7.55	--	KLPL/SOP/SOIL-33 : 2022
x	Lead (Pb)	mg/kg	--	4.25	--	KLPL/SOP/SOIL-33 : 2022
xi	Manganese (as Mn)	mg/kg	--	550	--	KLPL/SOP/SOIL-33 : 2022
xii	Nickel (as Ni)	mg/kg	--	12.40	--	KLPL/SOP/SOIL-33 : 2022





KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

Test Report No : KLPL/12/23/SOIL/00004

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
xiii	Organic Carbon	%	--	0.18	--	KLPL/SOP/SOIL-09 : 2017
xiv	pH Value	--	--	7.1	--	IS 2720(Part 26) : 1987
xv	Soil Texture	--	--	CLAY	--	KLPL/SOP/SOIL-25 : 2022
xvi	Total Chromium	mg/kg	--	40.5	--	KLPL/SOP/SOIL-33 : 2022
xvii	Zinc (as Zn)	mg/kg	--	15.20	--	KLPL/SOP/SOIL-33 : 2022
xviii	Moisture	%	--	12.8	--	IS 2720(Part 2) : 1973

Remarks : --

Any unusual feature observed during determination : NIL
Customer information if any : NIL
Confirmation statement as per decision rule , if applicable : N/A

To view "Terms & Conditions & NABL certificate of accreditation click report.kalyanilaboratories.com/images/NACNTC.pdf

Analysed By

Mr. Digambar Arukha
For Kalyani Laboratories Pvt. Ltd.



Authorised By

Dr. Debasis Biswal
For Kalyani Laboratories Pvt. Ltd.

***** End of Test Report *****

TEST REPORT

NABL ULR NO : TC1206323000000158
Test Report No : KLPL/12/23/WATER/00112
Issue Date : 30-Dec-2023
Amendment No : --
Amendment Date : --



Reference : -
Customer Name : M/S. OU INFRA PROJECTS PVT.LTD.
Address : 9 BOULVARD, RAGHUNATH PUR, BHUBANESWAR, ODISHA
Date of receipt : 26-Dec-2023 **Commenced On** : 26-Dec-2023 **Completion On**: 29-Dec-2023

Sample Description : DRINKING WATER (IS 10500:2012)
Form\Shape\Appearance : SEALED IN PET & GLASS BOTTLE
Sample Identification : GROUND WATER
Batch No , Lot No : NA **MFG Date** : NA **EXP Date**: NA
Received Quantity : 1L X 4 **Sample Collection Location, & Date** :
Sample Collected By : By KLPL(MR. MRUTYUNJAYA DAS) PROJECT SITE BOREWELL, DATE-26.12.2023
Sampling Procedure if Any : KLPL/QSP-07

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
BACTERIOLOGICAL QUALITY						
i	Total Coliforms	MPN/100 ml	Shall not be detected in any 100ml sample	<2	IS : 10500 :2012	IS 1622:1981 RA 2009
ii	E.coli	MPN/100ml	Shall not be detected in any 100ml sample	<2	IS : 10500 : 2012	IS 1622:1981, RA 2009
CHEMICAL PARAMETER						
i	Nitrate as NO3	mg/l, Max	45	<0.05	IS : 10500 :2012	Cl.3.0 of IS 3025 (PART 34): 1988, RA 2019
ii	Ammonia	mg/l, Max	0.5	<0.03	IS : 10500 : 2012	IS:3025(Part-34) : 2012
iii	Calcium (as Ca)	mg/l, Max	75	36.8	IS : 10500 :2012	Cl.5.0 of IS 3025 (Part 40):1991, RA 2019
iv	Chloride (as Cl)	mg/l, Max	250	32.3	IS : 10500 :2012	IS 3025 (Part 32):1988, RA 2019
v	Copper (as Cu)	mg/l, Max	0.05	<0.02	IS : 10500 :2012	Cl.6.0 of IS 3025 (Part 42):1992, RA 2019
vi	Fluoride (as F)	mg/l, Max	1	0.3	IS : 10500 :2012	Cl.5.0 of IS 3025 (Part 60):2008, RA 2019
vii	Free residual chlorine	mg/l, Min	0.2	<0.05	IS : 10500 :2012	Cl.3.0 of IS 3025 (Part 26):2021
viii	Iron (as Fe)	mg/l, Max	1	<0.05	IS : 10500 :2012	Cl.6.0 of IS 3025 (Part 53):2003, RA 2019
ix	Magnesium (as Mg)	mg/l, Max	30	17.49	IS : 10500 :2012	Cl.6.0 of IS 3025 (Part 46):1994, RA 2019
x	Manganese (as Mn)	mg/l, Max	0.1	<0.05	IS : 10500 :2012	Cl.5.0 of IS 3025 (Part 59):2006, RA 2017



Test Report No : KLPL/12/23/WATER/00112

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
xi	Mineral oil	mg/l, Max	0.5	<0.5	IS : 10500 :2012	Cl.5.0 of IS 3025 (Part- 39):2021
xii	Phenolic compounds (as C ₆ H ₅ OH)	mg/l, Max	0.001	<0.001	IS : 10500 :2012	Cl.5.0 of IS 3025 (Part 43):1992, RA 2019
xiii	Selenium (as Se)	mg/l, Max	0.01	<0.005	IS : 10500 :2012	Cl.7.0 of IS 3025 (Part 56):2003, RA 2019
xiv	Sulphate (as SO ₄)	mg/l, Max	200	<1.0	IS : 10500 :2012	Cl.4.0 of IS 3025 (Part 24):1986, RA 2019
xv	Total alkalinity (as CaCO ₃),	mg/l, Max	200	163	IS : 10500 :2012	IS 3025 (Part 23):1986, RA 2019
xvi	Total hardness (as CaCO ₃),	mg/l, Max	200	164	IS : 10500 :2012	IS 3025 (Part 21):2009, RA 2019
xvii	Zinc (as Zn)	mg/l, Max	5	<0.05	IS : 10500 :2012	Cl.6.0 of IS 3025 (Part 49):1994, RA 2019
xviii	Sulphide	mg/l, Max	0.05	<0.02	IS : 10500 : 2012	Cl.3.0 of IS 3025 (Part 29):1986 RA 2019
xix	Aluminium (as Al)	mg/l,Max	0.03	<0.02	IS :10500:2012	Cl.5.0 of IS 3025 (part-55):2003, RA 2019
xx	Anionic Surface Active Agents (as MBAS)	mg/l, Max	0.2	<0.1	IS : 10500 :2012	Annex - K OF IS 13428:2005
xxi	Boron (as B)	mg/l, Max	0.5	<0.1	IS : 10500 :2012	IS 3025 (Part-57):2021
xxii	Barium (as Ba)	mg/l, Max	0.7	<0.2	IS : 10500 : 2012	Annex F of IS 13428:2005
xxiii	Silver (as Ag)	mg/l, Max	0.1	<0.005	IS : 10500 : 2012	Annex J of IS 13428 : 2005 RA 2009
xxiv	Chloramines (Cl ₂)	mg/l, Max	0.2	<1.0	IS : 10500 : 2012	IS 3025 (Part 26):2009
PHYSICAL PARAMETER						
i	Colour.	Hazen, Max	5	<1.0	IS : 10500 :2012	Cl.2.0 of IS 3025 (Part 4): 2021
ii	Odour	--	Agreeable	AGREEABLE	IS : 10500 :2012	IS 3025 (Part 5):1983,RA:2012
iii	pH value	--	6.5-8.5	7.0	IS : 10500 : 2012	IS 3025 (Part-11):1983,RA:2012
iv	Taste	--	Agreeable	AGREEABLE	IS : 10500 :2012	IS 3025 (Part 8):1984, RA 2017
v	Turbidity	NTU, Max	1	0.9	IS : 10500 :2012	IS 3025 (Part 10):1984, RA 2017
vi	Total dissolved solids	mg/l, Max	500	220	IS : 10500 :2012	IS 3025 (Part 16):1984, RA 2017





KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

Test Report No : KLPL/12/23/WATER/00112

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
----	------------	------	-------------	--------	------------------------	-------------

Remarks : --

Any unusual feature observed during determination : NIL
 Customer information if any : NIL
 Confirmation statement as per decision rule , if applicable : N/A

To view "Terms & Conditions & NABL certificate of accreditation click report.kalyanilaboratories.com/images/NACNTC.pdf

Analysed By

Mr. Digambar Arukha
For Kalyani Laboratories Pvt. Ltd.



Authorised By

Dr. Rekha Nayak 29/12/2023
For Kalyani Laboratories Pvt. Ltd.

***** End of Test Report *****



KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

TEST REPORT

NABL ULR NO : TC1206323000000159
Test Report No : KLPL/12/23/WATER/00113
Issue Date : 30-Dec-2023
Amendment No : --
Amendment Date : --



TC-12063

Reference : -
Customer Name : M/S. OU INFRA PROJECTS PVT.LTD.
Address : 9 BOULVARD, RAGHUNATH PUR, BHUBANESWAR, ODISHA
Date of receipt : 26-Dec-2023 **Commenced On** : 26-Dec-2023 **Completion On** : 29-Dec-2023

Sample Description : SURFACE WATER
Form|Shape|Appearance : SEALED IN PET BOTTLE
Sample Identification : SURFACE WATER
Batch No , Lot No : NA **MFG Date** : NA **EXP Date** : NA
Received Quantity : 1L X 4 **Sample Collection Location, & Date** :
Sample Collected By : By KLPL(MR. MRUTYUNJAYA DAS) POND, DATE-26.12.2023
Sampling Procedure if Any : KLPL/QSP-07

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
CHEMICAL PARAMETER						
i	Calcium as Ca	mg/l	-	25.6	--	APHA 24th Edition (3500-Ca-B):2023
ii	Chemical Oxygen Demand	mg/l	-	10	--	APHA 24th Edition (5220-B):2023
iii	Dissolved Oxygen	mg/l, Min	4	6.6	Requirement is as per standard specification by CPCB, 1979: CLASS-C	APHA 24th Edition (4500-O-C):2023
iv	Biochemical Oxygen Demand (For 3 days 27deg C)	mg/l, Max	3.0	2.5	Requirement is as per standard specification by CPCB, 1979: CLASS-C	APHA 24th Edition 2012 (5210 B):2023
v	Copper (as Cu)	mg/l	--	<0.02	--	Cl.6.0 of IS 3025 (Part 42):1992, RA 2014
vi	Iron (as Fe)	mg/l	--	0.2	--	Cl.7.0 of IS 3025 (Part-53):2003, RA:2014
vii	Manganese (as Mn)	mg/l	--	<0.05	--	Cl.5.0 of IS 3025 (Part 59):2006 RA 2012
viii	Mineral oil	mg/l	-	<0.5	--	IS 3025 (Part 39):1992 RA 2009
ix	Total Suspended Solids	mg/l	--	4.0	--	APHA-24th Edition (2540 D):2023
x	Oil & Grease	mg/l	-	<1.0	--	APHA-24th Edition (5520 B):2023
PHYSICAL PARAMETER						
i	pH Value	--	6.5-8.5	6.8	Requirement is as per standard specification by CPCB, 1979: CLASS-C	APHA 24th Edition (4500-H+ B):2023
ii	Total dissolved solids	mg/l, Max	1500	120	Requirement is as per standard specification by CPCB, 1979: CLASS-C	APHA 24th Edition (2540 C):2023





KALYANI LABORATORIES PVT. LTD.

PLOT NO-78/944, MILLENIUM CITY PAHAL, BHUBANESWAR-752101, ODISHA

+91 9861463904 M: kalyanilab@yahoo.co.in

Test Report No : KLPL/12/23/WATER/00113

Sl	Parameters	Unit	Requirement	Result	Standard Specification	Test Method
----	------------	------	-------------	--------	------------------------	-------------

Remarks : --

Any unusual feature observed during determination : NIL
 Customer information if any : NIL
 Confirmation statement as per decision rule , if applicable : N/A

To view "Terms & Conditions & NABL certificate of accreditation click report.kalyanilaboratories.com/images/NACNTC.pdf

Analysed By



Authorised By

D Arukha
 Mr. Digambar Arukha
 For Kalyani Laboratories Pvt. Ltd.

Rekha Nayak
 Dr. Rekha Nayak
 For Kalyani Laboratories Pvt. Ltd.

***** End of Test Report *****



Vehicle search

Vehicle Number	OD33AD0299
Owner Name	*N* *N*E*P*I*E*
Registering Authority	BHUBANESWAR-II RTO, Odisha
Vehicle Class	Goods Carrier(HGV)
Fuel Type	DIESEL
Emission Norm	BHARAT STAGE VI
Vehicle Age	2 Years & 4 months
Vehicle Status	ACTIVE

[Tap to Check the Vehicle Impound and Seizure Document Status](#)

Registration Date	11-Jan-2021
Fitness Valid UpTo	10-Jan-2025
Tax Valid UpTo	30-Jun-2023
Insurance Valid UpTo	07-Jan-2024
PUCC Valid Upto	07-Feb-2024
Permit Valid UpTo	11-Jan-2026

Create Virtual RC

View Challan



Vehicle search

Vehicle Number	OD33AD3899
Owner Name	*N* *N*E*P*I*E*
Registering Authority	BHUBANESWAR-II RTO, Odisha
Vehicle Class	Goods Carrier(HGV)
Fuel Type	DIESEL
Emission Norm	BHARAT STAGE VI
Vehicle Age	1 Years & 9 months
Vehicle Status	ACTIVE

[Tap to Check the Vehicle Impound and Seizure Document Status](#)

Registration Date	23-Aug-2021
Fitness Valid UpTo	22-Aug-2023
Tax Valid UpTo	30-Jun-2023
Insurance Valid UpTo	19-Aug-2023
PUCC Valid Upto	07-Feb-2024
Permit Valid UpTo	23-Aug-2026

Create Virtual RC

View Challan



Vehicle search

Vehicle Number	OD33AD3699
Owner Name	*N* *N*E*P*I*E*
Registering Authority	BHUBANESWAR-II RTO, Odisha
Vehicle Class	Goods Carrier(HGV)
Fuel Type	DIESEL
Emission Norm	BHARAT STAGE VI
Vehicle Age	1 Years & 9 months
Vehicle Status	ACTIVE

[Tap to Check the Vehicle Impound and Seizure Document Status](#)

Registration Date	23-Aug-2021
Fitness Valid UpTo	22-Aug-2023
Tax Valid UpTo	30-Jun-2023
Insurance Valid UpTo	19-Aug-2023
PUCC Valid Upto	07-Feb-2024
Permit Valid UpTo	23-Aug-2026

Create Virtual RC

View Challan



Vehicle search

Vehicle Number	OD02BS0853
Owner Name	*S*W*T* *N*E*P*I*E*
Registering Authority	BHUBANESWAR RTO, Odisha
Vehicle Class	Goods Carrier(HGV)
Fuel Type	DIESEL
Emission Norm	BHARAT STAGE VI
Vehicle Age	1 Years & 11 months
Vehicle Status	ACTIVE

[Tap to Check the Vehicle Impound and Seizure Document Status](#)

Registration Date	02-Jun-2021
Fitness Valid UpTo	01-Jun-2025
Tax Valid UpTo	31-Mar-2024
Insurance Valid UpTo	31-May-2023
PUCC Valid Upto	21-May-2024
Permit Valid UpTo	02-Jun-2026

Create Virtual RC

View Challan

GSTIN : 21AINPB5194K1Z6

TAX / RETAIL INVOICE

M/S. ALEKHA MAHIMA PRABHU FLYSH BRICKS

IDCO PLOT NO. 2B & REV PLOT NO.-12/992 (P), NIJIGARH,
KURKI,INDUSTRIAREA, PIPIL, PURI - 752104, MOB : +91 9937343099

State : Odisha Code : 21

Date of Invoice : 22/12/22

Bill to Party

Invoice No : 093

Name : M.K. Construction

Ship to Party

Name : M.K. Construction

Address : Rangani, P.L. 536 (P) Phulparas

Address : Rangani, P.L. 536 (P) Phulparas

GSTIN : 21AICPH6515C1ZW

GSTIN : 21AICPH6515C1ZW

Sl. No.	Name of Description	HSN/SAC Code	Qty	Rate	Total Value	P.
					Rs.	
1.	03/09/12 Ash Bricks 1972	0815	1500	5.00	7,500	0
2.	15/11/22 Ash Bricks 1739	0815	1500	5.00	7,500	0
3.	24/11/22 Ash Bricks 1923	0815	1500	5.00	7,500	0
4.	22/12/22 Ash Bricks 443	0910	250	5.00	1,250	0

Challon missing

Verified

Total Amount In words: Twenty Six Thousand Six Hundred and Fifty

TOTAL Amount before Tax	23750
Add. CGST	61
Add. SGST	61
Add. IGST	
Total Tax Amount	122
Total Amount After Tax	23872
Rounded off	
GRAND TOTAL	23872

Bank Details :

Bank Name : LCO Bank Jambhata
A/c No : 5312021000403
Branch & IFS Code : LICBAB003312

Terms & Condition :

1. Goods once sold cannot be taken back
2. All disputes are subject to Bhubaneswar Jurisdiction
3. Certified that the particulars given above is true & correct

For M/S. ALEKHA MAHIMA PRABHU FLYSH BRICKS

[Signature]
Authorized Signatory

Maintained
3/12/22

INVOICE

UMASANKAR TRANSPORT & CONSTRUCTION

PLOT NO 1247, PATRAKADA BHUBANESWAR
 MOB-9938619856 EMAIL - umasankartransportconstruction@gmail.com
 GST Tin No 35AAGPU7967B1ZF

Checked

Billed To:		Place of Supply:		INVOICE No.	Date
MK Constructions Bhubaneswar		Bhubaneswar		UB170104	21-Dec-20
GST Tin No-35AAGPU7967B1ZF					
Description of Service	HSN CODE	QTY	Units	RATE	Amount
DESCRIPTION Bricks <i>Color (3030, 3041, 3034)</i>	08150910	4500	pcs	4.8	20250
Total					20250
Taxable Value					
ADD CGST 9%					1823
ADD SGST 9%					1823
Total					23896

Verified

Amount Charged in words
 Rupees Twenty two thousand six hundred eighty only.
 Company's PAN: 35AAGPU7967B

Note: Please make cheques in favor of "Umasankar Transport & Construction"

M/s. Umasankar Transport & Construction
Md. Masud Hossain
 Authorised Signatory

Checked


Md. Masud Hossain
 21/12/20

23896.00

TAX INVOICE CUM DELIVERY CHALLAN

Printed on 22-Nov-22 at 12:12

Bill No: 82214044088102/101822304/004408880031 (Auto Gen)
 Bill No: 881011328548720423
 Bill Date: 22-Nov-22



DURAMIX CONCRETE INDIA PRIVATE LIMITED

Plot No: 1005, NEARBY TELANGAPETA, GUTTALA-794001

State: ODISHA
 State Code: 21
 Phone No: 98765554119851034652
 Email: support@duramix.in

PAN: AAKCD7852B
 GST: 21AAKCD7852B122
 CIN: UAC301OR1200FTCO00002
 Bank Name: HDFC Bank
 Branch & IFSC Code: Sakinagar & 4000040000000

Billed Address

BK Constructions
 Plot No: 236, Rangam, Mahabub Road,
 Near Dakshinam Chok, Bhutanewar,
 25TH/UN 21AICPM0215C1ZV
 Salary No: AICPM0215C
 Site Name: Odisha Code: 21

Invoice No: DCIT-2023-14004
 Invoice Date: 22-Nov-22
 Customer PO No/Date: W082022W08000002/040
 Sales Order No: 00120231178
 Sales Order Date: 20-Nov-22
 Reverse Charge: No
 Term of Payment: 45 Days
 Transporter: TM
 Vehicle No: OD13AD0998
 Place of Supply: Raghunathpur

Delivery Address

BK Constructions
 Current Project:
 Site: Raghunathpur
 Subproject:
 25TH/UN 21AICPM0215C1ZV
 Salary No: AICPM0215C
 Site Name: Odisha Code: 21

SI	PARTICULARS	HSN/SAC	QTY	RATE	AMOUNT
	M08_CANON (STANDARD MIX)	9824010	7.50 CUM	4408.760	33,065.700

Sub Total	7.50 CUM	33,065.700
CGST		2,974.877
SGST		2,974.877
Grand Total		39,015.454

Sum of words: INR Thirty Nine Thousand Only

Machine Type: GPC
 Make Type: HRWRA
 Model: Pump (Model 1405)
 Max. Agg Size: 20MM
 Blump: 130 MM (+/- 25 MM)
 Order Quantity (Cum/Min):
 Time of Arrival on Site:

Notes: The concrete delivery is subject to the terms and conditions of sales shown in our quotation. The site is checked for being the delivery is 15 minute. We reserve the right to charge for any retention beyond this time as per our quotation. Any on-site addition of water and/or any other material to concrete shall exempt us from any liability whatsoever. Any delimiting or side of placing, compacting, finishing and curing of concrete achieved at site may affect quality of concrete in the finished work for which we shall not be held liable and responsible. Any disputes the order on quantity and quality, except comp. strength of concrete and in the lead shall be reported to us in writing within 24 hours from the time of supply. In all event shall we be liable for direct or indirect or consequential damage arising out of use of this product. Even if advised of possibility of such damage, user shall our liability exceed the purchase price of this product.

We confirm that we have accepted delivery of concrete as per the details mentioned above. We have authorized addition of any water and/or admixture as mentioned above. All the particulars given above are true and correct and amount indicated represents the price charged and that there is no additional consideration directly or indirectly from the buyer. Here's Seal and Signature

BY DURAMIX CONCRETE INDIA PRIVATE LIMITED



[Signature]

TAX INVOICE CUM DELIVERY CHALLAN

Printed on 23-Dec-22 at 09:01

Entry

382cc4e45748018a2ebaaaa333e0c70295d93707-
8a4680079450b23f666c2c74
No. : 182212745927475
Date : 23-Dec-22

DURAMIX™
SHIELD WITH DURABILITY

DURAMIX CONCRETE INDIA PRIVATE LIMITED
PLOT NO. 1205, NUAHAT, TELENGAPENTHA
CUTTACK - 754001

Code : Odisha
: 21
No. : 98785994119861934862
: support@duramix.in

PAN : AAHCD7652B
GST : 21AAHCD7652B1Z2
CIN : U45201OR2020PTC033082
Bank Name : HDFC A/C. 5656 (Main)
A/c No. : 50200050365888
Branch & IFS Code : Sahasr Nagar & HDFC000TUBB

Address :
o. 536, Rangani, Mahatab Road,
Jabangala Chhak, Bhubaneswar
UIN : 21AICPM6515C1ZW
No. : AICPM6515C
Name : Odisha, Code : 21

Invoice No. : DC11-2223-16837
Invoice Date : 23-Dec-22
Customer PO No./Date : MKCS BOULEVARD/DURAMIX/22-231982
Sales Order No. : SO12223132B
Sales Order Date : 22-Dec-22
Reverse Charge : No
Term of Payment : 30 Days
Transporter : TM
Vehicle No. : OD02BS0853
Place of Supply : Raghunathapur

Address :
ard Project
Raghunathpur
Bhubaneswar
UIN : 21AICPM6515C1ZW
No. : AICPM6515C
Name : Odisha, Code : 21

PARTICULARS			
HSN/SAC	QTY	RATE	
38245010	7.50 CUM	4,818.040	
Sub Total		7.50 CUM	

words : INR Forty Thousand Eight Hundred
Seventy Four and Ninety Six paise
Only

CGST
SGST
Grand Total : 40

us Type : OPC
Type : HRWRA
ual : Pump (Moli2 1405)



Max. Agg Size : 20MM
Slump : 130 MM (+/- 25)
Order Quantity (Cubic Meter) :
Time of Arrival on Site :

This concrete delivery is subject to the terms and conditions of sales shown in our quotation. The time for delivery is 15 minute, we reserve the right to charge for any detention beyond this time as per our quotation. In addition of water and or/ any other material to concrete shall absolve us from any liability whatsoever. Any delay in placing, compacting, finishing and curing of concrete adopted at site may affect quality of concrete in the finish. We shall not be held liable and responsible. Any disputes that arise on quantity and quality (except comp. strength) shall be reported to us in writing within 24 hours from the time of supply. In no event shall we be liable for direct, incidental or consequential damage arising out of use of this product, even if advised of possibility of such damage. Our liability exceed the purchase price of this product.

Accepted delivery of concrete as per the details mentioned above. We warrant that the concrete is as per the details mentioned above and amount indicated represents the price charged and that there is no flow of additional consideration directly or indirectly for DURAMIX CONCRETE INDIA PRIVATE LIMITED.

SUBJECT TO BHUBANESWAR JURISDICTION
This is a Computer Generated Invoice

Authorized Signature


TAX INVOICE CUM DELIVERY CHALLAN

Printed on 22-Nov-22 at 07:07

e-Invoice

IRN : d5623acea6e3542b7584aedadb61089ec885f0441aa2-
 9a5000327fa50ce5733
 Ack No : 182212575072787
 Ack Date : 22-Nov-22



DURAMIX CONCRETE INDIA PRIVATE LIMITED

PLOT NO. 1205 NUAHAT, TELENGAPENTHA
 CUTTACK-754001

State : Odisha
 State Code : 21
 Phone No : 98785994119861934862
 Email : support@duramix.in

PAN : AAHCD7652B
 GST : 21AAHCD7652B1Z2
 CIN : U45201OR2020PTC033082
 Bank Name : HDFC A/c. Secd (Main)
 A/c No : 602006036650
 Branch & IFS Code : Bansaheed Nagar & HDFC0001080

Billed Address

MK Constructions
 Plot No. 536, Ranganji, Mahatab Road,
 Near Dakbangala Chhak, Bhubaneswar
 GSTIN/UIN : 21AICPM6515C1ZW
 PAN/IT No : AICPM6515C
 State Name : Odisha, Code : 21

Invoice No : DCI1-2223-14054
 Invoice Date : 22-Nov-22
 Customer PO No /Date : MKC9 BOULEVARD/DURAMIX/22-03496
 Sales Order No : SO122231174
 Sales Order Date : 20-Nov-22
 Reverse Charge : No
 Term of Payment : 45 Days
 Transporter : TM
 Vehicle No : OD33AD3899
 Place of Supply : Raghunathapur

Delivery Address

MK Constructions
 Boulevard Project
 Patia, Raghunathpur
 Bhubaneswar
 GSTIN/UIN : 21AICPM6515C1ZW
 PAN/IT No : AICPM6515C
 State Name : Odisha, Code : 21

SI	PARTICULARS	HSN/SAC	QTY	RATE	AMOUNT
	M30_CANON (STANDARD MIX)	38245010	7.50 CUM	4,406.780	33,050.85
Sub Total			7.50 CUM		33,050.85
CGST					2,974.50
SGST					2,974.50
Grand Total					39,000.00

Amount in words : INR Thirty Nine Thousand Only

Mix Type : OPC
 Admixture : HRWRA
 Pump/Manual : Pump (Moli3 1405)

Max Agg Size : 20MM
 Slump : 130 MM (+/- 25 MM)
 Order Quantity (Cubic Meter) :
 Time of Arrival on Site :

Disclaimer: This concrete delivery is subject to the terms and conditions of sales shown in our quotation. The time is allowed for loading and unloading of concrete is 15 minute. We reserve the right to charge for any detention beyond this time as per our quotation. Any unauthorised addition of water and/or any other material to concrete shall absolve us from any liability whatsoever. Any deficiency in quantity of concrete shall be made good at site. We shall not be held liable and responsible for any damage to concrete caused by any reason whatsoever. Any deficiency in quantity of concrete shall be made good at site. We shall not be held liable and responsible for any damage to concrete caused by any reason whatsoever. Any deficiency in quantity of concrete shall be made good at site. We shall not be held liable and responsible for any damage to concrete caused by any reason whatsoever.

Buyer confirms that they have accepted delivery of concrete as per the details mentioned above and that the particulars given above are true and correct and amount indicated represents the price charged and that there is no additional consideration directly or indirectly from the buyer.

for DURAMIX CONCRETE INDIA PRIVATE LIMITED



[Signature]

[Signature]

Authorised Signatory

SUBJECT TO BHUBANESWAR JURISDICTION

TAX INVOICE CUM DELIVERY CHALLAN

Printed on 22-Nov-22 at 07:40

e-Invoice

8cdfbe579390160526f671f6a46aecf87fec072bf656ea7-
ca925773a00ad0e3a
No. 182212575093559
Date 22-Nov-22



DURAMIX CONCRETE INDIA PRIVATE LIMITED
PLOT NO. 1205, NUAHAT, TELENGAPENTHA
CUTTACK-754001

State Code: Odisha
PIN: 751001
Phone No: 98785994119861934862
Email: support@duramix.in

PAN: AAHCD7662B
GST: 21AAHCD7662B1Z2
CIN: U45201OR2020PTC033082
Bank Name: HDFC A/c. 6668 (Main)
A/c No: 6020060300000
Branch & IFS Code: Saheed Nagar & HDFC0001000
Invoice No: DCI1-2223-14057
Invoice Date: 22-Nov-22
Customer PG No /Date: MKC9 BOULEVARD/DURAMIX/22-23/499
Sales Order No: SO122231174
Sales Order Date: 20-Nov-22
Reverse Charge: No
Term of Payment: 45 Days
Transporter: TM
Vehicle No: OD05AZ3316
Place of Supply: Raghunathapur

Delivery Address
Constructions
No. 536, Rangani, Mahatab Road,
Dakshangala Chhak, Bhubaneswar
TIN/UIN: 21AICPM6515C1ZW
VIT No: AICPM6515C
State Name: Odisha, Code: 21

Delivery Address
Constructions
Boulevard Project
Saheed Nagar, Raghunathpur
Bhubaneswar
TIN/UIN: 21AICPM6515C1ZW
VIT No: AICPM6515C
State Name: Odisha, Code: 21

PARTICULARS	HSN/SAC	QTY	RATE	AMOUNT
M30_CANON (STANDARD MIX)	38245010	7.50 CUM	4,406.780	33,051.15
Sub Total		7.50 CUM		33,051.15
CGST				2,974.40
SGST				2,974.40
Grand Total				39,000.00

Amount in words: INR Thirty Nine Thousand Only

Concrete Type: OPC
Reinforcement Type: HRWRA
Pump/Manual: Pump (Moli3 1405)
Max. Agg. Size: 20MM
Slump: 130 MM (+/- 25 MM)
Order Quantity (Cubic Meter):
Time of Arrival on Site:

Disclaimer:
Note: This concrete delivery is subject to the terms and conditions of sales shown in our quotation. The time is allowed for waiting this delivery is 15 minute, we reserve the right to charge for any detention beyond this time as per our quotation. Any unauthorized addition of water and/or any other material to concrete shall absolve us from any liability whatsoever. Any deficiency in methods of placing, compacting, finishing and curing of concrete adopted at site may affect quality of concrete in the finished work. We shall not be held liable and responsible. Any disputes that arise on quantity and quality (except comp. strength) of concrete placed in this load shall be reported to us in writing within 24 hours from the time of supply. In no event shall we be liable for direct, incidental or consequential damage arising out of use of this product, even if advised of possibility of such damage. In no case shall our liability exceed the purchase price of this product.

We hereby confirm that:
We have accepted delivery of concrete as per the details mentioned above.
We have authorized addition of any water and/or admixture as mentioned above.
We certify that the particulars given above are true and correct and amount indicated represents the price charged and that there is no additional consideration directly or indirectly from the buyer.
Buyer's Seal and Signature: _____
for DURAMIX CONCRETE INDIA PRIVATE LIMITED



Authorised _____

SUBJECT TO BHUBANESWAR JURISDICTION

TAX INVOICE CUM DELIVERY CHALLAN


Printed on 23-Dec-22 at 05:48

e-Invoice

IRN : 2b4a4659a956c9d03a153ee1c1d7d3db09f9a01-a6089b066d7b5d5522bde501
 Ack No. : 182212745923646
 Ack Date : 23-Dec-22

Entry

*16033 17.5 = 2247.50
 3 Lix 3 = 9.00
 250.50
 P.O. 562
 21.12.22*



DURAMIX SHIELD WITH DURABILITY		DURAMIX CONCRETE INDIA PRIVATE LIMITED PLOT NO. 1205, NUAHAT, TELENGAPENTHA CUTTACK-754001	
State : Odisha	PAN : AAHCD7652B	State Code : 21	GST : 21AAHCD7652B1Z2
Phone No. : 98785994119861934862	CIN : U45201OR2000PTC033082	Email : support@duramix.in	Bank Name : HDFC Bank (Main)
	A/C No : 5020009205555		Branch & IFS Code : Nanded Nagar & HDFC0001099
Billed Address	Invoice No. : DCI1-2223-16836	Invoice Date : 23-Dec-22	Customer PO No./Date : MKC9 BOULEVARD/DURAMIX/22-23/952
MK Constructions Plot No. 536, Rengani, Mahatab Road, Near Dakbangain Chhik, Bhubaneswar	Sales Order No. : SO122231328	Sales Order Date : 22-Dec-22	Reverse Charge : No
GSTIN/UIN : 21AICPM6515C1ZW	Term of Payment : 30 Days	Transporter : TM	Vehicle No. : OD05AY7355
PAN/IT No : AICPM6515C	Place of Supply : Raghunathapur		
State Name : Odisha, Code : 21			
Delivery Address			
MK Constructions Boulevard Project Patia, Raghunathpur Bhubaneswar			
GSTIN/UIN : 21AICPM6515C1ZW			
PAN/IT No : AICPM6515C			
State Name : Odisha, Code : 21			

SI	PARTICULARS	HSN/SAC	QTY	RATE	AMOUNT
1	M30_EXPRIO (PP FIBRE)	38246010	7.50 CUM	4,618.640	34,639.80
			<i>9B</i>		
Sub Total			7.50 CUM		34,639.80
Amount in words : INR Forty Thousand Eight Hundred Seventy Four and Ninety Six paise Only					
CGST					3,117.58
SGST					3,117.58
Grand Total					40,874.96

Cementitious Type : OPC
 Mixture Type : HRWRA
 Pump/Manual : Pump (Moll2 1405)
 Max. Agg Size : 20MM
 Slump : 130 MM (+/- 25 MM)
 Order Quantity (Cubic Meter) :
 Time of Arrival on Site :

Declaration
 Usage Note: This concrete delivery is subject to the terms and conditions of sales shown in our quotation. The time is allowed for loading this delivery is 15 minute. We reserve the right to charge for any detention beyond this time as per our quotation. Any unauthorized addition of water and or/ any other material to concrete shall absolve us from any liability whatsoever. Any deficiency in methods of placing, compacting, finishing and curing of concrete adopted at site may affect quality of concrete in the finished work for which we shall not be held liable and responsible. Any disputes that arise on quantity and quality (except comp. strength) of concrete supplied in this load shall be reported to us in writing within 24 hours from the time of supply. In no event shall we be liable for direct, indirect, incidental or consequential damage arising out of use of this product, even if advised of possibility of such damage. In no case shall our liability exceed the purchase price of this product.

I hereby confirm that:
 I/We have accepted delivery of concrete as per the details mentioned above.
 I/We have advised addition of any water and/or admixture as mentioned above. Certified that the purchase price shown on the invoice and amount indicated represents the price charged and that there is no flow of additional consideration directly or indirectly from the buyer.

Customer's Seal and Signature: *[Signature]*
 For DURAMIX CONCRETE INDIA PRIVATE LIMITED

 Authorized Signatory: *[Signature]*

SUBJECT TO BHUBANESWAR JURISDICTION
 This is a Computer Generated Invoice



3

FX

TAX INVOICE CUM DELIVERY CHALLAN

Printed on: 23-Dec-22 at 08:01

Entry

: 382cc4e45748018a2ebaa333e0c70295d93707-
8a4680079450b23f666c2c74
No. : 182212745927475
Date : 23-Dec-22

DURAMIX TM SHIELD WITH DURABILITY		DURAMIX CONCRETE INDIA PRIVATE LIMITED PLOT NO. 1205, NUJAHAT, TELENGAPENTHA CUTTACK-754001	
Code : Odisha	PAN : AAHCD7652B	Bank Name : HDFC A/c. 5656 (Main)	Invoice No. : DCI1-2223-16837
No. : 21	GST : 21AAHCD7652B1Z2	A/c No. : 5020050369668	Invoice Date : 23-Dec-22
98785994119861934862	CIN : U45201OR2020PTC033082	Branch & IFS Code : Sahad Nagar & HDFC0001080	Customer PO No./Date : MK09 BOULEVARD/DURAMIX/22-23/562
support@duramix.in	Bank Name : HDFC A/c. 5656 (Main)		Sales Order No. : SO122231328
	A/c No. : 5020050369668		Sales Order Date : 22-Dec-22
	Branch & IFS Code : Sahad Nagar & HDFC0001080		Reverse Charge : No
Address			Term of Payment : 30 Days
Instructions			Transporter : TM
o. 536, Rangani, Mahatab Road,			Vehicle No. : OD02BS0853
Dakbangala Chhak, Bhubaneswar			Place of Supply : Raghunathapur
U/JIN : 21AICPM6515C1ZW			
UIN : AICPM6515C			
Name : Odisha, Code : 21			
ry Address			
Instructions			
ard Project			
Raghunathpur			
eswar			
UIN : 21AICPM6515C1ZW			
No : AICPM6515C			
ame : Odisha, Code : 21			

PARTICULARS				HSN/SAC	QTY	RATE
10_EXPRIO (PP FIBRE)				38245010	7.50 CUM	4,616.640
Sub Total					7.50 CUM	
CGST						
SGST						
Grand Total						40

9B

words: INR Forty Thousand Eight Hundred
Seventy Four and Ninety Six paise
Only

us Type : OPC
Type : HRWRA
ual : Pump (Moli2 1405)

Max. Agg Size : 20MM
Slump : 130 MM (+/- 25)
Order Quantity (Cubic Meter) :
Time of Arrival on Site :

This concrete delivery is subject to the terms and conditions of sales shown in our quotation. The time for delivery is 15 minute, we reserve the right to charge for any detention beyond this time as per our quotation. Addition of water and or/ any other material to concrete shall absolve us from any liability whatsoever. Any delay in placing, compacting, finishing and curing of concrete adopted at site may affect quality of concrete in the finish. We shall not be held liable and responsible. Any disputes that arise on quantity and quality (except comp. strength) shall be reported to us in writing within 24 hours from the time of supply. In no event shall we be held liable for incidental or consequential damage arising out of use of this product, even if advised of possibility of such damage. Our liability exceed the purchase price of this product.

I hereby accept delivery of concrete as per the details mentioned above.

Signature and Signature

for DURAMIX CONCRETE INDIA PRIVATE LIMITED

Authorized

SUBJECT TO BHUBANESWAR JURISDICTION
This is a Computer Generated Invoice





OFFICE OF THE REGIONAL OFFICER, BHUBANESWAR
STATE POLLUTION CONTROL BOARD, ODISHA
[FOREST, ENVIRONMENT AND CLIMATE CHANGE DEPARTMENT, GOVERNMENT OF ODISHA]
Plot No. B-59/2 & B-59/3, Chandaka Industrial Estate, Patia, Po- KIIT, Bhubaneswar - 751024

No. 3117 / RO-BBSR/NOC-2951

Date 11/09/2023

CONSENT TO ESTABLISH ORDER

In consideration of the online application No. 5094895 for obtaining Consent to Establish of **M/s. OU INFRAPROJECTS PRIVATE LIMITED (Formally known as M. J. Accretion (P) Limited)**, the State Pollution Control Board is pleased to convey its Consent to Establish under Section 25 of Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of Air (Prevention & Control of Pollution) Act, 1981 for **Construction of Residential Housing Project i.e. B+S+16 Multi-storied Residential Apartment Building (One Block; Dwelling units 180 nos.)**, having total built up area of 36,025.25 Sqm. over total plot area 13,618.57 Sqm. with following particulars;

Description	Project Details
Built up Area	36,025.25 Sqm
D.G Set	1x750 KVA
STP (with FAB Technology)	150 KLD
Project Cost including land and building	Rs. 40.00 Crores

At **Raghunathpur** on Plot No. 1480 under Khata No. 517; Plot No. 1478, 1479, 2044 and 2051 under Khata No.513; Plot No. 1508 under Khata No. 517; Plot No. 1511 under Khata No. 729/3767; Plot No. 1508 under Khata No. 517; Plot No.1514 under Khata No. 729/3668; Plot No. 1514/2788 under Khata No. 729/1771; Plot No. 1511/4133 under Khata No. 729/1728; Plot No. 1513 under Khata No. 729/1728; Plot No. 1512/4132 under Khata No. 729/1727; Plot No. 1480/3127 under Khata No. 729/623; Plot No. 1478/3128 under Khata No. 729/623 ; Plot No. 1508/3530 under Khata No. 729/1054; Plot No. 2054/2537 under Khata No. 729/47; Plot No. 1508/5097 under Khata No. 729/3669; **Total Area: Acre 3.272 Decimils;** **Mouza: Raghunathpur, Tahasil: Bhubaneswar, PS: New Capital, Bhubaneswar in the district of Khordha, Odisha with the following conditions:**



GENERAL CONDITIONS:

1. This Consent to Establish is valid for the construction project as mentioned in the application form and for a period of five years from the date of issue of this letter. If the proponent fails to do substantial physical progress of the project within five years, then a renewal of this Consent to Establish shall be sought by the proponent.
2. The Project has to apply for grant of Consent to Operate under section 25 / 26 of Water (Prevention & Control of Pollution) Act, 1974 under Section 21 of Air (Prevention & Control of Pollution) Act, 1981 at least 3 (three) months before the occupancy and obtain Consent to Operate from this Board.
3. This Consent to Establish is subject to statutory and other clearances from Government of Odisha and/or Govt, of India, as and when applicable.

SPECIAL CONDITIONS:

A. GENERAL CONDITIONS:

1. **The proponent shall comply with the stipulations and carry out construction activity as per the Environmental Clearance granted by SEIAA, Odisha vide EC No. 2587/SEIAA, Dtd. 15.11.2014.**
2. The unit shall obtain NOC from CGWA for using of ground water for getting Consent to Operate of State Pollution Control Board, Odisha.
3. The proponent shall obtain permission from Department of Water Resources, Govt. of Odisha for drawl of ground water and surface water.
4. The proponent shall implement the pollution control measures and safeguards as proposed in the Environment Management Plan (EMP).
5. Solar or other Renewable Energy shall be installed to meet electricity generation equivalent to 5% of the demand load.
6. A green belt of adequate width and density preferably with local species along the periphery of the project area shall be raised so as to provide protection against particulates and noise. It must be ensured that at least 20% of the total land area shall be under green cover. The proponent shall ensure the maintenance of green belt throughout the year and for all time to come. It is advised that they may engage professionals in this field for creation and maintenance of the green belt. An action plan for this purpose shall be prepared and shall be submitted accordingly.
7. Adequate drinking water and sanitary facilities shall be provided for construction workers at the site. Provision shall be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase shall be ensured.



8. All vehicles carrying construction materials to the site shall be covered to avoid spreading of dust. Vehicles hired for bringing construction material at site shall be in good condition and shall have valid Pollution Under Check (PUC) certificate and to confirm to applicable air and noise emission standards and shall be operated only during non-peaking hours.
9. The project shall use fly ash bricks and other building materials made out of fly ash in construction.
10. The construction shall be carried out with the fly ash bricks. If the fly ash bricks are not available locally the construction may be carried out with other bricks with prior intimation to the concerned Regional Office of SPC Board. A statement indicating use of fly ash bricks during construction period shall be submitted to the Board quarterly for record.
11. Use of glass shall be reduced by upto 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflective coating in windows shall be used.
12. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking shall be inside the campus and no public space shall be utilized.
13. Noise shall be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
14. The proponent shall comply to the provisions of E-waste (Management) Rules, 2016 and shall handover E-waste to authorized collection centres / register dismantlers / recyclers for proper disposal of E-waste.
15. Separate collection bin shall be provided inside the building complex for collection of E-waste.
16. The construction and demolition waste to be generated from the proposed project shall be disposed of in accordance with the provision under "Construction & Demolition Wastes Management Rules 2016".
17. The proponent shall comply with the provision made under Plastic Waste Management Rules, 2016 and amendment made thereafter and shall ensure prohibition on use of Single Use Plastics within the premises.
18. All the plastic waste generated from the premises shall be collected and sent for co-processing to the nearby cement kilns and / or registered recyclers under Plastic Waste Management Rules, 2016.
19. Municipal Solid Waste shall be disposed off as per the Solid Waste Management Rules, 2016 and amendment thereafter.
20. The Board may impose further condition or modify the conditions are stipulated in this order during installation and / or at the time of obtaining Consent to Operate and may revoke this order in case the stipulated conditions are not implemented and / or information is found to have been suppressed / wrongly furnished in the application form.



B. WATER POLLUTION:

21. Water Sprinkling shall be carried out in stockpiles and haulage roads in the construction area to suppress fugitive dust emission.
22. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
23. Fixtures for showers, toilet flushing, and drinking shall be of low flow either by use of aerators or pressure reducing devices or sensor-based control.
24. Rainwater harvesting structure inside the premises shall be developed as per the proposal submitted to the Board, (3 Nos. of Recharging pits) to recharge the ground water. Rainwater harvesting structure shall be included from the construction stage itself.
25. The domestic wastewater generated shall be treated in **Sewage Treatment Plant of capacity 150 KLD** to meet the following standards as notified by the MoEF&CC, Govt. of India vide G.S.R. 1265 (E), dated 13.10.2017. The treated water shall be reused for flushing, gardening and plantation to the maximum possible extent.

Sl. No.	Parameters	Standards
1.	pH	6.5-9.0
2.	BOD (mg/l)	20
3.	TSS (mg/l)	<50
4.	Fecal Coliform (MPN/100ml)	< 1000

26. The surplus treated wastewater from STP (Sewage Treated Plant) after meeting the above prescribed standard may be discharged to the Existing Drain as shown in Service Site Plan (EIDP Plan) during monsoon months with due permission from competent authority as proposed and steps shall be taken to utilize the treated wastewater in the premises during non-monsoon period. The STP shall be made functional before the completion of the housing project.
27. The proponent shall create a corpus fund of adequate value and be kept in a separate account for operation and maintenance of STP and MSW Converter and this fund shall not be utilized for any other purpose.
28. The safe disposal of wastewater and solid waste generated from washing of painting equipment during the construction phase shall be ensured.

C. AIR POLLUTION:

29. The diesel generator sets to be used during construction phase shall be low Sulphur diesel type and shall conform to Environment (Protection) Rules prescribed for air and noise emission standards.



30. All vehicles carrying building materials to the site shall be covered to avoid spreading of dust.
31. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase shall be of enclosed type and confirm to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets shall be equal to the height needed for the combined capacity of all proposed DG sets. Only low sulphur diesel will be used. The location of the DG sets may be decided in consultation with State Pollution Control Board.
32. The height of the stack attached to the D.G set shall confirm to the following:
 $H = h + 0.2\sqrt{KVA}$ (Where, h = Height of the building where it is installed in meter
KVA = Capacity of D.G Set and H = Height of the stack in meter above ground level).
33. The proponent shall take adequate measures to prevent noise during loading and unloading of the construction materials in night.
34. The proponent shall also take adequate measures during construction phase to prevent noise and dust pollution to surrounding area.

D. SOLID WASTE:

35. An intermediate storage area of adequate capacity for temporary storage of Municipal Waste (MSW) shall be developed inside the premises before handing over the MSW to the approved agency for final disposal.
36. The solid waste generated from the complex shall be segregated as biodegradable and non-biodegradable. This shall be collected in separate-coloured bins. Proper waste management practices shall be adopted during the collection, storing and disposal of the generated solid waste.
37. The proponent shall establish Mechanized Organic Waste Converter for processing of Municipal Solid Waste generated from the complex under covered shed to produce organic manure which may be used for development of green belt.
38. Bio-degradable solid waste shall be sent to the organic waste converter for preparation of manure. Non-biodegradable waste like polythene bags, metal, ceramic waste, glass etc. shall be stored in separate garbage bin and will be sent to approved agency for final disposal. The details of solid waste segregation and disposal method shall be submitted along with CTO application.
39. All required sanitary and hygienic measures shall be in place before starting construction activities and to be maintained throughout the construction phase.
40. All the topsoil excavated during construction activities shall be stored for use in horticulture / landscape development within the project site and shall be covered.
41. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general Safety and health aspects of people, only in approved sites with the approval of competent authority.



42. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they shall not leach into the ground water.
43. The Project proponent shall dispose of hazardous waste materials such as tarry products, lead containing products, paints & pigments residues, broken fluorescent and mercury lamps during construction and operational phase as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and amended thereafter.
44. The proponent shall submit a separate application for obtaining authorization; under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and amended thereafter.

[Handwritten Signature]
11/9/2023

REGIONAL OFFICER

To,
Sri Sidharth Sekhar Mohapatra, Director,
M/s. OU Infraprojects (P) Limited,
At: Plot No. 687/2365, Jayadev Bihar, Nayapalli,
Po: Nayapalli, Bhubaneswar,
Dist: Khordha

Memo No. _____ / Date _____

Copy forwarded to:

1. Member Secretary, S.P.C. Board, Odisha, Bhubaneswar
2. Collector & District Magistrate, Khordha
3. Bhubaneswar Development Authority, Bhubaneswar
4. Bhubaneswar Municipal Corporation, Bhubaneswar
5. Copy to Guard file.

[Handwritten Signature]
REGIONAL OFFICER

**Point-wise implementation status of mitigation measures
indicated in EMP**

COMPONENT	CAPITAL COST (INR LAKH)	IMPLEMENTATION cost (INR LAKH)	REMARKS
Air Pollution Control	25.6	8	Water sprinkling on haulage roads & stock piles to avoid dust has been done. Vehicle & construction equipment will be maintained properly to reduce exhaust gas emission. Cement will be unloaded within the covered space.
Waste Water Management	40.8	5	Cleaning of Discharge Drain
Water Treatment Plant	37.8	0	The wastewater management system will be implemented after the completion of the project
Solid Waste Management	33.6	1	Solid waste generated by workers within the project area during the construction phase has been segregated and disposed of by authorized vendors.
Environmental Monitoring	21.4	6	The half-yearly compliance report has been prepared and uploaded.
Greenbelt Development	40.8	0	Greenbelt development will be done after completion of construction work.
Total	200	20	